

AI ASS 14.1

Name: B.Sanjana

H.T.N0:2303A52306

Batch:43

Task1:portfolio website

Prompt:


Create a modern personal portfolio website using HTML, CSS, and JavaScript.

Include sections for About Me, Projects, and Contact.

Use a clean color palette and suggest suitable typography.

Make the layout responsive using Flexbox and Grid.


Add smooth scrolling navigation for better user experience.



```
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Sanjana Bikkini | Portfolio</title>
8
9   <!-- Font Awesome -->
10  <script src="https://kit.fontawesome.com/a0cbedf57.js" crossorigin="anonymous"></script>
11
12  <!-- CSS -->
13  <link rel="stylesheet" href="./assets/css/style.css">
14 </head>
15
16 <body>
17
18 <!-- HEADER -->
19 <header>
20   <span class="logo">My Portfolio</span>
21   <nav>
22     <ul>
23       <li><a href="#home">Home</a></li>
24       <li><a href="#about">About</a></li>
25       <li><a href="#skills">Skills</a></li>
26       <li><a href="#internships">Internships</a></li>
27       <li><a href="#certifications">Certifications</a></li>
28       <li><a href="#projects">Projects</a></li>
29       <li><a href="#contact">Contact</a></li>
30     </ul>
31   </nav>
32 </header>
```


```
# style-three.css  index.html X
My-portfolio-main > index.html > ...
2  <html lang="en">
16 <body>
35 <main>
230 <!-- CONTACT -->
231 <section class="contact-section" id="contact">
232   <h2>Contact <span>Me</span></h2>
233
234   <form class="contact-form">
235     <input type="text" placeholder="Full Name" required>
236     <input type="email" placeholder="Email" required>
237     <textarea rows="5" placeholder="Message" required></textarea>
238     <button type="submit">Send Message</button>
239   </form>
240
241   <div class="social-icons">
242     <a href="https://www.linkedin.com/in/sanjana-bikkineni-798648366/" target="_blank"><i class="fab fa-linkedin"></i></a>
243     <a href="mailto:sanjanabikkineni11@gmail.com"><i class="fas fa-envelope"></i></a>
244   </div>
245 </section>
246
247 </main>
248
249 <footer>
250   <p>© 2025 Sanjana Bikkineni | All Rights Reserved</p>
251 </footer>
```

```
EXPLORER  style-three.css  style-two.css X
OPEN EDITORS
style-three.css My-portfolio-main
style-two.css My-portfolio-main
My-portfolio-main
  assets
    css
    img
      image.jpg.jpg
    js
      scripts.js
    index.html
style-three.css
1  @import url("https://fonts.googleapis.com/css2?family=Poppins:wght@100;300;400;500;600;700&display=swap");
2
3  /* Global variables */
4  :root {
5    --primary: #ff5555;
6    --primary-hover: #e64232;
7    --dark-primary: #0000;
8    --dark-secondary: #1e1eb3;
9    --text-color: #4c4c4c;
10 }
11
12 * {
13   margin: 0;
14   padding: 0;
15   box-sizing: border-box;
16 }
17
18 html {
19   scroll-behavior: smooth;
20 }
21
22 body {
23   font-family: "Poppins", sans-serif;
24 }
25
26 /* Header */
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS
PS C:\Users\Sanja\Downloads\My-portfolio-main>
PS C:\Users\Sanja\Downloads\My-portfolio-main>
```



The screenshot shows the VS Code editor with a file explorer on the left and a code editor in the center. The file explorer shows a project structure with folders like 'css' and 'scripts'. The code editor displays the 'style-three.css' file, which contains CSS rules for buttons and sections. The code includes hover effects for buttons and a section about the user.


```
138  
139  
140 .btn.btn-primary:hover {  
141   background-color: var(--primary-hover);  
142   transition: all 0.3s ease 0s;  
143 }  
144  
145 .btn-dark-outlined {  
146   background-color: var(--dark-primary);  
147   border: 1px solid var(--primary);  
148   color: var(--primary);  
149   border-radius: 5px;  
150   font-weight: 600;  
151 }  
152  
153 .btn-dark-outlined:hover {  
154   cursor: pointer;  
155   background-color: var(--primary);  
156   color: #fff;  
157   transition: all 0.3s ease 0s;  
158 }  
159  
160 /* About Section */  
161 section.about-section {  
162   background-color: var(--dark-secondary);  
163   color: #fff;  
164 }
```




The screenshot shows the VS Code editor with a file explorer on the left and a code editor in the center. The file explorer shows a project structure with folders like 'css' and 'scripts'. The code editor displays the 'scripts.js' file, which contains JavaScript code for handling theme changes. The code includes an event listener for clicks that toggles the active theme and updates the href of the theme stylesheet.

```
1 document.addEventListener("click", function (event) {  
2   if (event.target.hasAttribute("data-theme")) {  
3     const themeFile = event.target.getAttribute("data-theme");  
4     const themeButtons = document.querySelectorAll("[data-theme]");  
5     themeButtons.forEach(btn => btn.classList.remove("active-theme"));  
6     event.target.classList.add("active-theme");  
7     document.getElementById("themeStylesheet").setAttribute("href", themeFile);  
8   }  
9 }  
10
```

Output:





Observation:

The portfolio website was developed using HTML, CSS, and JavaScript with a clean and well-organized structure.

It includes clear sections for About Me, Projects, and Contact to improve navigation.

CSS was used to create a consistent color palette, typography, and responsive layout using Flexbox/Grid.

JavaScript was implemented to enable smooth scrolling navigation for a better user experience.

Overall, the website is simple, responsive, and effectively showcases my work.


Task2: Online Store Product Page

Prompt

Design a responsive product page using HTML, CSS, and JavaScript displaying image, title, price, and an “Add to Cart” button.


Use BEM methodology for structured and reusable CSS styling with hover effects.

Add JavaScript functionality to show an alert when the “Add to Cart” button is clicked.




This screenshot shows the initial code in VS Code. The `index.html` file contains the basic HTML structure with a `<title>Product Page</title>` and a `<style>` tag for inline CSS. The CSS code defines a `.product` class with a width of 300px, a solid black border, 10px padding, and a text-align of center. It also includes a `.product:hover` rule that scales the element to 1.05x and a `.product_image` rule with a width of 100px and a border-radius of 10px.

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>Product Page</title>
7 <style>
8 /* new styling */
9 .product {
10   width: 300px;
11   margin: 50px auto;
12   border: 1px solid black;
13   padding: 10px;
14   text-align: center;
15   border-radius: 10px;
16   transition: transform 0.5s;
17 }
18
19 .product:hover {
20   transform: scale(1.05);
21 }
22
23 .product_image {
24   width: 100px;
25   border-radius: 10px;
26 }
```



This screenshot shows the updated CSS code in VS Code. The `index.html` file now includes a `<script>` tag at the bottom. The CSS code has been expanded to include `.product_title` (font-size: 20px, margin: 10px 0), `.product_price` (color: green, font-size: 20px, margin-bottom: 10px), `.product_button` (padding: 10px 15px, border: none, background-color: #007bff, color: white, cursor: pointer, border-radius: 5px, transition: background 0.5s), and `.product_button:hover` (background-color: #0056b3).

```
1 <script>
2 </script>
3
4 <style>
5
6 .product_title {
7   font-size: 20px;
8   margin: 10px 0;
9 }
10
11 .product_price {
12   color: green;
13   font-size: 20px;
14   margin-bottom: 10px;
15 }
16
17 .product_button {
18   padding: 10px 15px;
19   border: none;
20   background-color: #007bff;
21   color: white;
22   cursor: pointer;
23   border-radius: 5px;
24   transition: background 0.5s;
25 }
26
27 .product_button:hover {
28   background-color: #0056b3;
29 }
30
31 
```



```
1 <html lang="en">
2   <head>
3     <title>
4       <!--
5         <!--
6       </title>
7     </head>
8     <body>
9       <div class="product">
10        
11        <h2 class="product_title">Sample Product</h2>
12        <p class="product_price">$29.99</p>
13        <button class="product_button" onclick="addToCart()">Add to Cart</button>
14      </div>
15    </body>
16  </html>
```

Output:



Observation:

The product page is designed using HTML, CSS, and JavaScript with a clean and structured layout.

BEM methodology ensures organized and reusable class naming, and the layout is responsive across devices.

Hover effects and the “Add to Cart” alert improve user interaction, making the page simple and user-friendly.


Task3: Event Registration Form

Prompt:

Create an event registration form using HTML, CSS, and JavaScript with fields for name, email, phone, and session selection.


Add JavaScript validation to ensure all inputs are correctly filled before submission.

Style the form professionally and include proper labels and ARIA attributes for accessibility.




This screenshot shows the initial setup of the event registration form in VS Code. The Explorer panel on the left shows the file structure with 'index.html' selected. The main editor displays the following code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Event Registration</title>
7
8   <style>
9     body {
10       font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
11       background: #f0f6f3; /* Cream background */
12       display: flex;
13       justify-content: center;
14       align-items: center;
15       min-height: 100vh;
16       margin: 0;
17     }
18
19     .form {
20       background: #ffffff;
21       padding: 30px 25px;
22       border-radius: 12px;
23       width: 350px;
24       box-shadow: 0 8px 20px #c0c0c0;
25     }
26
```




This screenshot shows the continuation of the CSS styling in VS Code. The main editor displays the following code:

```
27
28
29   .form_title {
30     text-align: center;
31     margin-bottom: 20px;
32     color: #5a6a42;
33     font-size: 24px;
34   }
35
36   .form_group {
37     margin-bottom: 10px;
38   }
39
40   .form_label {
41     display: block;
42     margin-bottom: 5px;
43     font-weight: 500;
44     color: #5a6a42;
45   }
46
47   .form_input,
48   .form_select {
49     width: 100%;
50     padding: 10px;
51     border: 1px solid #ddd;
52
```

```
1<!DOCTYPE html>
2<html lang="en">
3<body>
4
5<script>
6  document.getElementById("registration-form").addEventListener("submit", function(e) {
7    e.preventDefault();
8
9    let valid = true;
10
11    let name = document.getElementById("name").value.trim();
12    let email = document.getElementById("email").value.trim();
13    let phone = document.getElementById("phone").value.trim();
14    let session = document.getElementById("session").value;
15
16    document.querySelectorAll(".error").forEach(el => el.textContent = "");
17
18    if (name === "") {
19      document.getElementById("name-error").textContent = "Name is required";
20      valid = false;
21    }
22
23    if (!email.includes("@")) {
24      document.getElementById("email-error").textContent = "Enter valid email";
25      valid = false;
26    }
27
28  });
29</script>
```

Output:



Event Registration


Name

Email

Phone

Session
Select Session

Submit



Event Registration

Name
sanjana Bikineni

Email
Sanjanabikineni11@gmail.com

Phone
6302374047

Session
Web Development

Submit

Observation:

The event registration form is built using HTML, CSS, and JavaScript with a clean and professional design.

Form validation ensures correct input, while labels and ARIA attributes improve accessibility.


The layout is user-friendly, responsive, and provides a smooth registration experience.

Task4: Resume Website

Prompt:


Create a one-page resume website using HTML, CSS, and JavaScript with sections for Profile, Skills, Education, and Experience.

Use CSS Grid for layout, professional typography, and smooth scrolling navigation.




The screenshot shows a code editor with a dark theme. The main editor area displays HTML and CSS code for a resume website. The HTML code includes a DOCTYPE declaration, a lang attribute, a charset declaration, a viewport meta tag, and a title. The CSS code defines a grid layout with a sidebar and a main content area. The sidebar has a background gradient and white text. The main content area has a text-align center and a margin-bottom. The code is as follows:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>My Resume</title>
7
8 <style>
9   body {
10     margin: 0;
11     font-family: 'Poppins', sans-serif;
12     display: grid;
13     grid-template-columns: 250px 1fr;
14     min-height: 100vh;
15   }
16
17   /* sidebar */
18   .sidebar {
19     background: linear-gradient(180deg, #2c3e50, #4ca1af);
20     color: white;
21     padding: 20px;
22   }
23
24   .sidebar h2 {
25     text-align: center;
26     margin-bottom: 30px;
```




```
1 <!-- index.html -->
2 <html lang="en">
3 <head>
4 <title>
5 </title>
6 <meta charset="UTF-8">
7 </meta>
8 <link rel="stylesheet" href="style.css">
9 </link>
10 </head>
11 <body>
12 <div class="container">
13 <div class="sidebar">
14 <div class="profile">
15 <div class="avatar">
16 <img alt="Avatar" />
17 </div>
18 <div class="name">
19 <strong>John Doe</strong>
20 </div>
21 <div class="title">
22 <strong>Software Engineer</strong>
23 </div>
24 </div>
25 <div class="skills">
26 <div class="skill">HTML</div>
27 <div class="skill">CSS</div>
28 <div class="skill">JavaScript</div>
29 <div class="skill">Python</div>
30 <div class="skill">SQL</div>
31 </div>
32 </div>
33 <div class="main">
34 <div class="section">
35 <h2>Profile Summary</h2>
36 <p>A motivated developer with strong interest in web development, problem solving, and modern technologies.</p>
37 </div>
38 <div class="section">
39 <h2>Skills</h2>
40 <div class="card">
41 <div class="skill">HTML</div>
42 <div class="skill">CSS</div>
43 <div class="skill">JavaScript</div>
44 <div class="skill">Python</div>
45 <div class="skill">SQL</div>
46 </div>
47 </div>
48 <div class="section">
49 <h2>Education</h2>
50 <div class="card">
51 <div class="education">
52 <strong>B.Tech in Computer Science</strong>
53 </div>
54 <div class="university">
55 <strong>SR University</strong>
56 </div>
57 <div class="year">
58 <strong>2023 - 2027</strong>
59 </div>
60 </div>
61 </div>
62 <div class="section">
63 <h2>Experience</h2>
64 <div class="card">
65 <div class="experience">
66 <strong>Intern - Web Development</strong>
67 </div>
68 <div class="description">
69 <p>Worked on building responsive web applications using HTML, CSS, and JavaScript.</p>
70 </div>
71 </div>
72 </div>
73 </div>
74 </body>
75 </html>
```



```
1 <!-- index.html -->
2 <html lang="en">
3 <head>
4 <title>
5 </title>
6 <meta charset="UTF-8">
7 </meta>
8 <link rel="stylesheet" href="style.css">
9 </link>
10 </head>
11 <body>
12 <div class="container">
13 <div class="sidebar">
14 <div class="profile">
15 <div class="avatar">
16 <img alt="Avatar" />
17 </div>
18 <div class="name">
19 <strong>John Doe</strong>
20 </div>
21 <div class="title">
22 <strong>Software Engineer</strong>
23 </div>
24 </div>
25 <div class="skills">
26 <div class="skill">HTML</div>
27 <div class="skill">CSS</div>
28 <div class="skill">JavaScript</div>
29 <div class="skill">Python</div>
30 <div class="skill">SQL</div>
31 </div>
32 </div>
33 <div class="main">
34 <div class="section">
35 <h2>Profile Summary</h2>
36 <p>A motivated developer with strong interest in web development, problem solving, and modern technologies.</p>
37 </div>
38 <div class="section">
39 <h2>Skills</h2>
40 <div class="card">
41 <div class="skill">HTML</div>
42 <div class="skill">CSS</div>
43 <div class="skill">JavaScript</div>
44 <div class="skill">Python</div>
45 <div class="skill">SQL</div>
46 </div>
47 </div>
48 <div class="section">
49 <h2>Education</h2>
50 <div class="card">
51 <div class="education">
52 <strong>B.Tech in Computer Science</strong>
53 </div>
54 <div class="university">
55 <strong>SR University</strong>
56 </div>
57 <div class="year">
58 <strong>2023 - 2027</strong>
59 </div>
60 </div>
61 </div>
62 <div class="section">
63 <h2>Experience</h2>
64 <div class="card">
65 <div class="experience">
66 <strong>Intern - Web Development</strong>
67 </div>
68 <div class="description">
69 <p>Worked on building responsive web applications using HTML, CSS, and JavaScript.</p>
70 </div>
71 </div>
72 </div>
73 </div>
74 </body>
75 </html>
```

Output:



Observation:

The resume website uses a clean one-page layout with well-structured sections and professional typography.



CSS Grid and smooth scrolling enhance responsiveness, alignment, and overall user experience.


Task5: Restaurant Menu Page

Prompt:

Design a restaurant menu page using HTML and CSS displaying food name, description, and price in card layout.


Use a warm food-friendly color palette, responsive design, and add hover effects on menu items.





```
120 <html lang="en">
121 <body>
122   <div class="menu">
123     <div class="card">
124       <div class="card-content">
125         
126         <p>Juicy grilled patty with sauces.</p>
127         <div class="price">$7</div>
128         <button class="btn" onclick="addCart()">Add to Cart</button>
129       </div>
130     </div>
131     <div class="card">
132       <div class="card-content">
133         
134         <p>Sweet and refreshing dessert.</p>
135         <div class="price">$4</div>
136         <button class="btn" onclick="addCart()">Add to Cart</button>
137       </div>
138     </div>
139   </div>
140   <script>
141     function addCart() {
142       alert("Item added to cart!");
143     }
144   </script>
145 </body>
```

Output:



Observation:

The menu page uses a clean card-based layout with warm colors that enhance food appeal.

Responsive design and hover effects improve user interaction and browsing experience.