

Current Date and Table Creation

```

CREATE TABLE STUDENT (
    Student_Id INTEGER PRIMARY KEY,
    Student_Name TEXT NOT NULL,
    StudentDept TEXT NOT NULL,
    Class VARCHAR(10) NOT NULL,
    Marks INTEGER NOT NULL,
    Minors TEXT NOT NULL,
    Elective TEXT NOT NULL,
    Date_Of_Birth DATE NOT NULL
);

SELECT CURDATE() AS Today;

-- insert
INSERT INTO STUDENT VALUES (0001, 'Clark', 'SOB', '8A', 80, 'Basics Of
Business', 'Negotiation And Mediation', '2008-05-15');
INSERT INTO STUDENT VALUES (0002, 'Dave', 'SOE', '12B', 70, 'Business
Communication', 'Guitar', '2008-11-20');
INSERT INTO STUDENT VALUES (0003, 'Ava', 'SOCSE', '30C', 67, 'Forensic
Sciences', 'Drumming', '2009-02-10');

```

```

+-----+
| Today  |
+-----+
| 2026-08-25 |
+-----+

```

UpperCase

```

SELECT Student_Name,
UPPER(Student_Name) AS Uppercase_Name
FROM STUDENT;

```

Student_Name	Uppercase_Name
Clark	CLARK
Dave	DAVE
Ava	AVA

Lowercase

```
SELECT Student_Name,
LOWER(Student_Name) AS Lowercase_Name
FROM STUDENT;
```

Student_Name	Lowercase_Name
Clark	clark
Dave	dave
Ava	ava

Length

```
SELECT Student_Name,
LENGTH(Student_Name) AS Name_Length
FROM STUDENT;
```

Student_Name	Name_Length
Clark	5
Dave	4
Ava	3

Concatenation

```
SELECT CONCAT(Student_Name, '- Class ', Class) AS Student_Details
FROM STUDENT;
```

Student_Details
Clark- Class 8A
Dave- Class 12B
Ava- Class 30C

Substring

```
SELECT Student_Name,
SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
FROM STUDENT;
```

Student_Name	First_Five_Characters
Clark	Clark
Dave	Dave
Ava	Ava

Round off

```
SELECT Student_Name,
Marks,
ROUND(Marks * 1.05) AS Bonus_Marks
FROM STUDENT;
```

Student_Name	Marks	Bonus_Marks
Clark	80	84
Dave	70	74
Ava	67	70

Ceiling

```
SELECT Student_Name,
Marks / 10.0 AS Marks_Value,
CEIL(Marks / 10.0) AS Rounded_Up
FROM STUDENT;
```

Student_Name	Marks_Value	Rounded_Up
Clark	8.0000	8
Dave	7.0000	7
Ava	6.7000	7

Floor

```
SELECT Student_Name,
Marks / 10.0 AS Marks_Value,
FLOOR(Marks / 10.0) AS Rounded_Down
FROM STUDENT;
```

Student_Name	Marks_Value	Rounded_Down
Clark	8.0000	8
Dave	7.0000	7
Ava	6.7000	6

Modulus

```
SELECT Student_Name,
Marks,
MOD(Marks, 10) AS Remainder
FROM STUDENT;
```

Student_Name	Marks	Remainder
Clark	80	0
Dave	70	0
Ava	67	7

ABS

```
SELECT Student_Name,
Marks,
ABS(Marks - 80) AS Difference_From_80
FROM STUDENT;
```

Student_Name	Marks	Difference_From_80
Clark	80	0
Dave	70	10
Ava	67	13

Year

```
SELECT Student_Name,
Date_of_Birth,
YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;
```

Student_Name	Date_of_Birth	Birth_Year
Clark	2008-05-15	2008
Dave	2008-11-20	2008
Ava	2009-02-10	2009

Month

```
SELECT Student_Name,
Date_of_Birth,
MONTH(Date_of_Birth) AS Birth_Month
FROM STUDENT;
```

Student_Name	Date_of_Birth	Birth_Month
Clark	2008-05-15	5
Dave	2008-11-20	11
Ava	2009-02-10	2

Day

```
SELECT Student_Name,
Date_of_Birth,
DAY(Date_of_Birth) AS Birth_Day
FROM STUDENT;
```

Student_Name	Date_of_Birth	Birth_Day
Clark	2008-05-15	15
Dave	2008-11-20	20
Ava	2009-02-10	10

Finding Age

```
SELECT Student_Name,
Date_of_Birth,
TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age
FROM STUDENT;
```

Student_Name	Date_of_Birth	Age
Clark	2008-05-15	18
Dave	2008-11-20	17
Ava	2009-02-10	17

The Whole Table

Student_Id	Student_Name	StudentDept	Class	Marks	Minors	Elective	Date_Of_Birth
1	Clark	SOB	8A	80	Basics Of Business	Negotiation And Mediation	2008-05-15
2	Dave	SOE	12B	70	Business Communication	Guitar	2008-11-20
3	Ava	SOCSE	30C	67	Forensic Sciences	Drumming	2009-02-10