

AIAC Assignment-10.2

Name : P.Sanjana

HNO : 2303A51435

Batch : 21

Task Description -1(Error Detection and Correction)

Task:

Use AI to analyze a Python script and correct all syntax and logical errors.

Sample Input Code:

```
def calculate_total(nums)
```

```
    sum = 0
```


```
    for n in nums
```

```
        sum += n
```

```
    return total
```

Expected Output-1:

Corrected and executable Python code with brief explanations of the identified syntax and logic errors.



```
Corrected Code:
def calculate_total(nums):
    sum = 0
    for n in nums:
        sum += n
    return sum

Explanations of Identified Errors:
1. Syntax Error: The function definition was missing a colon (:) at the end of the line. This is required to indicate the start of the function body.
2. Syntax Error: The for loop was missing a colon (:) at the end of the line. This is required to indicate the start of the loop body.
```

Observation:

This task focuses on **error detection and correction in Python scripts**, requiring identification of both syntax issues (like missing colons) and logical flaws (like incorrect variable usage). It helps sharpen debugging skills and reinforces clean, executable code practices.

Task Description -2(Code Style Standardization)

Task:

Use AI to refactor Python code to comply with standard coding style guidelines.

Sample Input Code:

```
def findSum(a,b):return
```

```
a+b
```

```
print(findSum(5,10))
```

Expected Output-2:

Well-structured, consistently formatted Python code following standard style conventions.

```
def find_sum(a, b):  
    return a + b  
print(find_sum(5, 10))  
...  
1. Function names should be in snake_case (e.g., `find_sum` instead of `findSum`).  
2. Use spaces around operators for better readability (e.g., `a + b` instead of `a+b`).
```

Observation:

This task emphasizes **refactoring Python code to meet PEP 8 style guidelines**, ensuring readability and consistency. It trains you to transform compact or poorly formatted code into clean, standardized, and professional-looking scripts.

Task Description -3(Code Clarity Improvement)

Task:

Use AI to improve code readability without changing its functionality.

Sample Input Code:

```
def f(x,y):  
    return x-y*2  
print(f(10,3))
```

Expected

Output3:

Python code rewritten with meaningful function and variable names, proper indentation, and improved clarity.

```
def calculate_difference(x, y):  
    return x - (y * 2)  
result = calculate_difference(10, 3)  
print(result)
```

Observation:

This task highlights **enhancing code readability by improving naming conventions and structure**. It ensures that the code is more understandable and maintainable, while keeping the original functionality intact.

Task Description -4(Structural Refactoring)

Task:

Use AI to refactor repetitive code into reusable functions.

Sample Input Code:

```
print("Hello Ram")
```

```
print("Hello Sita")
```

```
print("Hello Ravi")
```

Expected Output-4:

Modular Python code using reusable functions to eliminate repetition.

```
# Refactored code using a reusable function
def greet(name):
    print(f"Hello {name}")
# List of names to greet
names = ["Ram", "Sita", "Ravi"]
# Greet each name using the reusable function
for name in names:
    greet(name)
```

Observation :

This task focuses on **structural refactoring to remove repetitive code by introducing reusable functions**. It strengthens modular programming practices, improves maintainability, and reduces redundancy in Python scripts.

Task Description -5(Efficiency Enhancement)

Task:


Use AI to optimize Python code for better performance.

Sample Input Code:

```
numbers = [ ]  
  
for i in range(1, 500000):  
    numbers.append(i * i)  
  
print(len(numbers  
)
```

Expected Output-5:

Optimized Python code that achieves the same result with improved performance.



```
'''Optimized Code:'''  
numbers = [i * i for i in range(1, 500000)]  
print(len(numbers))
```

Observation:

This task focuses on **structural refactoring to remove repetitive code by introducing reusable functions**. It strengthens modular programming practices, improves maintainability, and reduces redundancy in Python scripts.