

PART 4: type() Function

21. What does `type()` function do?

Ans. The `type()` function is used to find the data type of a variable.

22. What is output of:

```
x = 25
print(type(x))
```

Ans. <class 'int'>

23. What is output of:

```
x = "100"
print(type(x))
```

Ans. <class 'str'>

24. Write a program to print type of a variable entered by user.

Ans. `x= input("Enter something: ")`

`Print(type(x))`

PART 5: input() Function

25. What does `input()` function return by default?

Ans. It returns string (**str**) by default.

26. Write a program to take user name and print it.

Ans. `name = input("Enter your name: ")`

`Print("your name is: ",name)`

27. Take two numbers from user and print their sum.
(Hint: type casting required)

Ans. `a=int(input("enter first number: "))`

`b=int(input("enter second number: "))`

`print("sum is: ",a+b)`

28. What happens if you add two numbers taken by input() without casting?

Ans. It concatenates (joins) strings, not adds numbers.

PART 6: Type Casting

29. Convert string "100" to integer.

Ans. `x= int("100")`

30. Convert integer 25 to string.

Ans. `x=str(25)`

31. Convert float 10.8 to int.

Ans. `x= float(10.8)`

32. Write a program to take age from user and convert it to int.

Ans. `age=int(input("enter your age: "))`

`Print("your age is:",age)`

BONUS Logical Questions

33. Predict output:

```
x = "5"  
y = "10"  
print(x + y)
```

Ans. 510

34. Predict output:

```
x = int("5")  
y = int("10")  
print(x + y)
```

Ans. 15

35. What will happen?

```
int("hello")
```

Ans. ValueError occurs