```sql
CREATE TABLE orders (
    id INT PRIMARY KEY,

    customer_name VARCHAR(50) NOT NULL,

    city VARCHAR(50) NOT NULL,

    product_name VARCHAR(50) NOT NULL,

    price INT NOT NULL CHECK (price > 0),

    quantity INT CHECK (quantity > 0),

    order_status VARCHAR(20) DEFAULT 'Pending',

    payment_mode ENUM('UPI', 'Card', 'COD', 'NetBanking') NOT NULL,

    rating FLOAT CHECK (rating BETWEEN 0 AND 5)
);
```

```sql
INSERT INTO orders VALUES
(1, 'Ravi', 'Hyderabad', 'Laptop', 60000, 1, 'Delivered', 'UPI', 4.5),
(2, 'Sita', 'Chennai', 'Mobile', 20000, 1, 'Delivered', 'Card', 4.2),
(3, 'Amit', 'Delhi', 'Headphones', 3000, 2, 'Pending', 'COD', NULL),
(4, 'John', 'Mumbai', 'Shoes', 2500, 1, 'Shipped', 'UPI', 4.0),
(5, 'Priya', 'Hyderabad', 'Watch', 5000, 1, 'Delivered', 'Card', 4.6),
(6, 'Kiran', 'Bangalore', 'Tablet', 15000, 1, 'Cancelled', 'NetBanking', NULL),
(7, 'Anu', 'Pune', 'Bag', 2000, 2, 'Delivered', 'COD', 4.3),
(8, 'Rahul', 'Delhi', 'Camera', 45000, 1, 'Pending', 'Card', NULL),
(9, 'Sneha', 'Hyderabad', 'Keyboard', 1500, 1, 'Delivered', 'UPI', 4.1),
(10, 'Vikram', 'Chennai', 'Monitor', 12000, 1, 'Shipped', 'Card', NULL),
(11, 'Neha', 'Mumbai', 'Mouse', 800, 2, 'Delivered', 'UPI', 4.4),
(12, 'Arjun', 'Bangalore', 'TV', 55000, 1, 'Delivered', 'Card', 4.7),
(13, 'Divya', 'Pune', 'Speaker', 3500, 1, 'Cancelled', 'COD', NULL),
(14, 'Ramesh', 'Delhi', 'Charger', 700, 3, 'Delivered', 'UPI', 4.2),
(15, 'Lakshmi', 'Hyderabad', 'Power Bank', 2000, 2, 'Pending', 'Card', NULL),
(16, 'Manoj', 'Chennai', 'Printer', 8000, 1, 'Delivered', 'UPI', 4.3),
(17, 'Kavya', 'Mumbai', 'Earbuds', 4000, 1, 'Shipped', 'Card', NULL),
(18, 'Suresh', 'Pune', 'Router', 2500, 1, 'Delivered', 'UPI', 4.5),
(19, 'Pooja', 'Bangalore', 'AC', 40000, 1, 'Pending', 'Card', NULL),
(20, 'Teja', 'Hyderabad', 'Fan', 3000, 2, 'Delivered', 'COD', 4.0);
```

🎯 15 Questions (WHERE + Operators Only)

□ Basic Level

1. Get all orders where price is greater than 10000

Ans. select * from orders

Where price>10000;

2. Find orders where city is 'Hyderabad'

Ans. select * from orders
Where city ='Hyderabad';

3. Select orders where order_status is 'Delivered'

Ans. select * from orders
Where order_status = 'Delivered';

4. Get orders where quantity is greater than 1

Ans. select * from orders
Where quantity>1;

5. Find orders where payment_mode is 'UPI'

Ans. select * from orders

Where payment_mode = 'UPI';

□ Intermediate Level

6. Get orders where price is between 2000 and 10000

Ans. select * from orders

WHERE price BETWEEN 2000 AND 10000;

7. Find orders where city is 'Delhi' AND order_status is 'Pending'

Ans. select *from orders
Where city = 'Delhi' AND order_status = 'Pending';

8. Select orders where payment_mode is 'Card' OR payment_mode is 'UPI'

Ans. select * from orders
Where payment_mode = 'Card' OR payment_mode = 'UPI';

9. Get orders where rating is not equal to 4.2

Ans. select * from orders
Where rating != 4.2 OR rating IS NULL;

10. Find orders where quantity > 1 AND price < 5000

Ans. select * from orders

Where quantity >1 AND price<5000;

● Advanced Level

11. Get orders where price > 20000 AND order_status = 'Delivered'

Ans. select * from orders

where price > 20000 AND order_status = 'Delivered';

12. Find orders where city is not 'Hyderabad'

Ans. select * from orders
where city != 'Hyderabad';

13. Select orders where price between 5000 and 30000 AND payment_mode = 'Card'

Ans. select * from orders
where price BETWEEN 5000 AND 30000 AND payment_mode = 'Card';

14. Get orders where quantity > 1 AND rating > 4.3

Ans. select * from orders
where quantity > 1 AND rating > 4.3;

15. Find orders where order_status = 'Pending' AND price > 10000

Ans. select * from orders

Where order_status = 'Pending' AND price > 10000;