Kunak AIR Pro

Air quality monitor

Measure air pollution with accurate and reliable data

SENSOR-BASED I BEST AVAILABLE ACCURACY

Request for more information →



Watch product video →

Product information



Download datasheet →

Request information →

Download catalogue →

You deserve good air quality.

Monitor up to 5 pollutants and particles simultaneously and get real-time data on the quality of the air you breathe.

Measure the impact of your activities and see if your decisions to ensure good air quality are really effective. Visualise and analyse all data in one place thanks to the Kunak AIR Cloud web platform.

Data quality is guaranteed. All of our sensors are factory calibrated and tested according to the European CEN/TS 17660 and EPA/600/R protocols, metrics and target values for air sensors.

Data traceability to reference standards: European Directive 2024/2881 and USEPA 40 CFR Part 53.

Get accurate data on a wide range of pollutants.

The most versatile solution. The patented smart gas cartridge technology allows you to select different pollutants based on your project's needs and switch them whenever required.



Patented plug&play cartridge system



Up to 16 pollutants. Combine 5



Proven accuracy (EPA, MCERTS, Airlab, CEN/TS 17660)



Traceable back to reference standards



Easy & remote maintenance



Autonomous operation

With Kunak AIR air quality stations, obtain environmental monitoring with **precise, reliable, real-time measurements** of key pollutants, at a lower cost than traditional methods.

Kunak AIR stations offer performance levels close to **reference standards**, providing reliable, accurate data according to CLass 1 of the European CEN/TS 17660; protocols, metrics, and target values of EPA/600/R-20/279 for O_3, EPA/600/R-23/14 for NO_2, CO, and SO_2, EPA/600/R-20/280 for $PM_{2.5}$, and EPA/600/R-23/145 for PM_{10}.

Also, data is traceable to international recognised standards (European Directive 2024/2881 and USEPA 40 CFR Part 53).

Start improving the air quality in your community today.

Get the award-winning solution as **the most accurate multi-pollutant sensor** and start taking effective action to improve air quality. With the Kunak AIR Cloud web platform, you can easily visualise and analyse the data collected by the sensor network and make **better decisions**.

Our solution has been tested by the world's leading **air quality experts**.

The widest range of pollutants

CO · NO · NO_2 · O_3 · SO_2 · H_2S · CO_2 · CH_4 · VOC · NMHC · NH_3 · HCl · HCN · HF · Cl_2 – ClO_2 · O_2

PM_1 · $PM_{2.5}$ · PM_4 · PM_{10} · TSP · TPC · Ultrafine particles

Temperature · Humidity · Atmospheric pressure · Dew point

You cannot improve what cannot be measured accurately and reliably

Data quality is a key issue since data of poor or unknown quality is less useful than no data since it can lead to wrong decisions. (Snyder et al., 2013)

Start measuring accurately →

Benefits
Applications
Software
Specifications
Trials & Test
Case studies
Power packs
Meteo sensors

Download datasheet →
Request information →
Download catalogue →

Benefits

Accurate, real-time pollution data.

Easy & Fast installation

Set up in less than 10′ with visual diagnosis in a built-in display

Cartridges system

Replace and combine cartridges with a plug & play system

Proven accuracy

Designed for type approval & certification

Easy calibration

Adjust the baseline and span remotely

Air quality platform

Visualise, analyse and manage your data in the cloud

Multi pollutant

Measure up to 5 gases and particulate matter at once

Fully autonomous

Autonomous operation with its built-in battery and solar panel

Real-time data

Access to your data and alarms in real-time

Additional probes

Connect wind, rain, noise, and other sensors

Applications

Research & Consultancy

Deploy reliable monitoring networks for

Urban

Monitor urban air quality with high

Industry

Identify leaks and fugitive emissions in

WWTP

Detect odours and ga emissions across treatment processes

studies, validation and environmental assessments with traceable data.

See more →

spatial resolution to support policy, planning and sustainable mobility.

See more →

real time. Optimise plant operation, reduce product losses and support compliance.

See more →

Reduce complaints, identify sources and optimise mitigation strategies.

See more →

We facilitate decision-making with accurate environmental data.

Design your own air quality project

Download our free guide to the key issues you need to consider when designing your air quality project.

Download now →

Software

With our advanced air quality software Kunak AIR Cloud, you can easily analyse all the data collected by the Kunak AIR stations and generate reports for decision-making.

In addition, you can configure the deployed devices and have an alarm system that facilitates remote operation and maintenance of the network in an easy way.

Integrate the data collected by the network and stored by the server into public air quality platforms or third-party applications using the powerful API Rest.

If required, the API also allows you to integrate data from external sources to complement the information provided by the monitoring network and analyse all data on a single platform.

Learn more →


Specifications

Dimensions / Weight	200 x 153 x 185 mm I < 2.3 kg
Enclosure	PMMA, polycarbonate and stainless steel
Operating temp. / RH	-40ºC to +60ºC I 0 to 99% RH
IP rating	IP65
Battery	Lithium 20Ah
External supply	7 – 12 Vdc. charger or solar panel
Autonomy	24/7 with charger or solar panel 9-20 days operation on battery (depending on configuration)
Power consumption	0.08-0.55W (depending on configuration)

Communications	Multi-Band 2G/3G/4G, Ethernet and Modbus RTU Slave
GNSS	GPS and GLONASS
Built-in sensors	Temp. I Humidity I Atmospheric pressure I Dew point
Connectors	#1: 7V to 12V power supply or Ethernet #2: Depending on version (selected from): Option 1: Anemometer & Rain Gauge Option 2: Modbus RTU master Option 3: Sound meter Option 4: Modbus RTU slave Option 5: Ethernet #Wifi: Ultrafine particle sensor (UFP)
Avg. periods	From 10 seconds to a maximum of 24 hours
Sending periods	From 5 minutes to a maximum of 24 hours
SIM	Embedded eSIM and extra SIM holder

Trials & Test

Kunak AIR Pro: Co-location field study (full) →



Test results

- CO Co-location field study →
- NO Co-location field study →
- NO_2 Co-location field study →
- O_3 Co-location field study →
- SO_2 Co-location field study →

H_2S Co-location field study →

CO_2 Co-location field study →

PM Co-location field study →

How Kunak assure the best accuracy? →

Case studies

Sector: WWTP / Sewage
Location: Lower Hutt, New Zealand

Tiaki Wai

Odor emissions control at Taiki Wai WWTP: continuous monitoring for preventive management

Sector: WWTP / Sewage
Location: Oman

Nama Water Services (NWS)

Odour monitoring in wastewater treatment plants in Oman

Sector: Odours
Location: Madrid, Spain

Valdemingómez Landfill

Advanced odour and gas control at the Valdemingómez landfil

See all cases →

Power packs

Solar panel



Solar panel
The 6.3-volt high-efficiency monocrystalline solar panel is robust, waterproof (IP67) and has been designed for prolonged outdoor use in any environment.

See more →

Outdoor charger

Indoor Charger

Meteo sensors

Sound level meter



Sound level meter
Low-cost wireless system for the monitoring of urban and industrial noise.

See more →

Mechanical anemometer

Ultrasonic anemometer


Rain gauge

Pyranometer

Wet Bulb Globe Thermometer (WBGT)

Radiation sensor

Articles & Guides



Odour in WWTP: how to improve air quality and reduce gas emissions

Nov 24, 2025



Oil refinery emissions monitoring: continuous control, leak detection and environmental compliance in Oil & Gas

Mar 1, 2023



Why is it important to monitor in real time?

Jun 7, 2019

Enhance your knowledge with our guides →

Frequently asked questions

What area does each device cover?

Are Kunak devices ATEX certified?

How often are the cartridges replaced and software renewed?

Is the device portable or fixed?

How often should the device be calibrated?

What calibration options are available?

Can data be obtained locally (Modbus)?

How does the device communicate?

What is the battery life?

At what height should the device be installed?

At what height should the device be installed?

Does the device have internal memory?

Can meteorological probes be connected?

Can it be installed on a vehicle or drone for mobile monitoring?

Does this technology have certifications?

Is the Kunak AIR Cloud platform mandatory?

Can the devices be used indoors?

What is the difference between the AIR Pro and AIR Lite particle sensors?

How are the data integrated with third-party platforms?

What is the difference between calibration and correction?

PRODUCTS

Kunak AIR Pro

Kunak AIR Lite

Kunak AIR Cloud

Kunak API

Smart cartridges

Accessories

SECTORS

Urban

Industry & Odours

WWTP

Oil & Gas

Ports & Airports

Construction

Mining

Research & Consultancy

THE COMPANY

About Kunak

Awards and Recognitions

Contact

Security policy

Internal reporting system

Subscribe! →

RESOURCES

Articles & Guides

Case studies

Blog

Scientific docs

Kunakpedia

Frequently asked questions

Help center

Repair service (RMA)

Technical support

CERTIFICATIONS



2026 © KUNAK TECHNOLOGIES SL · Legal notice - Privacy policy - Cookies policy - Edit cookie preferences

Website created with ♡ by Digital Design