EXPERIMENT 11: DEPLOYING INSURANCE CLAIM APP TO PRODUCTION

Aim

To understand and perform the deployment lifecycle of the Insurance Claim Management System in Zoho Creator by managing development and production environments, validating the application, and publishing changes safely.

Overview

Zoho Creator provides separate environments to test application changes and publish approved versions for live use. The Insurance Claim Management System can be added to an environment, reviewed in the Stage environment, and published to Production after validation. This process helps reduce the risk of untested changes affecting live claim records.

Environment / Feature	Purpose in Insurance Claim Management
Development	Build and modify claim forms, reports, workflows, and dashboard components.
Stage	Validate the application and test changes before making them live.
Production	Live version used for actual insurance claim operations.
Publish	Move the approved application version to the selected environment.

Procedure

1. Open Environments: From the Zoho Creator home page, select **Environments** under the Deploy section.

2. Select the Application: Locate Insurance Claim Management. If it is not listed in an environment, use **Manage** → **Add Applications**, select Insurance Claim Management System, and click **Add**.

3. Review Stage and Production: Confirm that the application appears in the environment view with Stage and Production columns. The supplied screenshots show version 1.0 in both environments.

4. Validate Before Publishing: In the development application, test the Claim Request form, required fields, supporting-document uploads, workflows, reports, dashboard metrics, and role permissions. Check that test claims and calculations behave as expected.

5. Publish to Stage: Click **Publish** and choose **Stage** → **Publish to Stage** to publish the validated version to the staging environment.

6. Test in Stage: Open the staged version and test key tasks using sample data. Verify claim submission, claim status, estimated payout, dashboard charts, and access permissions.

7. Publish to Production: After successful testing and review, choose **Publish** → **Production** and follow the confirmation prompts. Publish only when you are ready to release the application to live users.

8. Verify Production: Open the Production version and confirm that the application is accessible and that forms, reports, workflows, and permissions behave correctly. Avoid testing with real sensitive claimant data unless required.

Screenshots

Figure 1. Environments page showing the Insurance Claim Management application with Stage and Production versions.




Figure 2. Add applications to environment panel showing Insurance Claim Management System as an available application.





Figure 3. Publish menu with options to publish to Stage or Production.



Result

The deployment process for the Insurance Claim Management System was documented using the Stage and Production environments. The application should be published to Production only after successful validation and testing in Stage.