

Summary of the Mineral Block

PART A

GENERAL INFORMATION ABOUT MINERAL BLOCK

	Features	Details
1	Location	
	Mineral Block	Rewat Amalgamated Block (RAMB), Degana
i	Location	Block is bounded by, Latitude: 26° 53' 26.721" N to 26° 54' 18.462" N Longitude: 74° 16' 14.439" E to 74° 17' 16.383" E
i i	Corner Points (Latitude, Longitude)	Attached as Annexure-I
	Villages	Rewat
	Tehsil/ Taluka	Degana
	District	Nagaur
	State	Rajasthan
2	Area (hectares)	
	Total Area of Block for Auction	154.74 Ha
	Mineralised Area	A total 1750m strike length of these mineralized veins has been established by sub-surface drilling.
	Non-mineralised area	-
3	Exploration	
	Status (G2/ G3/ G4 etc.)	G-2 (General Exploration)
	Exploration Agency	Geological Survey of India, State Unit: Rajasthan, Western Region, Jaipur
	Drilling	83 nos of inclined deeper boreholes and 16 nos of shallow vertical boreholes drilled in the block with total drilling meterage of 21524.10m.
	Borehole Density	Spacing of 100m
	Trench and Pit	-
4	Quantity of Minerals (Grade wise)	
	Minerals	Tungsten, Lithium and associated minerals (Rubidium, Niobium, Tin)
	Total Indicated Mineral Resource (332) of Tungsten Ore- 20.12 million tonnes (20120000 Tonnes) of tungsten ore (main commodity) with average grade of 1591 ppm W (or 0.16% W or 0.20% WO₃) at 0.04% W (400 ppm W) cut off. 13.39 million tonnes (13390000 Tonnes) of tungsten ore with average grade of 2076 ppm W (or 0.21% W or 0.26 WO₃) at 0.08% W or 800 ppm W ppm cut off. Total Indicated Mineral Resource (332) of Lithium Ore- 6.33 million tonnes (6330000 Tonnes) of Li (Lithium) ore with average grade of 588 ppm Li at 400 ppm cut off. Total Indicated Mineral Resource (332) of Rubidium Ore- 32.31 million tonnes (32310000 Tonnes) of Rb (Rubidium) ore with average grade of 740 ppm Rb at 400 ppm cut off. 3.547 million tonnes (3547000 tonnes) of Rb ore with average grade of 1170ppm Rb at 1000ppm cutoff.	

	Features	Details
	0.165 million tonnes (165000 tonnes) of Rb ore with average grade of 1673ppm Rb at 1500ppm cutoff. 31.01 MT (31010000 tonnes) of Rb₂O ore with average grade of 769ppm Rb at 500ppm cutoff. Total Indicated Mineral Resource (332) of Niobium Ore (Nb)- 4.949 million tonnes (4949000 Tonnes) of Nb ore with average grade of 0.0114 (114 ppm) Nb at 100 ppm cut off. 14.87 million tonnes (14870000 Tonnes) of Nb₂O₅ ore with average grade of 0.129 (129 ppm) Nb₂O₅ at 100 ppm cut off. Total Indicated Mineral Resource (332) of Tin Ore (Sn)- 0.15 million tonnes (150000Tonnes) Sn (tin) ore with average grade of 1130 ppm Sn at 0.04% Sn (400 ppm Sn) cutoff.	
5	Mineralised Zones	
	Number of Mineral Zones	-
	Trend (Dip and Strike)	The mineralized quartz and pegmatite veins in main hill are trending in N40°W-S40°E with vertical to sub-vertical dip. The general strike of the metasedimentary rocks in the area are trending N-S to NNE – SSW with moderate to steep dips due west.
6	Accessibility	
	Nearest Rail Head	The nearest railway station Degana is 4 km.
	Road	block is situated near Rewat village located about 4 km west of Degana town, Nagaur district, Rajasthan and 150 km west of state capital Jaipur, Rajasthan.
	Airport	Jaipur Airport
7	Hydrography	
	Local Surface Drainage Pattern	No-perennial stream can thus exist in the region.
	Rivers etc	
8	Climate	
	Mean Annual Rainfall	Average rainfall at Degana is 6"-10" except during drought.
	Temperature	It is seen that the lowest mean monthly temperature of 17° C falls in January and maximum 34.5°C in May. The annual mean daily range is 14°C.
9	Topography	
	Toposheet Number	Survey of India Toposheet No-45J/05
	Morphology of the area	The average ground level of the study area is about 340 m above MSL. The highest and lowest elevations in the study area are 470m and 330m respectively.

PART B**PARTICULARS OF STATUTORY LICENSE, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND
CONSENTS RELATED TO MINING OPERATIONS**

Sl.No.	Particulars	Details/ Status
1	Forest clearance	To be obtained by the preferred bidder
2	Wild life clearance (sanctuary, reserve or special zone clearances)	To be obtained by the preferred bidder
3	Environmental clearance	To be obtained by the preferred bidder
4	Mining plan approval	To be obtained by the preferred bidder
5	Consent to establish	To be obtained by the preferred bidder
6	Explosive license	To be obtained by the preferred bidder
7	Permission for mine opening	To be obtained by the preferred bidder
8	Permission of installation/ trial operation of equipment	To be obtained by the preferred bidder
9	Ground water clearance (Centre/State)	To be obtained by the preferred bidder
10	Railway siding approval	To be obtained by the preferred bidder
11	Approval for diesel storage	To be obtained by the preferred bidder
12	Power line from state Discom	To be obtained by the preferred bidder
13	Clearances relating to work under an existing transmission line or shifting of the transmission line	To be obtained by the preferred bidder
14	GramaSabha consent	To be obtained by the preferred bidder
15	Any other clearances to start mining operation	To be obtained by the preferred bidder

PART C**PARTICULARS OF LAND**

Sl. No.	Land Type	Area (in Hectares)
1	Total Concession Area	154.74 Ha
2	Forest Land with Status	Nil
3	Private Khatedari	51.39 Ha
4	Government	74.95 Ha
5	Government -Oran	14.92 Ha
6	Gocha/Charagarh	9.05 Ha
7	Mandir	4.43 Ha




Note:

1. Mineral Block Summary has been prepared based on the available data in the Geological Report submitted by the exploration agency.
2. The coordinates of the block boundary have been taken from the DGPS survey conducted at the boundary corner points of the block.
3. Block area/ Concession area given in the mineral block summary is the area as per revenue record, provided by State Government.
4. Part-C of the block has been considered from the data received from State Government.

**DGPS Co-ordinates of Block Boundary Corner Points of
Rewat Amalgamated Block (RAMB), Degana**

Corner points	DMS DGPS coordinates (WGS-84)	
	Latitude	Longitude
A	26° 53' 52.012" N	74° 16' 28.119" E
B	26° 54' 6.459" N	74° 16' 14.439" E
C	26° 54' 18.462" N	74° 16' 30.210" E
D	26° 54' 6.486" N	74° 16' 46.315" E
E	26° 54' 16.368" N	74° 16' 55.457" E
F	26° 54' 0.805" N	74° 17' 16.383" E
G	26° 53' 48.038" N	74° 17' 4.571" E
H	26° 53' 48.879" N	74° 17' 3.739" E
I	26° 53' 47.327" N	74° 17' 1.724" E
J	26° 53' 34.313" N	74° 17' 12.804" E
K	26° 53' 27.159" N	74° 17' 3.308" E
L	26° 53' 42.368" N	74° 16' 49.571" E
M	26° 53' 42.339" N	74° 16' 43.847" E
N	26° 53' 26.896" N	74° 16' 43.999" E
O	26° 53' 26.721" N	74° 16' 21.718" E
P	26° 53' 35.353" N	74° 16' 21.583" E
Q	26° 53' 35.385" N	74° 16' 27.989" E
R	26° 53' 34.170" N	74° 16' 29.052" E
S	26° 53' 38.579" N	74° 16' 36.888" E
T	26° 53' 42.277" N	74° 16' 36.961" E
U	26° 53' 42.258" N	74° 16' 28.182" E

Block map of Rewat Amalgamated Block (RAMB), , District , Rajasthan
Village: Degana District: Nagaur, State:Rajasthan, Area = 154.74 Ha



Coordinate of Block Boundary Points

Corner Points	Y	X	Latitude	Longitude
A	2975320.007	427951.045	26° 53' 52.012" N	74° 16' 28.119" E
B	2975766.696	427576.229	26° 54' 6.459" N	74° 16' 14.439" E
C	2976133.502	428013.3719	26° 54' 18.462" N	74° 16' 30.210" E
D	2975762.495	428455.5205	26° 54' 6.486" N	74° 16' 46.315" E
E	2976065.083	428709.4217	26° 54' 16.368" N	74° 16' 55.457" E
F	2975582.992	429283.955	26° 54' 0.805" N	74° 17' 16.383" E
G	2975192.038	428955.9058	26° 53' 48.038" N	74° 17' 4.571" E
H	2975218.025	428933.1023	26° 53' 48.879" N	74° 17' 3.739" E
I	2975170.604	428877.2316	26° 53' 47.327" N	74° 17' 1.724" E
J	2974768.471	429180.6388	26° 53' 34.313" N	74° 17' 12.804" E
K	2974549.845	428917.4394	26° 53' 27.159" N	74° 17' 3.308" E
L	2975019.932	428541.1293	26° 53' 42.368" N	74° 16' 49.571" E
M	2975019.923	428383.2035	26° 53' 42.339" N	74° 16' 43.847" E
N	2974544.755	428384.6895	26° 53' 26.896" N	74° 16' 43.999" E
O	2974542.902	427769.984	26° 53' 26.721" N	74° 16' 21.718" E
P	2974808.486	427767.7775	26° 53' 35.353" N	74° 16' 21.583" E
Q	2974808.486	427944.5195	26° 53' 35.385" N	74° 16' 27.989" E
R	2974770.915	427973.6237	26° 53' 34.170" N	74° 16' 29.052" E
S	2974905.324	428190.5825	26° 53' 38.579" N	74° 16' 36.888" E
T	2975019.095	428193.2283	26° 53' 42.277" N	74° 16' 36.961" E
U	2975019.897	427951.0441	26° 53' 42.258" N	74° 16' 28.182" E

Legend

- Block_Boundary_Points
- Block Boundary