Project Design Phase-II

Data Flow Diagram & User Stories

Team ID	6ab8c2c230f9767f87730236
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value

Data Flow Diagram – Level 0 (text representation)

Administrator / User → Web UI → Authentication & ACL API → Script-Controlled ACL Engine → Records Database. The ACL Engine reads the user's role and requested record field values, evaluates the applicable rule, then sends an Allow/Deny decision to the API. Authorized records are returned to the user; denied requests and decisions are written to the Audit Log.

Main Data Stores: D1 User & Role Data; D2 Records; D3 ACL Rules; D4 Audit Logs.

User Stories

User Type	Epic	No.	User Story / Task	Acceptance Criteria	Priority	Release
Administrator	User & Role Management	USN-1	As an administrator, I can create users and assign roles.	User is created and assigned role successfully.	High	Sprint-1
Administrator	ACL Management	USN-2	As an administrator, I can create a field-based ACL rule.	Rule is saved with field, condition and action.	High	Sprint-1
Administrator	ACL Management	USN-3	As an administrator, I can edit, enable or disable an ACL rule.	Rule status changes and new requests use the current rule.	High	Sprint-1
Authorized User	Record Access	USN-4	As an authorized user, I can view records allowed by the ACL rule.	Only permitted records/fields are displayed.	High	Sprint-1
Authorized User	Record Access	USN-5	As a user, I receive an access-denied response for restricted records.	Restricted data is not returned and the denial is logged.	High	Sprint-1
Administrator	Audit	USN-6	As an administrator, I can view access decisions in the audit log.	Log shows user, record, action, decision and timestamp.	Medium	Sprint-2
Administrator	Testing	USN-7	As an administrator, I can test an ACL rule against sample field values.	System shows whether access would be allowed or denied.	Medium	Sprint-2