Naan Mudhalvan Project

Script-Controlled ACL – Creation of Users and Roles

Project Documentation – Milestone 1

1. Project Overview

This project implements a ServiceNow Script-Controlled Access Control List (ACL) solution. The ACL restricts access to records based on user roles and field conditions. Milestone 1 focuses on creating the users and roles required for testing the ACL.

2. Objective

Create test users, create project-specific roles, assign the correct roles to each user, and verify that the setup is ready for Read, Create, Write, and Delete ACL testing.

3. Required Roles

Role	Purpose
acl_admin	Administrator/testing access
acl_manager	Manager-level access
acl_user	Normal user access

4. Test Users

User name	Role
acl.admin	acl_admin
acl.manager	acl_manager
acl.user	acl_user

5. ServiceNow Setup

1. Open the ServiceNow instance with administrator access.
2. Go to System Definition → Scripts - Background.
3. Run the user and role creation script.
4. Run the verification script.
5. Confirm that the three roles and three test users exist.
6. Assign or verify the appropriate role for each user.

6. User and Role Creation Script

```
var roles = ['acl_admin', 'acl_manager', 'acl_user'];
for (var i = 0; i < roles.length; i++) {
    var role = new GlideRecord('sys_user_role');
    role.addQuery('name', roles[i]);
    role.query();
    if (!role.next()) {
        role.initialize();
        role.name = roles[i];
        role.insert();
```

```
    }
}
```

7. Role-Based ACL Logic

```
answer = false;
if (gs.hasRole('acl_admin')) {
    answer = true;
} else if (gs.hasRole('acl_manager') &&
           current.access_level == 'manager') {
    answer = true;
} else if (gs.hasRole('acl_user') &&
           current.access_level == 'user') {
    answer = true;
}
```

8. Testing

Test Case	Expected Result
acl_admin accesses record	Access allowed
acl_manager + manager record	Access allowed
acl_user + user record	Access allowed
acl_user + manager record	Access denied
Unknown/no required role	Access denied

9. Milestone 1 Expected Result

After completing this milestone, the ServiceNow instance should contain the required ACL roles and test users. These accounts can then be used to validate the Script-Controlled ACL for Read, Create, Write, and Delete operations.

10. Project Milestones

1	Creation of Users and Roles
2	Tables Creation
3	Creation of Access Control List – READ
4	Creation of Access Control List – CREATE
5	Creation of Access Control List – WRITE
6	Creation of Access Control List – DELETE
7	Conclusion

11. GitHub Note

Do not upload real ServiceNow passwords, credentials, private instance URLs, or personal information to GitHub. Use placeholder values in the repository and configure secrets securely in the ServiceNow instance.