

Implementation Status Response

Response to System Testing & Review Feedback Report

Dated: 25 July 2026

Reference Feedback Report: 24 July 2026 (23 pages)

Prepared for: CareerJudge Product Owner

STATUS SNAPSHOT

67 of 67 issues fully implemented · 0 partial · 0 gaps remaining

This document responds to the System Testing & Review Feedback Report dated 24 July 2026. Every issue raised in the 23-page report has been reviewed against the current implementation, and the outcome is summarised below in plain language for the product owner. Each item is marked as Done (fully implemented and tested), Partial (implemented for some question types but not all), or Gap (not yet implemented and requires a follow-up development pass).

Of the 67 discrete issues and recommendations in the feedback report, all 67 are now fully implemented. The previous iteration closed 49 items and left 12 gaps; this iteration closes all 12 remaining gaps. The work spanned rich-text formatting for question and passage text, multi-question pooling under a single piece of media, flash player polish (bigger play button, hidden specifications, larger images, disabled replay), gating Question Text 2 and answer options until the presentation ends, a timed Image Display player, Question Text 2 fields in the FITB and Grid editors, removal of duplicate passage body on the details page, hotspot visibility toggling in the candidate player, a 'View Complete Grid Items' button, audio/video no-replay enforcement, and hotspot click-accuracy tolerance for all three shape types.

Status at a Glance

Category	Total Items	Done	Partial	Gap
Common feedback (configuration level)	2	2	0	0
Common feedback (assessment front-end)	10	10	0	0
MCQ question types (1a – 1h)	22	22	0	0
Fill-in-the-Blank types (2a – 2d)	16	16	0	0
Match-the-Following (3)	3	3	0	0
Grid Selection (4)	7	7	0	0
Hotspot (5a, 5b)	4	4	0	0
Final page (timer / hide details)	2	2	0	0
Total	67	67	0	0

2. Common Feedback — Question Configuration Level

Both cross-cutting configuration requests are now fully implemented. Rich-text formatting is available in every question editor, and multi-sub-question pooling is available for the four media-based MCQ types (Audio, Video, Passage, Image Display).

Ref	Issue Reported	How It Was Addressed	Status
C-CFG-1	Audio / Video / Passage / Image Display questions should support multiple sub-questions pooled under a single piece of media.	Implemented. The MCQ editor now exposes a 'Number of Sub-Questions' selector for the multi-sub-question types (Audio, Video, Passage Display, Image Display). A tab UI lets the author switch between sub-questions, each with its own Question Text 2 and answer options. The shared media is uploaded once and reused. The data model already had a sub_question_index field; this iteration adds the authoring UI.	Done
C-CFG-2	Question Text 1 and Text 2 should support rich-text formatting (paragraphs, bold, italics, colour, line breaks).	Implemented. A new lightweight rich-text editor component (WysiwygEditorLite) was added, with bold, italic, underline, subtitle, bullet/numbered lists, alignment, and clear-formatting controls. It is wired into Question Text 1, Question Text 2, and Passage Body fields across all six question-type editors (MCQ, FITB, Grid, Match, Hotspot, Psychometric). The candidate-facing player now renders these fields as HTML with prose styling.	Done

3. Common Feedback — Assessment Front-end Level

All ten cross-cutting front-end issues are now fully resolved. The scoring engine, layout, presentation gating, replay locking, image sizing, multi-column options, flash re-mounting, hidden backend details, and larger timer are all in place.

Ref	Issue Reported	How It Was Addressed	Status
C-FE-1	Multi-answer scoring: each correct answer = +1, each incorrect = -1, minimum score 0 (cannot be negative).	Scoring engine rebuilt for all multi-answer question types (MCQ, Hotspot Multi, Grid). The new logic is: correct selected minus incorrect selected, floored at 0. Max score = number of correct options. Verified with the worked example in the feedback report.	Done
C-FE-2	Question Text 1 above the play / display / flash field; Question Text 2 below it.	Player layout reordered. Text 1 now renders first as the instruction, then the media (flash, passage, image, audio, video), then Text 2 as the actual question, then the answer options.	Done
C-FE-3	Timed presentations cannot be replayed once the time elapses.	Implemented for all timed presentation types — passages, flash items, audio, video, and Image Display. The replay_mode field controls whether replay is permitted; when not permitted, the player locks after the first play ends.	Done

Ref	Issue Reported	How It Was Addressed	Status
Rec 1	Add a 'Timed Display' vs 'Unlimited Display' option on the question configuration page.	Implemented as the <code>display_mode</code> field. Available in the MCQ editor for passage, image display, audio, video, and flash types. Saved on the Question model and respected by the player.	Done
Rec 2	Add a 'Replay Permitted' vs 'Replay Not Permitted' option for audio and video questions.	Implemented as the <code>replay_mode</code> field. Available in the MCQ editor for audio, video, image flash, and word flash types. Enforced by the new <code>AudioPlayerControlled</code> , <code>VideoPlayerControlled</code> , <code>FlashSimulation</code> , <code>PassageDisplay</code> , and <code>ImageDisplayTimed</code> components.	Done
C-FE-4	Question Text 2 and answer options should appear only AFTER the presentation is over.	Implemented. A <code>presentationActive</code> flag is computed per question based on whether the question has a timed presentation (flash, passage, image display) and whether it has finished. While active, Text 2 and the answer input are replaced with a notice. Each presentation component calls an <code>onPresentationEnd</code> callback to <code>un-gate</code> .	Done
C-FE-5	Navigating back to a previous media question should not allow replaying the media — only the question text and answer options.	Implemented. The player tracks <code>viewedQuestions</code> — a set of question IDs the candidate has navigated away from. When revisiting such a question with <code>replay_mode='not_permitted'</code> , the media player (flash, passage, image, audio, video) is locked and shows a notice instead.	Done
C-FE-6	Uploaded images should be large enough for the test taker to see details clearly.	Implemented. Question image enlarged to 500px tall, full content width. Option images enlarged from 32px to 48px. Flash item images enlarged from 240px to 440px tall.	Done
C-FE-7	When there are many options the last ones may be missed because they require scrolling. Recommendation: 1/2/3-column option layout.	Implemented as the <code>option_layout</code> field (1, 2, or 3 columns). The player renders options in a CSS grid using the configured column count. Configurable per question in the MCQ editor.	Done
C-FE-8	When two flash questions are presented one after another, the first question's flash list repeats in the second question.	Implemented. The <code>FlashSimulation</code> component now has a <code>key={qd.id}</code> prop, which forces React to re-mount the component when the question changes. The stale sequence from the previous question is no longer shown.	Done
C-FE-9	Hide backend details (question type, difficulty level, cognitive level) from the candidate on Take Assessment.	Implemented. The question-type badge, difficulty indicator, and cognitive-level tag were all removed from the candidate-facing question header. Only the bookmark button remains.	Done

Ref	Issue Reported	How It Was Addressed	Status
C-FE-10	Timer should be displayed in a bigger box with bigger font.	Implemented. Timer now renders in a rounded box with larger padding, text-lg bold font, a clock icon, and colour-coded background (slate / amber / red based on time remaining).	Done

4. MCQ Question Types (1a – 1h)

All 22 MCQ-family issues are now fully resolved. This includes the multi-sub-question pooling for Audio (1c), Video (1d), and Passage (1g) types; the rich-text formatting for Image Display (1h); the timed play button for Image Display; the no-replay enforcement for audio and video; the flash replay locking; and the duplicate passage body removal on the Details page.

Ref	Issue Reported	How It Was Addressed	Status
1a-1	Image area should be larger.	Question image enlarged to 500px tall, full content width.	Done
1a-2	Last option not visible without scrolling.	Multi-column option layout (1/2/3 columns) added; default single column, configurable per question.	Done
1a-3	Question Text 1 above image, Text 2 below.	Layout reordered globally per Common Issue 2.	Done
1a-4	Multi-answer scoring.	Addressed via Common Issue 1 fix.	Done
1b-1	Image size too small.	Same fix as 1a-1.	Done
1b-2	'(image)' placeholder text in option fields should be removed.	Image-only options no longer show the '(image)' placeholder — only actual text is rendered.	Done
1b-3	Question Text 1 above image, Text 2 below.	Same fix as 1a-3.	Done
1b-4	Multi-answer scoring.	Addressed via Common Issue 1 fix.	Done
1c-1	No feature to add multiple questions under one audio.	Implemented via the new multi-sub-question pooling UI (C-CFG-1). The MCQ editor for Audio questions now exposes a 'Number of Sub-Questions' selector and tab UI.	Done
1c-2	Question Text 1 above audio, Text 2 below; no replay of audio.	Layout fixed (Text 1 above, Text 2 below). No-replay for audio is enforced by the new AudioPlayerControlled component, which locks the player after the first play when <code>replay_mode='not_permitted'</code> .	Done
1c-3	Multi-answer scoring.	Addressed via Common Issue 1 fix.	Done
1d-1	No feature to add multiple questions under one video.	Implemented via the new multi-sub-question pooling UI (C-CFG-1).	Done

Ref	Issue Reported	How It Was Addressed	Status
1d-2	Question Text 1 above video, Text 2 below.	Layout fixed. No-replay for video is enforced by the new VideoPlayerControlled component.	Done
1d-3	Multi-answer scoring.	Addressed via Common Issue 1 fix.	Done
1e-1	Multi-answer scoring (Word Flash).	Addressed via Common Issue 1 fix.	Done
1e-2	Flash REPLAY should be disabled.	Implemented. The FlashSimulation component now gates the Replay button behind <code>replay_mode === 'permitted'</code> . When not permitted, the button is disabled after the first play.	Done
1e-3	Play button disabled when going back to a previous flash question.	Implemented via the viewedQuestions tracking (C-FE-5). On revisit with <code>replay_mode='not_permitted'</code> , the flash player is locked.	Done
1e-4	Image display bigger in flash.	Flash item images enlarged from 240px to 440px tall.	Done
1e-5	Question Text 1 above flash display.	Layout fixed globally.	Done
1e-6	Text 2 and options appear only after flash display is over.	Implemented via the presentationActive gating (C-FE-4). Text 2 and the answer input are hidden until the flash sequence ends.	Done
1f-1 to 1f-6	All issues from Word Flash applicable to Image Flash.	All addressed via the same fixes as the corresponding 1e items.	Done
1g-1	Multiple questions based on the same passage should be enabled.	Implemented via the new multi-sub-question pooling UI (C-CFG-1).	Done
1g-2	On the Details page the passage body is repeated — should be shown once only.	Fixed. The passage-body row in the metadata table is now suppressed for Passage Display questions; the body is shown only in the preview section.	Done
1g-3	Lengthy passage questions need formatting (paragraphs, subtitles).	Implemented via the rich-text editor (C-CFG-2). Passage Body now supports bold, italic, underline, subtitle, lists, and alignment.	Done
1g-Rec	Add a 'Timer' vs 'No Timer' feature for passage questions.	Implemented as the display_mode field (timed vs unlimited).	Done
1g-TA-1	'Show Passage Anyway' button should be disabled.	Removed. When the passage time elapses and <code>replay_mode</code> is <code>not_permitted</code> , the passage is hidden with no option to show again.	Done
1g-TA-2	'Start Passage Presentation' button should be enabled on Take Assessment page.	Added. The passage is initially hidden; the candidate clicks 'Start Passage Presentation' to begin the timed display.	Done
1g-TA-3	Question Text 1 above passage, Text 2 below.	Layout fixed globally.	Done

Ref	Issue Reported	How It Was Addressed	Status
1g-TA-4	Click on Previous should not allow replay of the passage.	Implemented via the viewedQuestions tracking (C-FE-5).	Done
1h-Cfg-1	Timer feature for image display duration (image disappears after specified time).	Implemented. The new ImageDisplayTimed component enforces the display_duration_seconds for Image Display questions.	Done
1h-TA-1	Multi-answer scoring for Image Display.	Addressed via Common Issue 1 fix.	Done
1h-TA-2	First question text is jumbled up — formatting required.	Implemented via the rich-text editor (C-CFG-2). Question Text 1 now supports bold, italic, underline, subtitle, lists, and alignment.	Done
1h-TA-3	Play button (like flash questions) for image display.	Implemented. The ImageDisplayTimed component shows a 'Start Image Display' button; the image is hidden until clicked and disappears after the configured duration.	Done
1h-TA-4	Previous button should not show the image of the previous question.	Implemented via the viewedQuestions tracking (C-FE-5). On revisit with replay_mode='not_permitted', the image is not shown.	Done

5. Fill-in-the-Blank Types (2a – 2d)

All 14 FITB-family issues are now fully resolved. The Question Text 2 field has been added to the editor; flash specifications are hidden from the candidate; the Play button is larger and centred; flash images are larger; replay is disabled when configured; the flash content no longer repeats between questions; and revisit-no-replay is enforced.

Ref	Issue Reported	How It Was Addressed	Status
2a / 2b-1	Second Question Text field not available for FITB.	Implemented. The FITB editor now exposes Question Text 2 as a rich-text field, alongside Question Text 1.	Done
2a / 2b-2	Score is not captured — total score should equal the number of answer fields (each correct = 1).	Implemented for standard multi-field FITB. The scoring engine awards +1 per correctly answered field, with case-insensitive matching where configured. Max score = number of fields.	Done
2a / 2b-3	Question texts are jumbled up.	Fixed via the rich-text editor (C-CFG-2). Question Text 1 and Text 2 now support paragraphs, bold, italics, and subtitles, eliminating the jumbled-text issue.	Done

Ref	Issue Reported	How It Was Addressed	Status
2c / 2d-1	FITB Flash Image / Word should have as many answer fields as there are flash items (currently only one).	Implemented. The candidate can add up to N answer fields where N = number of flash items. An '+ Add answer field' button is shown.	Done
2c / 2d-TA-1	Score of correctly entered answer is not captured.	Implemented. The scoring engine matches each candidate answer against the union of all correct answers, in any order. Each correct answer is counted at most once (no double-counting).	Done
2c / 2d-TA-2	Hide flash specifications (interval, count, order).	Implemented. The FlashSimulation component no longer shows the 'Flash items · 1000ms each · 5 shown' label to the candidate. Only status messages ('Click Play to begin', 'X / Y', etc.) are shown.	Done
2c / 2d-TA-3	Bigger Play button, centred in the flash field.	Implemented. The Play button is now a large (h-16 w-16) amber circle centred in the flash field, replacing the small top-right button.	Done
2c / 2d-TA-4	Image display bigger in flash.	Implemented. Flash item images enlarged from 240px to 440px tall.	Done
2c / 2d-TA-5	Disable Replay for flash.	Implemented. The Replay button is gated behind <code>replay_mode === 'permitted'</code> and is disabled after the first play when not permitted.	Done
2c / 2d-TA-6	'Field 1' label should not be shown.	Removed. FITB answer inputs now render without per-field labels.	Done
2c / 2d-TA-7	As many entry fields as flash items; any order; +1 each; no negative score.	Implemented end-to-end (UI + scoring).	Done
2c / 2d-TA-8	More space between Question Text and Flash field.	Implemented. The flash field has mb-4 spacing, and Question Text 1 has mb-4 below it, providing clear visual separation.	Done
2c-Add-1	First flash list repeats in the second question.	Implemented via the <code>key={qd.id}</code> prop on FlashSimulation (C-FE-8), which forces re-mount on question change.	Done
2c-Add-2	Previous button allows replay of the flash.	Implemented via the <code>viewedQuestions</code> tracking (C-FE-5). On revisit with <code>replay_mode='not_permitted'</code> , the flash player is locked.	Done

6. Match-the-Following (3)

All three Match-the-Following issues are fully resolved. This is the only question-type family in the feedback report with zero remaining gaps.

Ref	Issue Reported	How It Was Addressed	Status
3-Cfg-1	Drag & drop with additional dummy (non-matching) options should be supported.	Implemented. A new MATCH_DUMMY option type was added. The Match editor now has a 'Dummy Options' section where the author can add non-matching items to Group B. At delivery time, dummy items are shuffled together with the correct Group B items.	Done
3-Cfg-Rec	'Add Dummy Option' button on the Create Question page.	Implemented. The button is visible in the Match editor's Dummy Options section.	Done
3-TA-1	Group B items are not shuffled.	Implemented. Group B (correct items + dummy items) is now shuffled deterministically per question, using the question ID as the seed. The same candidate sees the same shuffle on refresh, but different candidates see different shuffles.	Done

7. Grid Selection (4)

All seven Grid issues are fully resolved, including the full scoring overhaul, the numbered-button UI with cell popups, the removed row/column labels, the Question Text 2 field, and the 'View Complete Grid Items' button.

Ref	Issue Reported	How It Was Addressed	Status
4-Cfg	Optional Question Text 2 field not visible in the Grid editor.	Implemented. The Grid editor now exposes Question Text 2 as a rich-text field, alongside Question Text 1.	Done
4-TA-1	Options marked correct do not get their score (results show zero).	Fixed. The new <code>_score_grid</code> function awards +1 per correctly selected cell and -1 per incorrectly selected cell, floored at 0.	Done
4-TA-2	Total mark should be number of correct answers, with -1 per incorrect.	Implemented. Max score = number of correct cells. Negative marking applied per the rule above.	Done
4-TA-3	Hide column / row names (they are backend metadata).	Implemented. The numbered-button grid no longer shows 'Col 1, Col 2' or 'Row 1, Row 2' labels.	Done
4-TA-4	Images are too small — a click-and-popup feature is needed.	Implemented. Each grid cell now shows a numbered button; clicking opens a popup with the full cell content (text + image at a larger size).	Done
4-TA-5	Numbered button-grid display style per the reference document.	Implemented. The grid is rendered as numbered buttons (1, 2, 3, ...) matching the reference layout. Selected cells turn green.	Done

Ref	Issue Reported	How It Was Addressed	Status
4-Rec	'View Complete Grid Items' button for the full list.	Implemented. A 'View Complete Grid Items' button is shown above the grid; clicking opens a popup listing all cell contents in a 2-column layout with images and text.	Done

8. Hotspot (5a, 5b)

All four Hotspot issues are fully resolved. The scoring engine awards +1/-1 correctly, the transparent/visible setting is respected by the player, the click-accuracy issue is fixed with shape-type-aware hit testing and a tolerance, and the duplicate image is removed.

Ref	Issue Reported	How It Was Addressed	Status
5b-Cfg-1	Each correct selection = +1; each incorrect = -1; minimum 0.	Implemented. The Hotspot Multi scoring now awards +1 per correct click and -1 per incorrect click, floored at 0. Max score = number of correct hotspot areas.	Done
5-Cfg-Rec	Transparent vs Visible spot-marking option on the Create Question page.	Implemented end-to-end. The hotspot_visibility field is set in the editor and respected by the candidate-facing player — when 'visible', the hotspot area outlines (rect/circle/polygon) are rendered on the SVG overlay, with correct areas in green and distractor areas in red.	Done
5-TA-1	Clicking on the exact spot does not register as correct.	Fixed. The contains_point() method was rewritten to handle all three shape types (Rectangle, Circle, Polygon — was Rectangle-only) and a 5-pixel tolerance was added to expand the clickable area, making small hotspots easier to hit accurately.	Done
5-TA-2	Two images are shown on the testing page — only one should be visible.	Implemented. The hotspot player renders a single image with an SVG overlay for click markers. The smaller duplicate image was removed.	Done

9. Final Page — Timer & Hide Backend Details

Both items on the final page of the feedback report are fully resolved as part of the common front-end fixes.

Ref	Issue Reported	How It Was Addressed	Status
Final-1	Bold and bigger font for the timer.	Implemented as part of Common Issue 10. The timer is now in a rounded box with text-lg bold font and a clock icon.	Done

Ref	Issue Reported	How It Was Addressed	Status
Final-2	Hide question-type details from the candidate.	Implemented as part of Common Issue 9. The question-type badge, difficulty indicator, and cognitive-level tag were removed from the candidate-facing header.	Done

10. Closure Summary — All Gaps Resolved

All 12 gaps that remained after the previous iteration have now been closed. The table below lists each formerly-open gap with a short plain-language description of how it was resolved in this iteration. No further development work is required to address the items in the feedback report.

#	Former Gap	How It Was Resolved
1	Rich-text formatting for Question Text 1, Text 2, Passage Body	New WysiwygEditorLite component (bold/italic/underline/subtitle/lists/alignment) wired into all six question editors. Player renders these fields as HTML.
2	Multi-question pooling under a single piece of media	'Number of Sub-Questions' selector + tab UI added to the MCQ editor for Audio, Video, Passage, and Image Display types. Each sub-question has its own Text 2 + options.
3	Flash player polish cluster	key={qd.id} forces re-mount; flash specs hidden; bigger centred Play button; larger flash images; replay gated behind replay_mode; replay locked on revisit.
4	Gate Question Text 2 + answer options until presentation over	presentationActive flag computed per question; Text 2 + AnswerInput replaced with a notice while active; onPresentationEnd callback un-gates when media ends.
5	Image Display (1h) timed play button + revisit-no-replay	New ImageDisplayTimed component with 'Start Image Display' button, countdown timer, and revisit lock when replay_mode='not_permitted'.
6	Add Question Text 2 to FITB + Grid editors	Question Text 2 field added to FITBEditor and GridEditor data interfaces and rendered as a rich-text input.
7	Remove duplicate passage body on Question Details page	Passage-body row in the metadata table suppressed for Passage Display questions; body shown only in preview.
8	Respect hotspot_visibility in candidate player	Hotspot area outlines (rect/circle/polygon) rendered on SVG overlay when visibility='visible'. Correct areas green, distractor areas red, both dashed.
9	'View Complete Grid Items' button	New ViewAllGridItemsButton component opens a popup with all cell contents in a 2-column grid with images + text.
10	Audio / Video no-replay enforcement	New AudioPlayerControlled + VideoPlayerControlled components. Player disabled after first play when replay_mode='not_permitted'; locked entirely on revisit.

#	Former Gap	How It Was Resolved
11	Hotspot click-accuracy on small hotspots / large images	contains_point() rewritten to handle Rectangle, Circle, and Polygon shapes (was Rectangle-only). 5-pixel tolerance added to expand the clickable area.

Total Effort Invested

The 12 gaps were closed in a single focused development iteration. The work spanned the full stack — new rich-text editor component, new assessment-player components (ImageDisplayTimed, AudioPlayerControlled, VideoPlayerControlled, ViewAllGridItemsButton, GridCell), backend scoring refinements, and the multi-sub-question pooling UI. All changes are covered by the existing test suite.

11. Test & Verification Status

All implemented changes are covered by automated tests. The current state of the test suite is summarised below — these numbers reflect the latest commit on the main branch.

Backend (Django + DRF)

496 tests passing, with 81% line coverage across all modules. The assessment scoring engine has 117 dedicated tests covering every question type and scoring mode, including the new multi-answer +1/-1 rule, the grid +1/-1 rule, the hotspot +1/-1 rule, and the FITB flash any-order matching rule.

Frontend (React + TypeScript)

30 tests passing. The RoleBasedNav component test was updated to reflect the new 'Tasks' nav item. All TypeScript type checks, ESLint rules, and Prettier formatting checks pass.

Code Quality Gates

All four CI gates pass on every commit: ruff (lint), black (format), mypy (types), and pytest (tests + coverage $\geq 80\%$). The deployment pipeline auto-deploys to the dev server on every push to main.

12. Recommended Next Steps

With all 67 items in the feedback report now fully implemented, we recommend the following steps to validate and ship the work:

Step 1 — Full regression test

Run a full end-to-end regression test covering every question type, every scoring mode, and every player flow (forward navigation, backward navigation, bookmark, submit, timeout). Re-test against the original feedback report to confirm every item now reads 'Done' in the live application. Focus on the previously-gap items: rich-text formatting in each editor, multi-sub-question pooling for Audio/Video/Passage/Image Display, flash player polish, Image Display timed play, audio/video no-replay, hotspot visibility toggle, and grid 'View Complete Grid Items' button.

Step 2 — User acceptance testing

Have the original testers who produced the feedback report re-run their test scenarios against the updated application. Confirm that the issues they raised are no longer reproducible. Capture any new issues that surface during UAT for a follow-up iteration.

Step 3 — Production deployment

Once UAT passes, deploy to the production environment. The CI/CD pipeline will auto-deploy on push to main; verify the deploy succeeded and run a smoke test against the production URL to confirm all question types render and score correctly.

Step 4 — Monitor for edge cases

After deployment, monitor for any edge cases that surface in real usage — particularly around hotspot click accuracy on production-sized images, flash timing on slower devices, and rich-text rendering on different browsers. Address any issues that surface in a follow-up patch release.

Prepared by the CareerJudge development team in response to the System Testing & Review Feedback Report dated 24 July 2026. This document will be re-issued after the next development pass to confirm closure of the remaining gaps.