
Investigating the activity dependent dynamics of synaptic structures using biologically realistic modelling of peripheral lesion experiments

Discussion of my Ph.D. research

Ankur Sinha 29/03/2019

Context

Plasticity while maintaining stability



Synaptic structures are dynamic in the adult brain

- Chen, J. L. et al. Structural basis for the role of inhibition in facilitating adult brain plasticity. Nature neuroscience 14, 587–594 (2011)
- Marik, S. A. et al. Axonal dynamics of excitatory and inhibitory neurons in somatosensory cortex. PLoS Biology 8, e1000395 (2010)
- Marik, S. A. et al. Large-scale axonal reorganization of inhibitory neurons following retinal lesions. Journal of Neuroscience 34, 1625–1632 (2014)
- Stettler, D. D. et al. Axons and Synaptic Boutons Are Highly Dynamic in Adult Visual Cortex. Neuron 49, 877–887. ISSN: 0896-6273 (2006)
- Gogolla, N. et al. Structural plasticity of axon terminals in the adult. Current opinion in neurobiology 17, 516–524 (2007)
- Holtmaat, A. J. G. D. et al. Transient and Persistent Dendritic Spines in the Neocortex In Vivo. Neuron 45, 279–291. ISSN: 0896-6273 (2005)
- Chen, J. L. et al. Clustered dynamics of inhibitory synapses and dendritic spines in the adult neocortex. Neuron 74, 361–373 (2012)
- Trachtenberg, J. T. et al. Long-term in vivo imaging of experience-dependent synaptic plasticity in adult cortex. Nature 420, 788-794 (2002)
- Villa, K. L. et al. Inhibitory Synapses Are Repeatedly Assembled and Removed at Persistent Sites In Vivo. Neuron 89, 756-769. ISSN: 1097-4199 (4 Feb. 2016)

Evidence of homeostatic structural plasticity: lesion studies

- Wall, J. T. & Cusick, C. G. Cutaneous responsiveness in primary somatosensory (SI) hindpaw cortex before and after partial hindpaw deafferentation in adult rats. The journal of neuroscience 4, 1499–1515 (1984)
- Rasmusson, D. D. Reorganization of raccoon somatosensory cortex following removal of the fifth digit. *Journal of Comparative Neurology* 205, 313–326 (1982)
- Rajan, R. et al. Effect of unilateral partial cochlear lesions in adult cats on the representation of lesioned and unlesioned cochleas in primary auditory cortex. Journal of Comparative Neurology 338, 17–49 (1993)
- Pons, T. P. et al. Massive cortical reorganization after sensory deafferentation in adult macaques. Science 252, 1857–1860 (1991)
- Allard, T. et al. Reorganization of somatosensory area 3b representations in adult owl monkeys after digital syndactyly. Journal of neurophysiology 66, 1048–1058 (1991)
- Darian-Smith, C. & Gilbert, C. D. Axonal sprouting accompanies functional reorganization in adult cat striate cortex. Nature 368, 737-740 (1994)
- Darian-Smith, C. & Gilbert, C. D. Topographic reorganization in the striate cortex of the adult cat and monkey is cortically mediated. The journal of neuroscience 15, 1631–1647 (1995)
- Florence, S. L. et al. Large-scale sprouting of cortical connections after peripheral injury in adult macaque monkeys. Science 282, 1117-1121 (1998)
- Heinen, S. J. & Skavenski, A. A. Recovery of visual responses in foveal V1 neurons following bilateral foveal lesions in adult monkey. Experimental Brain Research 83, 670-674 (1991)

Detailed lesion experiments to study synaptic structures

- Chen, J. L. et al. Structural basis for the role of inhibition in facilitating adult brain plasticity. Nature neuroscience 14, 587–594 (2011)
- Marik, S. A. et al. Axonal dynamics of excitatory and inhibitory neurons in somatosensory cortex. PLoS Biology 8, e1000395 (2010)
- Yamahachi, H. et al. Rapid axonal sprouting and pruning accompany functional reorganization in primary visual cortex. Neuron 64, 719–729 (2009)
- Hickmott, P. W. & Steen, P. A. Large-scale changes in dendritic structure during reorganization of adult somatosensory cortex. Nature neuroscience 8, 140–142 (2005)
- Keck, T. et al. Massive restructuring of neuronal circuits during functional reorganization of adult visual cortex. Nature neuroscience 11, 1162–1167 (2008)
- Keck, T. et al. Loss of sensory input causes rapid structural changes of inhibitory neurons in adult mouse visual cortex. Neuron 71, 869–882. ISSN: 0896-6273 (2011)
- Trachtenberg, J. T. et al. Long-term in vivo imaging of experience-dependent synaptic plasticity in adult cortex. Nature 420, 788-794 (2002)


Experimental protocol I






 $^{^1}$ Keck, T. et al. Massive restructuring of neuronal circuits during functional reorganization of adult visual cortex. Nature neuroscience 11, 1162–1167 (2008)

Experimental protocol II: after peripheral lesion









 $^{^1}$ Keck, T. et al. Massive restructuring of neuronal circuits during functional reorganization of adult visual cortex. Nature neuroscience 11, 1162–1167 (2008)

What we know from these experiments





What we know from these experiments



- · Massive disinhibition in the LPZ.
- Gradual ingrowth of excitatory synapses from the peri-LPZ to the LPZ.
- Gradual outgrowth of inhibitory synapses from the LPZ to the peri-LPZ.

Computational modelling: MSP: growth curve






²Lipton, S. A. & Kater, S. B. Neurotransmitter regulation of neuronal outgrowth, plasticity and survival. *Trends in neurosciences* **12**, 265–270. ISSN: 0166-2236 (1989)


³ Butz, M. & van Ooyen, A. A Simple Rule for Dendritic Spine and Axonal Bouton Formation Can Account for Cortical Reorganization after Focal Retinal Lesions. *PLoS Comput Biol* **9**, e1003259 (2013)

Computational modelling: MSP: turnover


- Synaptic structures (z): excitatory and inhibitory post-synaptic, excitatory or inhibitory pre-synaptic elements.
- New synapses form when free plugs are available: $(z>z_{\rm conn})$
- Synapses are deleted if: (z < z_{conn})




Computational modelling II: Butz2013 replication




Computational modelling II: Butz2013 results





Methods: our approach

Start with a biologically realistic network model



⁴Vogels, T. P. *et al.* Inhibitory plasticity balances excitation and inhibition in sensory pathways and memory networks. *Science* **334**, 1569–1573 (2011)


Extensions

- Probabilistic formation of synapses, also: "longer" inhibitory than excitatory connections¹.
- Probabilistic deletion of synapses (incorporating evidence that stronger synapses have less likelihood of removal²).
- Further generalisation of growth curves.

⁵Citation buried in my lab logs somewhere!


 $^{^6}$ Knott, G. W. et al. Spine growth precedes synapse formation in the adult neocortex in vivo. Nature neuroscience 9, $^{1117-1124}$ (2006)

Simulation protocol




Results and discussion

Deafferentation and successful repair



Deafferentation and repair: LPZ



Deafferentation and repair: outside the LPZ

