Tele: 248306

सम्मिश्र जांच दल/ Composite Trials Team द्वारा नेवी कार्यालय/ c/o Navy Office मुख्यालय/ Headquarter अन्डमान एवं निकोबार कमान/ Andaman & Nicobar Command पोर्ट ब्लेयर/ Port Blair - 744 102

CTT/300/04/05/TECH

0 र्व अगस्त २३ / Aug 23

प्रधान सेनापति/ The Commander-in-Chief {कृते वरिष्ठ कर्मचारी अधिकारी (मरम्मत)/ for SSO(Refit)} मुख्यालय नौसेना खण्ड/ Headquarters Naval Component द्वारा नौसेना कार्यालय/ c/o Navy Office पोर्ट ब्लेयर ७४४१०२/ Port Blair – 744 102

STATUS OF OBSERVATIONS MATERIEL READINESS REPORT – INS KULISH

- Refer to HQANC Fax ANC/42444/DR/S dated 03 Aug 23.
- 2. Statuses of observations are placed at Enclosure.

(एस सी विलियम/ S C William)

कमांडर/ Commander

प्रभारी अधिकारी/ Officer-in-Charge

Encl: - As above

Copy to: -

प्रधान सेनापित/ The Commander-in-Chief {(कृते कमान तकनीकी अधिकारी (समुद्री)/ for CTO(Marine)} मुख्यालय/ Headquarters अन्डमान एवं निकोबार कमान/ Andaman and Nicobar Command द्वारा नौसेना कार्यालय/ c/o Navy Office पोर्ट ब्लेयर ७४४ १०२/ Port Blair 744 102

नौसेना खण्ड सेनापति/ The Naval Component Commander {कृते वरिष्ठ कर्मचारी अधिकारी (यांत्रिकी)/ for SSO(Tech)} मुख्यालय नौसेना खण्ड/ Headquarters Naval Component द्वारा नौसेना कार्यालय/ c/o Navy Office पोर्ट ब्लेयर ७४४१०२/ Port Blair – 744 102

कमान अधिकारी/ The Commanding Officer भा. नौ. पो. कुलिश/ INS KULISH द्वारा नौसेना कार्यालय/ c/o Navy Office पोर्ट ब्लेयर – ७४४ १०२/ Port Blair - 744 102

Enclosure to CTT(Pbr) letter CTT/300/04/05 dated @/Aug 23

STATUS OF DGNATAA OBSERVATIONS

				1	T	N.	
				Ċ	1	4.	ώ
Steering and stabilizer system				HPACS		Ref Plants	AC Plants
Minor oil leakage from Stbd oil tank QD coupling.	(a) No routine undertaken view of non – availability of spares. Running hour extension trials sat.	(c) 2 nd stage pressure gauge not working.	(b) 3 rd stage safety relief valve operated at 200 kg/cm ² as against 245 m ³ /hr.	(a) Capacity achieved 21.6 m³/hr. against 25 m³/hr.	plants to be offered to CTT (Pbr) and all pending observations brought out by CTT (Pbr) to be liquidated on priority.	Heat load trials of ref	Trails of Port AC need to be offered on priority
Completed	Routines completed during AMP in Jul 23. In-house trails in progress by NSRY (Pbr). EDC for CTT trials 07 Aug 23.	(c) Liquidated. New gauge fitted.	(b) Calibrated at 245m3/hr.	(a) All leaks rectified. Best capacity (21.6 m3/hr.)	Completed		Completed
Liquidated	Trials conducted on 04 Aug 23. Capacity achieved 19 m³/hr. against 16 m³/hr during PRT. SAT	(c) Completed	(b) Completed.	(a) MTU report Held.	Heat load trial report not held. Observations vide CTT letter liquidated.		Completed. MTU Report held.

Liquidated	Completed. MTU Report held.			All observations checked. Completed		
Liquidated, new gauge fitted.	Completed FOT pump capacity achieved as 15 TPH during trial conducted by MTU(V)	AVCAT System observation: -	(a) Liquidated	(b) Completed	(c) Liquidated	(d) New hose issued from MO(V).
AVCAT transfer pumps(01 Nos)- Suction Gauge not working	Tank level sensor of fuel tank No.02, 04, 06 and 07 were non ops. Capacity trial of FOT pump were non ops. Capacity trial of FOT pump were undertaken up to 9.58 TPH against designed	The trial observation on AVCAT system are as follows: -	(a) Minor leakages from suction side fangs of AVCAT transfer pump.	(b) Colour coding of system pipelines not undertaken.	(c) Minor leakage from service tank filling valve.	(d) Helo deck refuelling pipe declared BER.
Balance pumps	Ships System	AVCAT				
7	ω	ග්				

		-			15.	14.	1021	13.	12.	_ <u>_</u>	Ģ
	Domestic Machinery and Cathelco	NLCP	space lighting	Lighting/ Machinery	AELs/ General	Battery Banks	and HCOS	DB/ Fuse	Electric Motors	AC and Ref Plant motors	DP plant
0 - 0	Following anodes of Cathelco system fully consumed.	Aft anchor light and Stern light are non-ons		(ii) AELS Fitment of 07 AELs pending.	enhanced.	Battery hygiene to he		03 HCOS handle	Trials of AC compressor	Trials of Ref motors pending.	Discharge rate 10 m3/hr against designed rate 15 m3/hr during capacity trials of DPs.
	Completed. New anodes fitted.	Completed. All lights operational.		Completed.	completed.	Completed		+	Completed.	Completed.	Capacity achieved 10 m³/hr at par with capacity trials undertaken post MR -17.
	Cannot be verified as all anodes are underwater.	Liquidated.		Liquidated.	Liquidated.		Liquidated.	בים מות		Completed. ND(V) report held.	t Authority / waiver not held.