11/29/2018 Prutor



Practice problems aimed to improve your coding skills.

11/29/2018 Prutor

- PRACTICE-02_SCAN-PRINT
- PRACTICE-03_TYPES
- LAB-PRAC-02_SCAN-PRINT
- LAB-PRAC-01
- PRACTICE-04_COND
- **BONUS-PRAC-02**
- **LAB-PRAC-03_TYPES**
- PRACTICE-05 COND-LOOPS
- LAB-PRAC-04 COND
 - Trouble with Triangles
 - Ms- Mathematica
 - Pollution Problem
 - 2 In or Out
 - Rick-s Number
 - Its Tax Time
 - 2 The Toppers
 - 2 Isotonic Regression
 - Super Leap Years
 - Make Room for Rectangles
 - Quadratic Quandry Revisited
 - Grade Grab
- LAB-PRAC-05_CONDLOOPS
- PRACTICE-07_LOOPS-ARR
- LAB-PRAC-06_LOOPS
- LAB-PRAC-07_LOOPS-ARR
- LABEXAM-PRAC-01_MIDSEM
- PRACTICE-09 PTR-MAT
- LAB-PRAC-08 ARR-STR
- PRACTICE-10 MAT-FUN
- LAB-PRAC-09_PTR-MAT
- LAB-PRAC-10_MAT-FUN
- PRACTICE-11 FUN-PTR
- LAB-PRAC-11_FUN-PTR
- LAB-PRAC-12_FUN-STRUC
- **►** LABEXAM-PRAC-02_ENDSEM
- LAB-PRAC-13_STRUC-NUM
- LAB-PRAC-14_SORT-MISC

Make Room for Rectangles

LAB-PRAC-04_COND

11/29/2018 Prutor

Make Room for Rectangles [10 marks]

Problem Statement

You will be given the coordinates of the bottom-left and top-right corners of an axis-aligned rectangle (i.e. a rectangle whose sides are parallel to the x and y axes). The input format is given below. The 4 quadrants on the plane are defined below for your convenience

1. Quadrant I: $x \ge 0$, $y \ge 0$

2. Quadrant II: x < 0, y >= 0

3. Quadrant III: x < 0, y < 0

4. Quadrant IV: $x \ge 0$, y < 0

You will need out output the number of quadrants with which this rectangle intersects. The coordinates will be given as **integer** numbers.

Caution

- 1. Be careful about extra/missing lines and extra/missing spaces.
- 2. Be careful about using relational operators.

INPUT:

(xbotleft, ybotleft) (xtopright, ytopright)

OUTPUT:

number

EXAMPLE:

INPUT

(-1, -1)(2, 2)

OUTPUT:

1

Grading Scheme:

Total marks: [10 Points]

There will be no partial grading in this question. An exact match will receive full marks whereas an incomplete match will receive 0 points. Please be careful of missing/extra spaces and missing/lines (take help of visible test cases). Each visible test case is worth 1 point and each hidden test case is worth 2 points. There are 2 visible and 4 hidden test cases.

¥¶ Start Solving! (/editor/practice/6059)