

Practice problems aimed to improve your coding skills.

- PRACTICE-02\_SCAN-PRINT
- PRACTICE-03\_TYPES
- LAB-PRAC-02\_SCAN-PRINT
  - Mr C goes on a diet
  - Permute Password
  - 2 Escapes around Tutors
  - 2 Amusing Fractions
  - 2 P and C
  - Build a Rhombus
  - ② Developing Interest at IITK
  - Pick your Choice
  - 2 Lego Safe
  - Race Car
  - Reverse Gear
  - 2 Numerical Flowers
- LAB-PRAC-01
- PRACTICE-04 COND
- **BONUS-PRAC-02**
- LAB-PRAC-03\_TYPES
- PRACTICE-05 COND-LOOPS
- LAB-PRAC-04\_COND
- LAB-PRAC-05 CONDLOOPS
- PRACTICE-07\_LOOPS-ARR
- LAB-PRAC-06\_LOOPS
- LAB-PRAC-07\_LOOPS-ARR
- LABEXAM-PRAC-01\_MIDSEM
- PRACTICE-09 PTR-MAT
- LAB-PRAC-08\_ARR-STR
- PRACTICE-10 MAT-FUN
- LAB-PRAC-09\_PTR-MAT
- LAB-PRAC-10\_MAT-FUN
- PRACTICE-11 FUN-PTR
- LAB-PRAC-11\_FUN-PTR
- LAB-PRAC-12\_FUN-STRUC
- **►** LABEXAM-PRAC-02\_ENDSEM
- LAB-PRAC-13\_STRUC-NUM
- LAB-PRAC-14\_SORT-MISC

# Build a Rhombus

LAB-PRAC-02\_SCAN-PRINT

Build a Rhombus [10 marks]	

#### **Problem Statement**

You will be given a single digit number as input. You need to print the number in the format given below. For example, if the digit is 1, print the following pattern,

1

11

111

1111

1111

111

11

1

## Caution

- 1. Take good care not to have extra/missing spaces or extra/missing lines in your output. These will fail an exact match and the autograder will give you a zero.
- 2. Do not use any library other than stdio.h
- 3. The code to take in an input (using scanf) has already been provided to you.

## HINTS:

1. Make sure your code can handle all digits.

-----

# **INPUT**:

A single digit from 0-9

## **OUTPUT**:

A rhombus design made completely out of that digit (see below)

#### **EXAMPLE**:

**INPUT** 

1

**OUTPUT**:

1

11

111

1111

1111

111

11

1

-----

**Grading Scheme:** 

Total marks: [10 Points]

There will be no partial grading in this question. An exact match will receive full marks whereas an incomplete match will receive 0 marks. Please be careful of missing/extra spaces and missing/lines (take help of visible test cases). Each visible test case is worth 2 points and each hidden test case is worth 4 points.

**¥**¶ Start Solving! (/editor/practice/5954)