Status	Finished
Started	Monday, 28 September 2026, 9:30 AM
Completed	Monday, 28 September 2026, 9:36 AM
Duration	6 mins
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Fill in the line of the following Python code for calculating the factorial of a number?

```
def factorial🦴 :
    if (n==1 or n==0):
       return 1
    else:
        return ——
num = 5;
print("number : ",num)
print("Factorial : ",factorial(num))
```

a. (n-1)*(n-2)

b. (n * factorial(n - 1)) ✓

c. fact(n)*fact(n-1)

d. n*(n-1)

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the following display() function call?

```
def display(**kwargs):
   for i in kwargs:
      print(i)
display(emp="Kelly", salary=9000)
```

a. TypeError

b. Kelly
9000

c. emp ✓
salary

d. ('emp', 'Kelly')
('salary', 9000)

Question **3**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def maximum(x, y):
   if x > y:
      return x
   elif x == y:
      return 'The numbers are equal'
   else:
      return y
print(maximum(2, 3))
```

a. The numbers are equal

b. 2

c. 3 ✓

d. None of the mentioned

Question **4**

Correct

Mark 1.00 out of 1.00

Choose the correct statement

- a. All of the mentioned ✓
- b. We can create function with argument(s) and no return value.
- c. We can create function with no argument and with return value(s)
- d. We can create function with no argument and no return value.

Question **5**

Correct

Mark 1.00 out of 1.00

Write the output of : print(abs(-45))

- a. 45.0
- b. -45
- c. None of the mentioned
- d. 45 ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which module is to be imported for using randint function?

- a. randrange
- b. rand
- c. randomrange
- d. random ✓

Question **7**

Correct

Mark 1.00 out of 1.00

A variable that is defined inside any function or a block is known as a ____.

- a. inside variable
- b. Local variable ✓
- c. Global variable
- d. Function Variable

Question **8**

Correct

Mark 1.00 out of 1.00

def cal(n1) : What is n1?

a. Argument
b. Parameter ✓
c. None of the mentioned
d. Keyword

Question **9**

Correct

Mark 1.00 out of 1.00

The process of dividing a computer program into separate independent blocks of code with specific functionalities is known as _____.

a. Step Programming
b. Programming
c. Modular Programming ✓
d. More Programming

Question **10**

Correct

Mark 1.00 out of 1.00

Functions which do not return any value is called ____.

a. null function
b. default function
c. zero function
d. void function ✓

Question **11**

Correct

Mark 1.00 out of 1.00

The return statement in function is used to ____.

a. return value
b. Both return value and returns the control to the calling function ✓
c. returns the control to the calling function
d. None of the mentioned

Question **12**

Correct

Mark 1.00 out of 1.00

Which one of the following is the correct way of calling a function?

a. function function_name()

b. ret function_name()

c. call function_name()

d. function_name() ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Function defined to achieve some task as per the programmer's requirement is called a ____.

a. library function

b. All of the mentioned

c. built in functions

d. user defined function ✓

Question **14**

Correct

Mark 1.00 out of 1.00

____ can be defined as a named group of instructions that accomplish a specific task when it is invoked/called.

a. Token

b. Function ✓

c. Operator

d. Datatype

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following number can never be generated by the following code: random.randrange(0, 100)

a. 0

b. 1

c. 100 ✓

d. 99