


SOURCES / INPUTS




CLIENT · PWA (BROWSER)



API ROUTES (NEXT.JS, SERVER)



LIBRARY (DOMAIN LOGIC)



DATA & STORAGE (DATA_DIR = /DATA)




EXTERNAL SERVICES



Remarkabler — Key Data Flows


How each input becomes part of Claude's understanding of you.

1 • Notebook → transcription → memory




Upload returns immediately; OCR + memory update run in the background. Deleting a notebook removes its pages, but past profile text remains.

2 • Chat (reasons over memory, not the whole corpus)




Compact profile + a few retrieved excerpts keep each message ~10x cheaper than sending every note. Insights still uses the full corpus on demand.

3 • Location → daily route




Google Timeline export instead flows through /api/location/import → route_stops. One-tap “Log my location” → /api/location → locations.

4 • Private lock (when APP_PASSCODE is set)



Face ID / fingerprint via WebAuthn passkeys; passcode is the backup + device-registration key. /share stays open (write-only).

5 • Privacy & control — user picks what to share and which models run



Every data source is an in-app switch (no env-var fiddling, no restart). Each Claude model resolves as DB → env → built-in default at every call, so a UI choice takes effect immediately.

Data model (SQLite tables)

settings also holds the user's privacy switches and model overrides: location_enabled, discipline_enabled, model_main / model_chat / model_chat_fallback, location_distill_at.

settings	notebooks	pages	pages_fts	chat_messages	chat_attachments	insights
profile	credentials	api_usage	locations	route_stops	location_points	geocode_cache