Testing report — build & integrate batch (18 Oct 2026)

Date: 18 Oct 2026 · **Branch / PR:** #190 (batch → staging), #192 and #193 (staging fixes), #194 (release staging → main) · **Build (commit):** `9fd2318 on staging; release merge fc70223 on main`

- **Local / CI** — PostgreSQL 16, Node 22 · unit + integration suite, Vitest; mobile Jest
- **Test (staging)** — https://test.gokesari.com · production build of staging 9fd2318; migrations 0079–0084 applied by the Test database workflow (run 39150805235); batch settings with sandbox / mock providers
- **Production** — https://gokesari.com · release merge fc70223 at 2026-10-18T20:45:32Z (restore point); migrations by MIGRATE_ON_BUILD; every new feature OFF; production-safe checks only

1. Summary

Layer	Run	Passed	Failed	Blocked
New batch cases (TC-B26-A…F and I, unit + integration on PostgreSQL 16, mobile)	291	291	0	0
Whole suite incl. all existing tests (`npx vitest run`, 174 files)	2192	2191	1	0
Remote checks on **gokesari.com** (`batch-2026-10-remote.spec.ts`, production-safe)	12	12	0	0
Remote checks on **test.gokesari.com** (`batch-2026-10-remote.spec.ts`, production-safe)	12	12	0	0
Signed-in journeys on **test.gokesari.com** (`batch-2026-10-signed-in.spec.ts`)	40	40	0	1

CI on GitHub Actions (same commits):

- CI on #190 (batch into staging): **success** — 39146831636 (`47ca3a5`)
- CI on #192 (staging fixes): **success** — 39156456011 (`c9ed2a0`)
- CI on #193 (S-035 look-up fix): **success** — 39158811440 (`3f42a6b`)
- CI on #194 (release staging → main): **success** — 39162207748 (`9fd2318`)
- Android APK on #194 (release builds): **success** — 39162207751 (`9fd2318`)

2. Results by feature

Flow step	Feature	Automated run / pass / fail / blocked	gokesari.com	test.gokesari.com	test.gokesari.com (signed in)
F1.1.2	Identity verification by email OTP	14 / 14 / 0 / 0	1/1 pass	1/1 pass	2/2 pass
F1.4.3	Online reference prices (dropped)	6 / 6 / 0 / 0	1/1 pass	1/1 pass	—
F1.7.3/F1.8.4	Online payment + payment state machine	36 / 36 / 0 / 0	2/2 pass	2/2 pass	5/5 pass
F3.3.2	Rider broadcast offers + broadcast notifications	32 / 32 / 0 / 0	—	—	3/3 pass
F4.1.3	Pickup by QR code	14 / 14 / 0 / 0	—	—	1/1 pass, 1 blocked
F4.2.2	In-app turn-by-turn navigation	14 / 14 / 0 / 0	—	—	1/1 pass
F6.1.3	Cancellation after packing (fee)	16 / 16 / 0 / 0	—	—	4/4 pass
F6.2.3	Refunds: breakdown, choice, timeline	15 / 15 / 0 / 0	—	—	1/1 pass
F6.3.3	Help desk + grievance portal	22 / 22 / 0 / 0	1/1 pass	1/1 pass	5/5 pass
F8.4.2	Operator-Limited shop onboarding	16 / 16 / 0 / 0	—	—	3/3 pass
F9.1.2	GS1 / manufacturer / Open Food Facts sources	10 / 10 / 0 / 0	—	—	2/2 pass
F9.1.4	Large ingestion, product browser, promote	9 / 9 / 0 / 0	—	—	2/2 pass
F9.2.6	GST invoice per order; inventory sync off	13 / 13 / 0 / 0	—	—	1/1 pass
F10.2.4	Automated 5-day payouts	13 / 13 / 0 / 0	1/1 pass	1/1 pass	2/2 pass
F10.2.5	Platform invoice + statutory (TCS/TDS)	10 / 10 / 0 / 0	—	—	3/3 pass
F13.1.2	Notification channels (email, push, in-app)	20 / 20 / 0 / 0	—	—	1/1 pass
F15.2.3	Deep links + mobile app	14 / 14 / 0 / 0	2/2 pass	2/2 pass	2/2 pass
Platform	Cross-cutting (DB split ownership, rollbacks, workflows)	17 / 17 / 0 / 0	4/4 pass	4/4 pass	2/2 pass

- **F4.2.6** signature capture — DEFERRED to Phase 2, not built, not tested.
- **F15.1.3 / F15.1.4** store publishing — ON HOLD (owner decision); internal builds below.

3. Mobile builds (internal, not published)

- App version 1.2.0 (Expo WebView wrapper + native bridge: push token, QR scan, navigation, deep links).
- Android APK — release build from #194, run 39162207751: production artifact 12148924402 (21.6 MB, sha256:5be44c04...4d2f), preview artifact 12150020181 (21.6 MB, sha256:e3dd684d...972f); available until 17 Nov 2026.
- Android APK — batch build from #190, run 39146831653: production 12143529084, preview 12143309950.
- iOS — 'iPhone app' workflow run 39146871432 stopped at its pre-check: EXPO_TOKEN and the Expo project id are missing (Owner inputs §11).
- Store publishing (F15.1.3 / F15.1.4) is ON HOLD by owner decision.

4. Defects found and fixed during the batch

#	Found in	Defect	Fix	Verified by
1	Integration A×C	Cancelling a paid order could send the gateway refund twice (aftercare and order service both called it)	One path: refund rows created in the cancel transaction, sent after commit (sendRequestedOriginalRefunds)	TC-B26-A-041, TC-B26-C-027
2	Integration A×C	Orders paid as a group (ORDER_GROUP intent) could not be refunded to the original method	capturedIntentFor falls back to the group's intent; refund carries orderId	TC-B26-C-057
3	Integration A×C	ORIGINAL refund method hidden when online payments are on but the separate refund flag is off	Offered when onlinePayments.enabled or refundChoice.originalMethodEnabled	TC-B26-C tests
4	Integration A×F	OTP e-mails lost the batch's 5-minute wording when routed through the provider	OtpMessage.rendered passes the rendered subject/text/html through	TC-B26-A OTP cases; staging e-mail
5	Staging (test.gokesari.com)	NODE_ENV checks treated the staging site (a production build) as gokesari.com: sandbox gateway, its webhook secret, GS1 mock and pickup-QR key refused	Host-based isProductionSite() (fails safe on gokesari.com) — #192	TC-B26-I-001...005; signed-in S-004...S-012

6	CI	TC-B26-E-016 flaky: a notification e-mail could consume the scripted e-mail failure	Fail only e-mails with attachments — #192	CI green on #192, #193, #194
7	Staging (S-035)	GS1 look-up answered 504 Gateway Time-out: the import ran inside the request	Reply within 20 s, finish in the background; mock without image URLs — #193	TC-B26-D-039; S-035 pass on staging (job SUCCEEDED in 22 s)
8	Test harness	Remote/signed-in specs lost rows after a Playwright worker restart	Each case saved to the results file at once	Complete case logs below
9	Production checks	Two remote checks expected only 4xx; production refuses with 503 (payout webhook, no provider) and a refusal notice (sandbox page)	Checks accept fail-closed answers and assert no pay controls	12/12 on gokesari.com

5. Open defects and limitations

#	Severity	Item	Owner / next step
1	Medium	Production database verify cannot run: PROD_DATABASE_HOST and PROD_DATABASE_NAME variables are empty on the production environment (run 39165658144)	Owner: add the two variables (§13), then run verify
2	Low	tests/unit/pmd-sources.test.ts fails under heavy machine load (pre-existing since 6 Oct; 6/6 alone, passes in CI)	Developer: raise its timeout or isolate it
3	Medium	S-014 rider QR pickup on staging was BLOCKED — no approved rider online to receive the offer in time	Covered by TC-B26-B pickup-QR integration cases; re-run with a rider online
4	Medium	iOS internal build not produced	Owner: EXPO_TOKEN + Expo project id + App Store Connect keys (§11)
5	Medium	GST on the after-packing cancellation fee is not computed	Owner/CA to advise; developer adds it (§6)
6	High	Production order lifecycle not run (needs a production shop, rider and payment choice)	Owner inputs §14
7	Info	791 manual test cases in the workbook are not automated; the batch's automated cases cover each feature	Run by hand on test.gokesari.com where wanted
8	Info	A look-up import takes ~22 s on staging even without images	Watch; the request no longer waits for it

6. Critical paths — evidence

- **Payment (sandbox) end to end** — S-004…S-009: ONLINE checkout → intent; idempotent retry; sandbox success → CAPTURED / order CONFIRMED; failure → PAYMENT_FAILED; cancellation quote itemised; refund to ORIGINAL with a timeline.
- **Rider and pickup** — S-010…S-013: shop accepts → ready; after-packing fee in the quote; packing slip QR; navigation refused for someone else's delivery.
- **Product data** — S-035: GS1 mock look-up found 1 record; import job SUCCEEDED; operator refused (403).
- **Production** — Release #194 merged at 20:45:32 UTC (restore point); new build live about 11 minutes later (MIGRATE_ON_BUILD — a failed migration stops the build, so 0079–0084 are applied). Production-safe checks 12/12: public pages, email-OTP sign-in, deep-link files, webhooks and crons refuse unauthenticated calls (503/403), new staff screens redirect to sign-in, no reference prices, sandbox page shows only its refusal. Production database verify (run 39165658144) stopped at its preflight: PROD_DATABASE_URL visible (F14.2.1 fix proven for the secret); PROD_DATABASE_HOST / PROD_DATABASE_NAME variables empty — owner §13.

▼ Case log — gokesari.com

Case	Result	Detail
TC-B26-R-001 Home page renders	PASS	HTTP 200
TC-B26-R-002 Shops and search pages load	PASS	
TC-B26-R-003 Sign-in screen: OTP by email	PASS	
TC-B26-R-004 Android assetlinks.json served	PASS	[{"relation":["delegate_permission/common.handle_all_urls"],"target":{"namespace":"android_app","package_name":"com.gokesari.app","sha256_cert_fingerprints":["R
TC-B26-R-005 iOS AASA served	PASS	{"applinks":{"details":[{"appIDs":["REPLACE_WITH_APPLE_TEAM_ID.com.gokesari.app"],"components":[{"/":"/api/*","exclude":true},{"/":"/mobile-auth/*","exclude":tr
TC-B26-R-006 Payment webhook rejects unsigned request	PASS	HTTP 503

TC-B26-R-007 Payout webhook rejects unsigned request	PASS	HTTP 503
TC-B26-R-008 Cron routes require the cron secret	PASS	/api/cron/timeout-sweep=403, /api/cron/payments-reconcile=403, /api/cron/payout-cycle=403, /api/cron/broadcast-dispatch=403, /api/cron/pmd-ingest=403, /api/cron/document-emails=403
TC-B26-R-009 New screens require sign-in	PASS	/admin/broadcasts=307, /admin/payouts=307, /admin/support=307, /admin/product-browser=307, /admin/platform-invoices=307, /admin/statutory=307, /operator=307, /support=307, /notific
TC-B26-R-010 Grievance officer details published	PASS	
TC-B26-R-011 No reference prices on product pages	PASS	https://gokesari.com/products/246c8d08-c44c-44b9-9ddd-458955580ba5?shop=agtci-yivu6
TC-B26-R-012 Sandbox checkout refused on production	PASS	HTTP 200 with the refusal notice only (production)

▼ Case log — test.gokesari.com

Case	Result	Detail
TC-B26-R-001 Home page renders	PASS	HTTP 200
TC-B26-R-002 Shops and search pages load	PASS	
TC-B26-R-003 Sign-in screen: OTP by email	PASS	
TC-B26-R-004 Android assetlinks.json served	PASS	[{"relation":["delegate_permission/common.handle_all_urls"],"target":{"namespace":"android_app","package_name":"com.gokesari.app.preview","sha256_cert_fingerpri
TC-B26-R-005 iOS AASA served	PASS	{"applinks":{"details":[{"appIDs":["REPLACE_WITH_APPLE_TEAM_ID.com.gokesari.app.preview"],"components":[{"/":"/api/*","exclude":true},{"/":"/mobile-auth/*","exc
TC-B26-R-006 Payment webhook rejects unsigned	PASS	HTTP 401

request		
TC-B26-R-007 Payout webhook rejects unsigned request	PASS	HTTP 401
TC-B26-R-008 Cron routes require the cron secret	PASS	/api/cron/timeout-sweep=403, /api/cron/payments-reconcile=403, /api/cron/payout-cycle=403, /api/cron/broadcast-dispatch=403, /api/cron/pmd-ingest=403, /api/cron/document-emails=403
TC-B26-R-009 New screens require sign-in	PASS	/admin/broadcasts=307, /admin/payouts=307, /admin/support=307, /admin/product-browser=307, /admin/platform-invoices=307, /admin/statutory=307, /operator=307, /support=307, /notific
TC-B26-R-010 Grievance officer details published	PASS	
TC-B26-R-011 No reference prices on product pages	PASS	https://test.gokesari.com/products/246c8d08-c44c-44b9-9ddd-458955580ba5?shop=agtci-yivu6
TC-B26-R-012 Sandbox checkout refused on production	PASS	HTTP 404 (test site)

▼ Case log — test.gokesari.com (signed in)

Case	Result	Detail
TC-B26-S-001 Sessions: customer, shop owner, rider, admin, operator	PASS	customer=CUSTOMER, shop=SHOP_OWNER, rider=DELIVERY_PARTNER, admin=ADMIN, ops=OPERATOR
TC-B26-S-002 Session: Operator-Limited	PASS	oplim=OPERATOR_LIMITED
TC-B26-S-003 Test shop product in stock, added to cart	PASS	E2E Four Features Bakery: Burger Bun @ 3000 paise (stock 98); address 411005
TC-B26-S-004 Online checkout: PENDING order + payment intent	PASS	DB-20261018-37MY4J PENDING, intent c523f832-b92e-4333-8f1b-7ff28f9082e9 PENDING ₹50, pay at /orders/pay/sandbox/gk_c523f832b92e43338f1b7ff28f9082e9
TC-B26-S-005 Checkout idempotency: same request id, same intent	PASS	deduplicated=true, order DB-20261018-37MY4J, intent c523f832-b92e-4333-8f1b-7ff28f9082e9

TC-B26-S-006 Sandbox Pay (success): intent CAPTURED, order CONFIRMED + paidAt	PASS	returned to /orders/payment-return; intent CAPTURED; DB-20261018-37MY4J CONFIRMED paidAt 2026-10-18T20:48:07.292Z; replay → same intent, alreadyPaid
TC-B26-S-007 Sandbox Fail: order PAYMENT_FAILED	PASS	DB-20261018-G4SNLS: intent FAILED, order PAYMENT_FAILED
TC-B26-S-008 Cancellation quote: itemised breakdown, refund options	PASS	stage BEFORE_PACKING; lines Items 3000, Delivery fee 2000; refund 5000; methods ORIGINAL/WALLET
TC-B26-S-009 Cancel with refund to original method; refunds timeline	PASS	order REFUNDED; refund SUCCESS 5000 paise, 2 timeline entries
TC-B26-S-010 Packed order: shop accept, start, ready	PASS	DB-20261018-VDC12F (ONLINE) READY via GoKesari partner, slot 2026-10-19@07:00; "find a rider now" → HTTP 409: No delivery partner is currently available for this order. Looking for
TC-B26-S-011 After-packing cancellation fee in the quote	PASS	fee 2000 paise (Cancellation fee (the order was already packed)); refund 3000 of 5000
TC-B26-S-012 Packing slip with pickup QR	PASS	slip for DB-20261018-VDC12F: QR svg 2884 chars, decodes (98 chars)
TC-B26-S-013 Navigation refused for someone else's delivery	PASS	an unknown delivery id → HTTP 404: Delivery assignment was not found.
TC-B26-S-014 Rider pickup by QR scan	BLOCKED	no offer for DB-20261018-VDC12F reached the E2E rider within 45 s (rider offline or not near the shop)
TC-B26-S-015 Cancel after packing: fee kept, rest refunded	PASS	DB-20261018-VDC12F REFUNDED; refund 3000 (WALLET), fee 2000
TC-B26-S-016 Customer raises a support ticket	PASS	TKT-000002 OPEN, acknowledge by 2026-10-20T20:54:22.253Z
TC-B26-S-017 Operator queue: acknowledge and assign	PASS	TKT-000002: in queue, ACKNOWLEDGED, assigned to the operator
TC-B26-S-018 Internal note hidden, (canned) reply visible	PASS	note hidden from customer; typed reply (no canned replies) visible; status ACKNOWLEDGED
TC-B26-S-019 Resolve, close, CSAT gated on close	PASS	RESOLVED → CSAT early 409 → CLOSED → CSAT 201 (rating 5)

TC-B26-S-020 Grievance officer published	PASS	officer Sonali, grievance@gokesari.com
TC-B26-S-021 Broadcast: estimate, send (narrow audience, expiry)	PASS	audience CUSTOMER @ 411005: estimate 2, SENT to 2, expires 2026-10-18T22:55:22.322Z
TC-B26-S-022 Notification centre: unread broadcast, mark read	PASS	unread 73 → 72
TC-B26-S-023 Push token register and unregister	PASS	registered bab66150-a001-4c8f-9a7e-730e2976c732 (idempotent), unregistered
TC-B26-S-024 Rider broadcast offers list	PASS	enabled=true, poll 10s, 0 offers
TC-B26-S-025 Admin payouts	PASS	/admin/payouts 200; /api/admin/payouts/cycles present (GET 405 — set E2E_CLOSE_PAYOUT_CYCLE=1 to close a cycle)
TC-B26-S-026 Operator refused on finance	PASS	payouts 403, statutory 403, reports 403
TC-B26-S-027 Statutory rows with confirmedByCa false	PASS	9 rows, 9 with confirmedByCa=false (GST_S95_LOCAL_DELIVERY, GST_S95_RESTAURANT, GST_TCS_SEC52, IT_TDS_194O, PLATFORM_FEE_GST, UNREGISTERED_SELLER_RULES)
TC-B26-S-028 Statutory report exports	PASS	2026-10 — gstr1: json 162 B, csv 1 lines; tcs: json 164 B, csv 1 lines; tds: json 186 B, csv 1 lines
TC-B26-S-029 Platform invoices list	PASS	HTTP 200, 37696 B
TC-B26-S-030 Operator-Limited board and own shops	PASS	/operator 200; 0 onboarded shops
TC-B26-S-031 Operator-Limited refused on payouts / settings	PASS	/api/admin/payouts/cycles=403, /api/admin/settings=403, /api/admin/statutory=403, /api/admin/broadcasts=403
TC-B26-S-032 Customer refused on /api/operator/*	PASS	/api/operator/shops=403, /api/operator/documents=403, /api/operator/onboarding=403
TC-B26-S-033 Product browser search	PASS	ops=200 (2331 B), admin=200 (2331 B), customer=403
TC-B26-S-034 Manufacturer template (xlsx, csv)	PASS	xlsx 8292 B, csv header: GTIN,Item Code,Product Name,Brand,Manufacturer,Category,Pack Size,MRP,GST %,HSN
TC-B26-S-035 GS1 DataKart mock look-up	PASS	GTIN 8901001000018: mode MOCK, found 1, job 0af7d2ef-d0dd-4953-8868-91a46e194f3f; operator 403

TC-B26-S-036 PMD jobs list	PASS	ops: 3 jobs, admin: 3 jobs
TC-B26-S-037 Invoice PDF for a DELIVERED order	PASS	DB-20261014-QKJX67 → BKS-000021/2026-27/000011, PDF 15789 B
TC-B26-S-038 Android assetlinks: preview package	PASS	package com.gokesari.app.preview
TC-B26-S-039 iOS AASA covers /support and /orders/	PASS	appIDs REPLACE_WITH_APPLE_TEAM_ID.com.gokesari.app.preview; components !/api/* !/mobile-auth/* !/.well-known/* *
TC-B26-S-040 Email OTP request (no code submitted)	PASS	SENT to sa***@gmail.com; expires in 5 min; resend after 60 s
TC-B26-S-041 OTP resend cooldown enforced	PASS	HTTP 429: Please wait 56 seconds before requesting another code.

▼ Every automated batch case

Case	Step	Result	Test
TC-B26-A-001	F1.7.3/F1.8.4	PASS	TC-B26-A-001 allows the forward path and refuses moving backwards or out of a terminal state
TC-B26-A-002	F1.7.3/F1.8.4	PASS	TC-B26-A-002 chooses the sandbox by default and knows the four gateways
TC-B26-A-003	F1.7.3/F1.8.4	PASS	TC-B26-A-003 Razorpay and PhonePe report not configured without keys and refuse to call out
TC-B26-A-004	F1.7.3/F1.8.4	PASS	TC-B26-A-004 merchant ids are gateway-safe and derived deterministically
TC-B26-A-005	F1.7.3/F1.8.4	PASS	TC-B26-A-005 verifies its own HMAC and refuses a tampered body, a wrong signature or a stale timestamp
TC-B26-A-006	F1.7.3/F1.8.4	PASS	TC-B26-A-006 verifies x-webhook-signature (HMAC over timestamp + raw body) with a freshness window
TC-B26-A-007	F1.7.3/F1.8.4	PASS	TC-B26-A-007 parses payment and refund webhooks into gateway events

TC-B26-A-008	F1.7.3/F1.8.4	PASS	TC-B26-A-008 maps Cashfree order + payments to our status
TC-B26-A-009	F1.7.3/F1.8.4	PASS	TC-B26-A-009 creates a PG order with amount in rupees, return/notify URLs and methods, and refunds with our refund id
TC-B26-A-010	F1.7.3/F1.8.4	PASS	TC-B26-A-010 Razorpay webhook signature is hex HMAC-SHA256 of the raw body; events parse
TC-B26-A-011	F1.7.3/F1.8.4	PASS	TC-B26-A-011 PhonePe callback X-VERIFY is sha256(response + salt)###index; the checksum for requests includes the path
TC-B26-A-020	F1.7.3/F1.8.4	PASS	TC-B26-A-020 creates an order idempotently, reports it, and refunds within the captured amount
TC-B26-A-021	F1.7.3/F1.8.4	PASS	TC-B26-A-021 expires an unpaid order after its expiry time
TC-B26-A-022	F1.7.3/F1.8.4	PASS	TC-B26-A-022 flag off (default): ONLINE is refused and wallet checkout is unchanged
TC-B26-A-023	F1.7.3/F1.8.4	PASS	TC-B26-A-023 flag on: order PENDING, stock held, cart cleared, one intent with a payment page
TC-B26-A-024	F1.7.3/F1.8.4	PASS	TC-B26-A-024 a double checkout with the same request id returns the same order and the same intent
TC-B26-A-025	F1.7.3/F1.8.4	PASS	TC-B26-A-025 the same idempotency key never creates a second intent, even for concurrent calls
TC-B26-A-026	F1.7.3/F1.8.4	PASS	TC-B26-A-026 a webhook with a bad signature is rejected with 401 and recorded
TC-B26-A-027	F1.7.3/F1.8.4	PASS	TC-B26-A-027 capture → order CONFIRMED with paidAt, order.placed event and customer + shop notified
TC-B26-A-028	F1.7.3/F1.8.4	PASS	TC-B26-A-028 a repeated event id is acknowledged and ignored
TC-B26-A-029	F1.7.3/F1.8.4	PASS	TC-B26-A-029 the state comes from the gateway's fetchOrder, not from what the webhook says

TC-B26-A-030	F1.7.3/F1.8.4	PASS	TC-B26-A-030 an amount mismatch is not captured and support is alerted
TC-B26-A-031	F1.7.3/F1.8.4	PASS	TC-B26-A-031 a webhook for a gateway without keys answers 503
TC-B26-A-032	F1.7.3/F1.8.4	PASS	TC-B26-A-032 an illegal transition is rejected (a captured payment cannot fail)
TC-B26-A-033	F1.7.3/F1.8.4	PASS	TC-B26-A-033 failure → order PAYMENT_FAILED, stock released, customer told; retry reuses the order
TC-B26-A-034	F1.7.3/F1.8.4	PASS	TC-B26-A-034 expiry → order PAYMENT_FAILED with stock released
TC-B26-A-035	F1.7.3/F1.8.4	PASS	TC-B26-A-035 a payment in progress blocks cancelling; a failed one cancels without restocking twice
TC-B26-A-036	F1.7.3/F1.8.4	PASS	TC-B26-A-036 the sandbox page path (simulateSandboxCheckout) pays and returns to the return page; other users cannot use it
TC-B26-A-037	F1.7.3/F1.8.4	PASS	TC-B26-A-037 a stuck PENDING intent is settled from the gateway (captured while the webhook never arrived)
TC-B26-A-038	F1.7.3/F1.8.4	PASS	TC-B26-A-038 a stuck intent past its expiry becomes EXPIRED and the order releases its stock
TC-B26-A-039	F1.7.3/F1.8.4	PASS	TC-B26-A-039 polls a PENDING refund and settles it when the gateway confirms
TC-B26-A-040	F1.7.3/F1.8.4	PASS	TC-B26-A-040 a partial then a full refund: PARTIALLY_REFUNDED → REFUNDED, idempotent, never above the captured amount
TC-B26-A-041	F1.7.3/F1.8.4	PASS	TC-B26-A-041 cancelling a paid online order queues a refund to the original method; the job sends it and the order ends REFUNDED
TC-B26-A-042	F1.7.3/F1.8.4	PASS	TC-B26-A-042 a two-shop cart is one ORDER_GROUP payment; capture confirms both orders
TC-B26-A-043	F1.7.3/F1.8.4	PASS	TC-B26-A-043 the status endpoint and retry are the payer's only

TC-B26-A-044	F1.7.3/F1.8.4	PASS	TC-B26-A-044 a gateway that cannot be reached leaves no half-paid order: checkout is refused before any order is made
TC-B26-A-050	F1.1.2	PASS	TC-B26-A-050 a 6-digit code that expires in 5 minutes, stored only as a salted HMAC
TC-B26-A-051	F1.1.2	PASS	TC-B26-A-051 a code past its 5 minutes is refused
TC-B26-A-052	F1.1.2	PASS	TC-B26-A-052 five wrong attempts lock the code, even for the right digits
TC-B26-A-053	F1.1.2	PASS	TC-B26-A-053 resend cooldown per email
TC-B26-A-054	F1.1.2	PASS	TC-B26-A-054 per email: at most maxResendsPerWindow codes in the window
TC-B26-A-055	F1.1.2	PASS	TC-B26-A-055 per user (database-counted): codes to many addresses for one account are capped
TC-B26-A-056	F1.1.2	PASS	TC-B26-A-056 per IP (database-counted, shared by every server instance)
TC-B26-A-057	F1.1.2	PASS	TC-B26-A-057 email change route: limited per account as well as per IP
TC-B26-A-058	F1.1.2	PASS	TC-B26-A-058 codes go through the email OtpProvider with the right wording for each purpose
TC-B26-A-059	F1.1.2	PASS	TC-B26-A-059 rule otp.smsEnabled gates the SMS adapter; the Phase 2 SMS provider is a stub
TC-B26-A-060	F1.1.2	PASS	TC-B26-A-060 a mobile-only shop account gets its code by SMS only while the rule allows it
TC-B26-A-061	F1.1.2	PASS	TC-B26-A-061 requests, failures and successes are audited with masked identifiers
TC-B26-A-062	F1.1.2	PASS	TC-B26-A-062 deletes codes older than the retention, keeps recent ones; the cron route needs the secret

TC-B26-A-063	F1.1.2	PASS	TC-B26-A-063 the purge can be switched off by rule
TC-B26-A-070	F1.4.3	PASS	TC-B26-A-070 the kill switch is on
TC-B26-A-071	F1.4.3	PASS	TC-B26-A-071 customers and shops never get references, even with the rule switched on
TC-B26-A-072	F1.4.3	PASS	TC-B26-A-072 the public API answers 404 for everyone
TC-B26-A-073	F1.4.3	PASS	TC-B26-A-073 the product page never renders the Reference prices section
TC-B26-A-074	F1.4.3	PASS	TC-B26-A-074 no admin or operator menu entry leads to price references; the page says it is dropped
TC-B26-A-075	F1.4.3	PASS	TC-B26-A-075 the offline fetch script refuses to run without the explicit flag
TC-B26-B-001	F3.3.2	PASS	TC-B26-B-001 the sweep does nothing and a stale single offer expires to the next rider exactly as before
TC-B26-B-002	F3.3.2	PASS	TC-B26-B-002 the cron timeout-sweep reports no broadcast part while the flag is off, and one when it is on
TC-B26-B-003	F3.3.2	PASS	TC-B26-B-003 a single offer nobody accepted in time is broadcast to every eligible rider within the first radius
TC-B26-B-004	F3.3.2	PASS	TC-B26-B-004 the radius widens 2 → 4 → 6 km step by step, then the broadcast expires and the search carries on
TC-B26-B-005	F3.3.2	PASS	TC-B26-B-005 maxRadiusKm caps the radii and maxRecipientsPerStep limits each step (nearest first)
TC-B26-B-006	F3.3.2	PASS	TC-B26-B-006 ineligible riders are never reached: offline, not approved, busy, declined, out of their own radius
TC-B26-B-007	F3.3.2	PASS	TC-B26-B-007 with the busy-rider fallback on, a busy rider under the cap is reached too

TC-B26-B-008	F3.3.2	PASS	TC-B26-B-008 two riders accepting at the same moment: exactly one wins, the others see Offer taken and are notified
TC-B26-B-009	F3.3.2	PASS	TC-B26-B-009 only a reached rider can accept; a decline is remembered and blocks a later accept
TC-B26-B-010	F3.3.2	PASS	TC-B26-B-010 an order cancelled during a broadcast cannot be accepted and the sweep closes the broadcast
TC-B26-B-011	F3.3.2	PASS	TC-B26-B-011 the rider's list shows open offers with a countdown and earnings estimate, and marks them seen
TC-B26-B-012	F3.3.2	PASS	TC-B26-B-012 routes: list (flag off → disabled), accept → 200, a second rider → 409 OFFER_TAKEN, no session → 401
TC-B26-B-013	F3.3.2	PASS	TC-B26-B-013 a rider who accepted the single offer before the sweep keeps it — no broadcast starts
TC-B26-B-014	F4.1.3	PASS	TC-B26-B-014 a signed payload verifies; the order id, nonce and expiry come back
TC-B26-B-015	F4.1.3	PASS	TC-B26-B-015 any tampering is rejected: changed order id, nonce, expiry or signature, or another secret
TC-B26-B-016	F4.1.3	PASS	TC-B26-B-016 an expired payload is refused even with a good signature
TC-B26-B-017	F4.1.3	PASS	TC-B26-B-017 the secret: PICKUP_QR_SECRET; AUTH_SECRET stands in outside production only
TC-B26-B-018	F4.1.3	PASS	TC-B26-B-018 flag off: no QR is issued
TC-B26-B-019	F4.1.3	PASS	TC-B26-B-019 flag on: a packed order gets one stable QR (SVG) — only the nonce hash is stored
TC-B26-B-020	F4.1.3	PASS	TC-B26-B-020 the packing slip: items, first name + area only, pickup code, QR — owner only
TC-B26-B-021	F4.1.3	PASS	TC-B26-B-021 a valid scan marks the order PICKED_UP, records time + GPS, spends the QR and tells the customer

TC-B26-B-022	F4.1.3	PASS	TC-B26-B-022 single use: a second scan of the same QR is refused
TC-B26-B-023	F4.1.3	PASS	TC-B26-B-023 another rider cannot use it (403) and the attempt is recorded
TC-B26-B-024	F4.1.3	PASS	TC-B26-B-024 a tampered, foreign-order or expired QR is refused; the typed code still works afterwards
TC-B26-B-025	F4.1.3	PASS	TC-B26-B-025 flag off: a scan is refused and the old code-only flow is unchanged (wrong code still refused)
TC-B26-B-026	F4.1.3	PASS	TC-B26-B-026 with requireGps on, a scan without location is refused (code fallback offered)
TC-B26-B-027	F4.1.3	PASS	TC-B26-B-027 route: 401 without a session, 403 for another rider, 200 for the rider with GPS
TC-B26-B-028	F4.2.2	PASS	TC-B26-B-028 decodes Google's reference polyline and round-trips encode/decode
TC-B26-B-029	F4.2.2	PASS	TC-B26-B-029 a point on the route is ~0 m off; 100 m to the side is ~100 m off
TC-B26-B-030	F4.2.2	PASS	TC-B26-B-030 isOffRoute compares against the threshold; beyond the end counts the distance to the end point
TC-B26-B-031	F4.2.2	PASS	TC-B26-B-031 progress along the route: travelled and remaining metres add up to the route length
TC-B26-B-032	F4.2.2	PASS	TC-B26-B-032 the next step is the first manoeuvre still ahead; distance to it shrinks as the rider moves
TC-B26-B-033	F4.2.2	PASS	TC-B26-B-033 mock: a straight line with depart / continue / arrive steps and a speed-based ETA
TC-B26-B-034	F4.2.2	PASS	TC-B26-B-034 OSRM: geometry, steps with plain-English instructions, distance and duration
TC-B26-B-035	F4.2.2	PASS	TC-B26-B-035 Google Routes: polyline, navigation instructions, manoeuvres and a final arrive step

TC-B26-B-036	F4.2.2	PASS	TC-B26-B-036 mock provider (default): a straight-line route, no network call
TC-B26-B-037	F4.2.2	PASS	TC-B26-B-037 OSRM provider (stubbed fetch): route line + steps, cached, the call logged
TC-B26-B-038	F4.2.2	PASS	TC-B26-B-038 a failing provider falls back to the straight-line route (never throws)
TC-B26-B-039	F4.2.2	PASS	TC-B26-B-039 flag off: 404 (feature hidden)
TC-B26-B-040	F4.2.2	PASS	TC-B26-B-040 the rider of the delivery gets leg 1 (to the shop) with settings from the rules; another rider gets 403
TC-B26-B-041	F4.2.2	PASS	TC-B26-B-041 after pickup: leg 2 to the customer; a re-route starts from the rider's current position
TC-B26-C-001	F6.1.3	PASS	TC-B26-C-001 customer is still blocked at READY and ASSIGNED; nothing changes
TC-B26-C-002	F6.1.3	PASS	TC-B26-C-002 before packing the quote is a full refund incl. delivery fee and the old path refunds it (no refund row)
TC-B26-C-003	F6.1.3	PASS	TC-B26-C-003 after dispatch the customer's goods-only refund is unchanged (delivery fee kept), with the rule on as well
TC-B26-C-004	F6.1.3	PASS	TC-B26-C-004 quote before packing has no fee; after packing it shows the platform default fee itemised
TC-B26-C-005	F6.1.3	PASS	TC-B26-C-005 customer cancels a packed order: fee kept, rest to the wallet, fee in the order ledger and owed to the shop
TC-B26-C-006	F6.1.3	PASS	TC-B26-C-006 a fee kept by the platform is journaled as platform revenue only
TC-B26-C-007	F6.1.3	PASS	TC-B26-C-007 the shop or support cancelling a packed order still refunds in full (no fee)
TC-B26-C-008	F6.1.3	PASS	TC-B26-C-008 a percentage fee is capped, and never more than the admin maximum

TC-B26-C-009	F6.1.3	PASS	TC-B26-C-009 the refund amount changing after the quote is refused (409) and nothing moves
TC-B26-C-010	F6.1.3	PASS	TC-B26-C-010 cancelling twice never refunds or charges twice
TC-B26-C-011	F6.1.3	PASS	TC-B26-C-011 a shop's own fee within the limits is saved and used in the quote
TC-B26-C-012	F6.1.3	PASS	TC-B26-C-012 values over the limits are rejected; overrides refused when the admin does not allow them
TC-B26-C-013	F6.1.3	PASS	TC-B26-C-013 a limit lowered later caps an existing shop fee at quote time
TC-B26-C-014	F6.1.3	PASS	TC-B26-C-014 another shop's owner cannot set this shop's fee (route 403); the owner can (route 200)
TC-B26-C-015	F6.1.3	PASS	TC-B26-C-015 the quote route serves the buyer, refuses a stranger (404), and the cancel route uses the customer's confirmation
TC-B26-C-016	F6.2.3	PASS	TC-B26-C-016 the breakdown itemises what was paid, the deductions and the refund (paid = items + delivery fee)
TC-B26-C-017	F6.2.3	PASS	TC-B26-C-017 an unpaid cash order has nothing to refund and no fee is charged
TC-B26-C-018	F6.2.3	PASS	TC-B26-C-018 wallet-paid and cash orders are always refunded to the wallet (no original-method choice)
TC-B26-C-019	F6.2.3	PASS	TC-B26-C-019 a wallet refund is instant: SUCCESS at once, order REFUNDED, timeline REQUESTED → SUCCESS
TC-B26-C-020	F6.2.3	PASS	TC-B26-C-020 an online-paid order refunded to the wallet creates the customer's wallet if they had none
TC-B26-C-021	F6.2.3	PASS	TC-B26-C-021 every refund status is queued to the customer by email AND push
TC-B26-C-022	F6.2.3	PASS	TC-B26-C-022 refunds made by the original path (shop cancel) still show on the timeline, from the wallet ledger

TC-B26-C-023	F6.2.3	PASS	TC-B26-C-023 rule off (production default): an online order is offered the wallet only
TC-B26-C-024	F6.2.3	PASS	TC-B26-C-024 rule on: ORIGINAL calls refundPaymentIntent with the refund amount and records PROCESSING, then SUCCESS from the sweep
TC-B26-C-025	F6.2.3	PASS	TC-B26-C-025 the gateway's webhook result completes a refund once (idempotent)
TC-B26-C-026	F6.2.3	PASS	TC-B26-C-026 a gateway failure is recorded FAILED, then (rule) the amount goes to the wallet instead
TC-B26-C-027	F6.2.3	PASS	TC-B26-C-027 a gateway call that throws is retried by the sweep, and after the last attempt falls back to the wallet
TC-B26-C-028	F6.2.3	PASS	TC-B26-C-028 a shop cancelling an online-paid order refunds through the aftercare path (not the wallet-debit reversal that would fail)
TC-B26-C-029	F6.3.3	PASS	TC-B26-C-029 a customer raises a ticket on their order: TKT number, SLA 48 h / 30 days, requester + support told
TC-B26-C-030	F6.3.3	PASS	TC-B26-C-030 nobody can raise a ticket on someone else's order; a shop owner can on their shop's order
TC-B26-C-031	F6.3.3	PASS	TC-B26-C-031 the create route validates input and the list route returns only the caller's own tickets
TC-B26-C-032	F6.3.3	PASS	TC-B26-C-032 legal moves go through with timestamps; illegal ones are refused
TC-B26-C-033	F6.3.3	PASS	TC-B26-C-033 the requester may only close or reopen a resolved ticket; reopening needs a reason
TC-B26-C-034	F6.3.3	PASS	TC-B26-C-034 every state change notifies the requester; AWAITING_SHOP notifies the shop owner; assignment notifies the assignee
TC-B26-C-035	F6.3.3	PASS	TC-B26-C-035 internal notes and staff-only files are never shown to the requester or the shop
TC-B26-C-036	F6.3.3	PASS	TC-B26-C-036 a canned reply is inserted with its placeholders filled; only an admin manages the list

TC-B26-C-037	F6.3.3	PASS	TC-B26-C-037 the shop replies only while AWAITING_SHOP, which hands the ticket back to support
TC-B26-C-038	F6.3.3	PASS	TC-B26-C-038 a requester's reply to AWAITING_CUSTOMER puts the ticket back in progress; files are type-checked
TC-B26-C-039	F6.3.3	PASS	TC-B26-C-039 a customer cannot read another's ticket (404); an operator can; routes agree
TC-B26-C-040	F6.3.3	PASS	TC-B26-C-040 only support works tickets: assignment, escalation and queues are refused to customers and shops
TC-B26-C-041	F6.3.3	PASS	TC-B26-C-041 the SLA job escalates a ticket not acknowledged within 48 h, once, and alerts administrators
TC-B26-C-042	F6.3.3	PASS	TC-B26-C-042 a resolution breach after 30 days escalates; acknowledged tickets are not ack-breached; the cron route runs it
TC-B26-C-043	F6.3.3	PASS	TC-B26-C-043 escalation on breach can be switched off; resolved tickets close themselves after the set days
TC-B26-C-044	F6.3.3	PASS	TC-B26-C-044 manual escalation by support
TC-B26-C-045	F6.3.3	PASS	TC-B26-C-045 a rating is accepted only after the ticket is closed, only from the requester, only once
TC-B26-C-046	F6.3.3	PASS	TC-B26-C-046 a grievance still gets its GRV number and also opens a linked ticket whose status flows back
TC-B26-C-047	F6.3.3	PASS	TC-B26-C-047 with ticketForGrievances off, a grievance opens no ticket (original behaviour)
TC-B26-C-048	F6.3.3	PASS	TC-B26-C-048 the Grievance Officer comes from the admin rule (fallback: the legal-docs constant) and reaches the compliance check
TC-B26-C-049	F6.3.3	PASS	TC-B26-C-049 the help desk switched off refuses new tickets
TC-B26-C-050	Platform	PASS	TC-B26-C-050 the approved path is legal end to end, through the shared registry

TC-B26-C-051	Platform	PASS	TC-B26-C-051 illegal moves are refused: CLOSED is final, CLOSED only after RESOLVED, no going back to OPEN
TC-B26-C-052	F6.1.3	PASS	TC-B26-C-052 a percentage fee is rounded, capped, and never more than paid; an inactive policy charges nothing
TC-B26-C-053	F6.3.3	PASS	TC-B26-C-053 the SLA view reports time left and breaches
TC-B26-C-054	Platform	PASS	TC-B26-C-054 canned reply placeholders are filled, with safe fallbacks
TC-B26-C-055	F6.2.3	PASS	TC-B26-C-055 defaults: after-packing fee OFF, original-method refunds OFF, help desk SLA 48 h / 30 days and cannot be loosened
TC-B26-C-056	F8.4.2	PASS	TC-B26-C-056 permissions: customers and shop owners raise tickets; operators work them; only admins manage canned replies; only shop owners set their fee
TC-B26-C-057	F6.2.3	PASS	TC-B26-C-057 an order paid through its group's payment counts as paid online, so its refund can go back to the card/UPI
TC-B26-D-001	F8.4.2	PASS	TC-B26-D-001 has exactly onboarding + document verification, and no finance, payouts, settings or other-shop powers
TC-B26-D-002	F8.4.2	PASS	TC-B26-D-002 an admin grants the role through the existing privileges save, and the user can act as it
TC-B26-D-003	F8.4.2	PASS	TC-B26-D-003 cannot register a shop before the owner's code is entered
TC-B26-D-004	F8.4.2	PASS	TC-B26-D-004 a wrong code is refused (and audited); the code is bound to the operator who asked
TC-B26-D-005	F8.4.2	PASS	TC-B26-D-005 with the owner's code the shop is registered under the owner, onboarded_by recorded, owner notified, audited
TC-B26-D-006	F8.4.2	PASS	TC-B26-D-006 sees only the shops they onboarded; another operator's shop and its documents are refused
TC-B26-D-007	F8.4.2	PASS	TC-B26-D-007 views the documents by shop type and approves / rejects with a reason (own shop only)

TC-B26-D-008	F8.4.2	PASS	TC-B26-D-008 finance, payout and platform-settings routes answer 403
TC-B26-D-009	F8.4.2	PASS	TC-B26-D-009 fee by payment link: intent created for the owner, link emailed, request reused on a double press, audited
TC-B26-D-010	F8.4.2	PASS	TC-B26-D-010 capture → fee recorded ONLINE in the capture transaction → existing auto-approve rule approves; a replay records nothing twice
TC-B26-D-011	F8.4.2	PASS	TC-B26-D-011 with the auto-approve rule off, a paid fee leaves the shop pending for an admin
TC-B26-D-012	F8.4.2	PASS	TC-B26-D-012 a failed payment sends the shop to pending admin approval and tells the admins and the operator
TC-B26-D-013	F8.4.2	PASS	TC-B26-D-013 an unpaid link that expires also goes to pending admin approval
TC-B26-D-014	F8.4.2	PASS	TC-B26-D-014 every onboarding action leaves an audit row with the Operator-Limited role
TC-B26-D-015	Platform	PASS	TC-B26-D-015 the API refuses a missing, malformed, unknown or revoked key with 401
TC-B26-D-016	Platform	PASS	TC-B26-D-016 a valid key stages the rows as a job; only the key's hash is stored; use is audited
TC-B26-D-017	F9.1.2	PASS	TC-B26-D-017 template upload: every row validated, file duplicates flagged, staged and de-duplicated by GTIN across files
TC-B26-D-018	F9.1.2	PASS	TC-B26-D-018 the Excel template downloads and reads back; a file without the required columns is refused
TC-B26-D-019	F9.1.2	PASS	TC-B26-D-019 the portal switch off refuses uploads; manufacturer accounts are admin-only
TC-B26-D-020	F9.1.2	PASS	TC-B26-D-020 GS1 look-ups are refused while the flag is off; on, the mock stages realistic records under its own mock source
TC-B26-D-021	F9.1.2	PASS	TC-B26-D-021 the real DataKart client is a scaffold: unconfigured without keys, never mocked in production

TC-B26-D-022	F9.1.2	PASS	TC-B26-D-022 Open Food Facts is refused while its flag is off (no request leaves); on, records are staged with ODbL attribution
TC-B26-D-023	F9.1.4	PASS	TC-B26-D-023 a job interrupted mid-way resumes from its last committed batch, with nothing loaded twice
TC-B26-D-024	F9.1.4	PASS	TC-B26-D-024 the error file lists every refused row with its reason, neutralising spreadsheet formulas
TC-B26-D-025	F9.1.4	PASS	TC-B26-D-025 images are fetched (stubbed), resized and kept in the object store
TC-B26-D-026	F9.1.4	PASS	TC-B26-D-026 a 100,000-row file is parsed, validated and staged into a resumable job within 60 s
TC-B26-D-027	F9.1.4	PASS	TC-B26-D-027 promote one, then the rest in bulk: they become catalogue products for every shop; staging/master filters follow
TC-B26-D-028	F9.1.4	PASS	TC-B26-D-028 bulk edit changes the selected rows and audits each; MRP applies only to catalogue products
TC-B26-D-029	F9.1.4	PASS	TC-B26-D-029 bulk edit and merge need their permissions; a merge retires the duplicate by pointer and is audited
TC-B26-D-030	F9.2.6	PASS	TC-B26-D-030 with inventorySync.enabled off (the default) the sync sweep does not run and the connector is refused
TC-B26-D-031	Platform	PASS	TC-B26-D-031 creating and finishing an import is audited and the uploader is told
TC-B26-D-032	F9.1.2	PASS	TC-B26-D-032 a good row becomes a staged record: GTIN-14, MRP offer, HSN, GST, images
TC-B26-D-033	F9.1.4	PASS	TC-B26-D-033 refuses a wrong check digit, an in-store code, a missing brand (unless the account has one), bad MRP / HSN / GST / image address
TC-B26-D-034	F9.1.2	PASS	TC-B26-D-034 reads the template's headings and their common aliases; reports missing required columns
TC-B26-D-035	F9.1.2	PASS	TC-B26-D-035 every mock record carries a valid GS1 India GTIN and maps to the staged vocabulary

TC-B26-D-036	F9.1.2	PASS	TC-B26-D-036 an Open Food Facts API product is flattened like a dump row, without contributor names
TC-B26-D-037	Platform	PASS	TC-B26-D-037 keys are generated, never taken from input; S3 needs every OBJECT_STORE_* value and signs with SigV4
TC-B26-D-038	F8.4.2	PASS	TC-B26-D-038 the Operator-Limited board shows its four tiles only to that role; other boards are unchanged
TC-B26-D-039	Platform	PASS	TC-B26-D-039 a slow look-up import does not hold the request: the reply carries the running job, which then finishes in the background (S-035)
TC-B26-E-001	Platform	PASS	TC-B26-E-001 closes the last complete 5-day cycle counted from the anchor, and follows a changed cycle length
TC-B26-E-002	Platform	PASS	TC-B26-E-002 uses the address state, then its PIN code, then (assumed) the shop's state; pickup is the shop
TC-B26-E-003	Platform	PASS	TC-B26-E-003 words a PAN-only / unregistered or composition supplier's bill of supply
TC-B26-E-004	Platform	PASS	TC-B26-E-004 numbers GKP/2627/000001 in at most 16 characters and refuses longer
TC-B26-E-005	F10.2.4	PASS	TC-B26-E-005 sandbox: deterministic outcomes, 16-character UTRs and signed webhooks
TC-B26-E-006	Platform	PASS	TC-B26-E-006 RazorpayX and Cashfree scaffolds: unconfigured without keys; webhook signatures checked over the raw body
TC-B26-E-007	F9.1.4	PASS	TC-B26-E-007 draws a real, decodable QR image; without one the PDF has no image
TC-B26-E-010	F9.2.6	PASS	TC-B26-E-010 IGST for delivery to another state (address state or its PIN), CGST+SGST within the shop's state
TC-B26-E-011	F9.2.6	PASS	TC-B26-E-011 a truly unknown buyer state takes the shop's state and the invoice says so
TC-B26-E-012	F9.2.6	PASS	TC-B26-E-012 a PAN-only seller gets a bill of supply in its legal name with unregistered wording; composition wording too

TC-B26-E-013	F9.2.6	PASS	TC-B26-E-013 tax rates come from the HSN configuration (shop listing → product → dated HSN table), never hard-coded
TC-B26-E-014	F9.2.6	PASS	TC-B26-E-014 the PDF carries a decodable QR with the invoice's GST details; the e-invoice signed QR when an IRN exists
TC-B26-E-015	F9.2.6	PASS	TC-B26-E-015 the customer is emailed the PDF and the shop owner gets a copy (in the app now, PDF by email)
TC-B26-E-016	F9.2.6	PASS	TC-B26-E-016 a failed send is retried with backoff, then given up (DEAD)
TC-B26-E-017	F9.2.6	PASS	TC-B26-E-017 an invoiced order that ends refunded gets a CANCELLATION credit note for what refunds did not credit — once
TC-B26-E-018	F9.2.6	PASS	TC-B26-E-018 a full refund through finance issues one note (no second CANCELLATION note); refunds by other flows use issueCreditNoteForRefund
TC-B26-E-019	F9.2.6	PASS	TC-B26-E-019 with invoiceDelivery off the invoice, its PDF and its delivery are exactly NEW-007's
TC-B26-E-020	F9.2.6	PASS	TC-B26-E-020 with invoicing off nothing is issued or emailed
TC-B26-E-021	F10.2.4	PASS	TC-B26-E-021 closes every 5 days by default (configurable), once per cycle
TC-B26-E-022	F10.2.4	PASS	TC-B26-E-022 goods − commission − GST on fees − TCS − TDS − refunds ± adjustments, every component itemised
TC-B26-E-023	F10.2.4	PASS	TC-B26-E-023 commission paid from the shop wallet is not deducted again; the wallet is topped up from the payout
TC-B26-E-024	F10.2.4	PASS	TC-B26-E-024 a shop without a verified bank account is held (not paid, not in the file) and carried into the next cycle
TC-B26-E-025	F10.2.4	PASS	TC-B26-E-025 maker-checker: the batch's creator cannot approve it; another admin can; a shop owner cannot
TC-B26-E-026	F10.2.4	PASS	TC-B26-E-026 sandbox transfer: paid with a UTR through the signed webhook; journal, statement and the owner told

TC-B26-E-027	F10.2.4	PASS	TC-B26-E-027 a failed transfer is retried after its backoff and paid; one that keeps failing is given up and finance alerted
TC-B26-E-028	F10.2.4	PASS	TC-B26-E-028 webhooks: a bad signature is refused; a redelivered event is acknowledged once and changes nothing
TC-B26-E-029	F10.2.4	PASS	TC-B26-E-029 the bank file lists verified bank accounts in the generic NEFT/RTGS layout; UPI accounts are skipped
TC-B26-E-030	F10.2.4	PASS	TC-B26-E-030 'mark as paid with UTR': UTR required and unique; paid items complete the batch; only finance may do it
TC-B26-E-031	F10.2.4	PASS	TC-B26-E-031 the settlement statement (PDF and CSV) itemises the payout; only the shop's owner and finance can download it
TC-B26-E-032	F10.2.4	PASS	TC-B26-E-032 with payouts off nothing runs and the weekly settlement is unchanged; with it on, the weekly job leaves shops to the payout cycle
TC-B26-E-040	F10.2.5	PASS	TC-B26-E-040 one invoice per shop per cycle: 16-character unique series, IGST across states, CGST+SGST within, recipient GSTIN, QR; GST deducted from the payout
TC-B26-E-041	F10.2.5	PASS	TC-B26-E-041 switched on without GoKesari's GSTIN / legal details: no invoice, no GST on fees, and the cycle says why; off: nothing at all
TC-B26-E-042	F10.2.5	PASS	TC-B26-E-042 credit and debit notes: own series, never below zero, settled through the next payout; finance only
TC-B26-E-043	F10.2.5	PASS	TC-B26-E-043 commission given back on a refund gets an automatic credit note and its GST back in the payout
TC-B26-E-044	F10.2.5	PASS	TC-B26-E-044 monthly GSTR-1-ready export of GoKesari's supplies: B2B, B2CS, CDNR, SAC summary, documents; CSV and JSON
TC-B26-E-045	F10.2.5	PASS	TC-B26-E-045 seeded rows: TCS 0.5% (Notification 15/2024), TDS 0.1% (s.194-O / s.393), s.9(5) disabled — all awaiting CA confirmation
TC-B26-E-046	F10.2.5	PASS	TC-B26-E-046 a rate change in the middle of a cycle applies from its day: earlier supplies keep the old rate
TC-B26-E-047	F10.2.5	PASS	TC-B26-E-047 TDS at 5% without PAN, exempt for an individual within the yearly limit; TCS only for GST-registered sellers; s.9(5) shops have no TCS

TC-B26-E-048	F10.2.5	PASS	TC-B26-E-048 monthly TCS (GSTR-8-style) and TDS reports from the payout lines
TC-B26-E-049	F10.2.5	PASS	TC-B26-E-049 admins add dated rows and record the CA's confirmation; a changed value needs confirming again; others cannot
TC-B26-F-001	F13.1.2	PASS	TC-B26-F-001 with rule push off (default) a PUSH delivery is SKIPPED exactly as before
TC-B26-F-002	F13.1.2	PASS	TC-B26-F-002 with rule push off no PUSH delivery is queued by default, even for app users
TC-B26-F-003	F13.1.2	PASS	TC-B26-F-003 sends to the app user's device, writes the test outbox and keeps a ticket
TC-B26-F-004	F13.1.2	PASS	TC-B26-F-004 push is on by default only with a device, only in the rule's categories, and the person's opt-out wins
TC-B26-F-005	F13.1.2	PASS	TC-B26-F-005 a simulated DeviceNotRegistered retires the token and the delivery is SKIPPED
TC-B26-F-006	F13.1.2	PASS	TC-B26-F-006 the mock is refused on the production site; Expo is allowed there
TC-B26-F-007	F13.1.2	PASS	TC-B26-F-007 posts the messages to Expo with the access token and maps tickets in order
TC-B26-F-008	F13.1.2	PASS	TC-B26-F-008 HTTP 5xx / 429 and network errors are transient; receipts are read by ticket id
TC-B26-F-009	F13.1.2	PASS	TC-B26-F-009 through the outbox: Expo busy → FAILED with the attempt recorded, retried → SENT
TC-B26-F-010	F13.1.2	PASS	TC-B26-F-010 through the outbox: DeviceNotRegistered deactivates the token (audited) and skips the delivery
TC-B26-F-011	F13.1.2	PASS	TC-B26-F-011 after maxAttempts failures the delivery is DEAD and audited
TC-B26-F-012	F13.1.2	PASS	TC-B26-F-012 receipts: OK → DELIVERED, DeviceNotRegistered → ERROR and the device retired

TC-B26-F-013	F13.1.2	PASS	TC-B26-F-013 the push text is the notification's title and body, not the email wrapper
TC-B26-F-014	F13.1.2	PASS	TC-B26-F-014 needs a signed-in person and a real Expo token
TC-B26-F-015	F13.1.2	PASS	TC-B26-F-015 registers idempotently, moves a token to whoever signs in, and only the owner can unregister it
TC-B26-F-016	F13.1.2	PASS	TC-B26-F-016 keeps at most push.maxDevicesPerUser active devices
TC-B26-F-017	F13.1.2	PASS	TC-B26-F-017 settings: push is offered only while rule push is on, and on by default for app users in its categories
TC-B26-F-020	F3.3.2	PASS	TC-B26-F-020 a customer or shop owner is refused (403); an operator and an admin may compose
TC-B26-F-021	F3.3.2	PASS	TC-B26-F-021 bad input is refused: no audience, a bad PIN, a foreign-scheme link, a past schedule, expiry before sending
TC-B26-F-022	F3.3.2	PASS	TC-B26-F-022 with rule broadcasts.enabled off nobody can compose
TC-B26-F-023	F3.3.2	PASS	TC-B26-F-023 by role: customers (and society admins, and CUSTOMER grants), shop owners, riders; never suspended or deleted accounts
TC-B26-F-024	F3.3.2	PASS	TC-B26-F-024 by city (any case) or PIN: customers and riders by saved address, shop owners by their shop
TC-B26-F-025	F3.3.2	PASS	TC-B26-F-025 send now: an in-app notification for everyone (announcement, with link and image), counts, audit, and the sender is told
TC-B26-F-026	F3.3.2	PASS	TC-B26-F-026 push and email follow each person's Announcements settings (opt-outs respected per channel)
TC-B26-F-027	F3.3.2	PASS	TC-B26-F-027 large audiences are written in chunks: Send now writes the first, the dispatcher the rest
TC-B26-F-028	F3.3.2	PASS	TC-B26-F-028 idempotent: re-running after a crash or overlapping runs never sends twice

TC-B26-F-029	F3.3.2	PASS	TC-B26-F-029 scheduled: nothing before its time; the dispatch job (cron route) sends it when due
TC-B26-F-030	F3.3.2	PASS	TC-B26-F-030 expiry: an expired broadcast leaves the notification centre and the unread count, and is marked EXPIRED
TC-B26-F-031	F3.3.2	PASS	TC-B26-F-031 cancel: a scheduled broadcast never goes out; a sending one stops; a sent one cannot be cancelled
TC-B26-F-032	F3.3.2	PASS	TC-B26-F-032 read counts per broadcast follow each person's read state
TC-B26-F-033	F3.3.2	PASS	TC-B26-F-033 a draft can be edited; a sent broadcast cannot
TC-B26-F-050	F3.3.2	PASS	TC-B26-F-050 needs a signed-in person
TC-B26-F-051	F3.3.2	PASS	TC-B26-F-051 lists only the person's own notifications, newest first, with unread / all filters and paging
TC-B26-F-052	F3.3.2	PASS	TC-B26-F-052 mark all read sets the bell to zero for this person only
TC-B26-F-053	F3.3.2	PASS	TC-B26-F-053 opening a notification marks it read and goes to its page; someone else's lands on the centre
TC-B26-F-054	F3.3.2	PASS	TC-B26-F-054 only in-site paths and https links are followed; expired notifications leave every list
TC-B26-F-060	F15.2.3	PASS	TC-B26-F-060 is served (JSON) before the fingerprint is set, with the literal placeholder
TC-B26-F-061	F15.2.3	PASS	TC-B26-F-061 is host-aware (test site → preview build) and lists every configured fingerprint
TC-B26-F-062	F15.2.3	PASS	TC-B26-F-062 is served as application/json at the extension-less path with the Team ID placeholder
TC-B26-F-063	F15.2.3	PASS	TC-B26-F-063 uses MOBILE_IOS_APP_IDS when set, and opens every route-map page but never /api or sign-in

TC-B26-F-064	F15.2.3	PASS	TC-B26-F-064 maps hosts to builds and reads the forwarded host behind the proxy
TC-B26-F-065	F15.2.3	PASS	TC-B26-F-065 every route-map prefix is in the app's Android intent filters and its own route map
TC-B26-F-070	F13.1.2	PASS	TC-B26-F-070 does nothing in a normal browser or an older app without push
TC-B26-F-071	F13.1.2	PASS	TC-B26-F-071 asks the app once per person per session and posts the token to /api/push-tokens
TC-B26-F-072	F13.1.2	PASS	TC-B26-F-072 a refused permission or a bad answer is not sent; a server error is retried next time
TC-B26-F-080	F15.2.3	PASS	TC-B26-F-080 getPushToken posts push.getToken with the per-launch secret and resolves with the app's reply
TC-B26-F-081	F15.2.3	PASS	TC-B26-F-081 a refused notification permission reaches the page as an error
TC-B26-F-082	F15.2.3	PASS	TC-B26-F-082 the registration carries a valid Expo token, platform and build
TC-B26-F-083	F15.2.3	PASS	TC-B26-F-083 open an in-site path or a site link inside the app
TC-B26-F-084	F15.2.3	PASS	TC-B26-F-084 fall back to the notification centre, send outside https links to the browser, refuse tricks
TC-B26-F-085	F15.2.3	PASS	TC-B26-F-085 route the map's pages (product, shop, order, referral, notification, ticket) into the WebView
TC-B26-F-086	F15.2.3	PASS	TC-B26-F-086 ignore other hosts, API and sign-in paths, and look-alike URLs
TC-B26-F-087	F15.2.3	PASS	TC-B26-F-087 keep payment checkout pages (live and sandbox) in the app
TC-B26-I-001	Platform	PASS	TC-B26-I-001 gokesari.com and www.gokesari.com are production; test.gokesari.com is not, though it is a production build

TC-B26-I-002	Platform	PASS	TC-B26-I-002 fails safe: a production build without a usable AUTH_URL is treated as gokesari.com
TC-B26-I-003	Platform	PASS	TC-B26-I-003 development and tests are never the production site
TC-B26-I-004	F9.2.6	PASS	TC-B26-I-004 the pickup QR key: required on gokesari.com, derived per deployment on the test site
TC-B26-I-005	Platform	PASS	TC-B26-I-005 derived secrets differ by purpose and by AUTH_SECRET

7. Sign-off

- Automated: all batch cases pass; the whole suite passes but for one pre-existing load-sensitive test.
- test.gokesari.com: remote checks and signed-in journeys as above.
- gokesari.com: production-safe checks 12/12 after the release; database verify waits on two GitHub variables (§13); the production order lifecycle waits on §14.
- Owner sign-off: pending the inputs in docs/batch-2026-10/OWNER_INPUTS_NEEDED.md.