

Company – ZOHO

Round 1

- 1. Aptitude (Arithmetic and Logical) – 10 problems**
- 2. Technical (Predict Output) – 10 problems**

Round 2



ZOHO Programming Test

Duration : 2 hours

1. Find the first match of a pattern in a given string. A pattern can have two types of special characters * and + with the following meaning

* - the previous character in the pattern can occur any number of times or not occur at all.

+ - the previous character can appear any number of times and must appear at least once.

Example:

Input 1 abcbbcab cb*cab+	Input 2 abcbbcabk bbk*ac+
Output 1 cbbcab	Output 2 bbac

2. Display the input text as shown below

Input: ZOHO	Input: 1234567
Output: <pre> Z Z Z O O O Z O * H O H H H O O O </pre>	Output: <pre> 1 1 1 2 2 2 3 3 3 1 2 3 4 5 6 7 5 5 5 6 6 6 7 7 7 </pre>

3. Expand the given string - The input string contains string (s) followed by {n} denotes s repeating n times


Example:

Input: a(b(c){2}){2}d

Output: abccbccd

Input: ((x){3})(y){2}z{2}

Output: xxxyyzxxxxyz



4) Write a program to remove a fragment that occur in all strings, where a fragment is 3 consecutive words. Note: If you are writing this program in JAVA, don't use built-in functions like split(), indexOf(), replace(), substring(), etc present in String Class.

Example:

Input:

S1 = "Every morning I want to do exercise regularly"

S2 = "Every morning I want to do meditation without fail"

S3 = "It is important that I want to be happy always"

Output:

S1 = "Every morning do exercise regularly"

S2 = "Every morning do meditation without fail"

S3 = "It is important that be happy always"

Removed fragment = "I want to"

5) Write a program that compares two app versions to detect if it is an upgrade or downgrade.

Example:

Input :

Version 1 = 9.0.23 Version 2 = 9.0.24

Output :

Upgraded

Input :

Version 1 = 4.0.1 Version 2 = 4.0

Output :

Downgraded

Input :

Version 1 = 1.01.15 Version 2 = 1.1.15

Output :

Equal

Input :

Version 1 = 1.9.15 Version 2 = 1.9.15

Output :

Equal

