

NTMS Terraform D-7

12 Questions

1. You deployed resources using the CLI, but want to start managing them with Terraform moving forward. What steps are required to start managing resources with Terraform without impacting the resources themselves? (select three)

- 0/0 ☒ A add import blocks mapping each address to its real ID
- 0/0 ☐ B run terraform apply to recreate all resources from Terraform
- 0/0 ☐ C run a terraform apply -refresh-state to let Terraform adopt the resources into state
- 0/0 ☒ D write Terraform resource blocks that match the existing settings
- 0/0 ☐ E define data sources for all of the existing resources
- 0/0 ☒ F run terraform apply to import them in state with no changes

2. A colleague asks what the difference is between terraform show and terraform state show. What is the correct explanation? (select three)

- 0/0 ☒ A terraform state show requires you to specify a resource address to view that specific resource
- 0/0 ☒ B terraform show displays the entire state file without requiring any additional arguments
- 0/0 ☒ C terraform show is useful when you want a complete overview of all managed infrastructure
- 0/0 ☐ D terraform state show can display multiple resources by separating them with commas
- 0/0 ☐ E terraform state show automatically formats its output as JSON for machine parsing
- 0/0 ☐ F terraform show only displays resources that have pending changes

3. Some of your production resources were created manually in the Azure portal. The company requires all production resources to be managed through Terraform. What should you do to bring those existing resources under Terraform management without disrupting them?

- 0/0 ☐ A Rewrite the Terraform configuration file to deploy new resources, run a terraform apply, and migrate users to the newly deployed resources. Manually delete the other resources.
- 0/0 ☐ B Run a terraform get to retrieve other resources that are not under Terraform management.
- 0/0 ☒ C Use the import block to import the existing resources under Terraform management.
- 0/0 ☐ D resources created outside of Terraform cannot be managed by Terraform

4. Avishkar deployed multiple VMs outside the Terraform workflow, and now your team is unsure which VM is managed by Terraform. What approach would best help you identify the Terraform-managed VM without making any changes to the infrastructure?

- 0/0 ☒ A Use Terraform state commands `terraform state show` to match the tracked VM's ID with the list of active VMs.
- 0/0 ☐ B Update your Terraform configuration to reference each VM ID and run `terraform plan` to see which resource shows no changes.
- 0/0 ☐ C Delete every VM that isn't clearly documented, assuming any missing VM will be recreated by Terraform.
- 0/0 ☐ D Use the provider's CLI or API to label all VMs, then rely on Terraform to overwrite any unlabeled instances.

5. Your team has been using Terraform to manage infrastructure. A colleague manually created a database in the console for urgent troubleshooting and testing. The database is now needed permanently as part of your production environment.

What is the primary reason to use Terraform import in this situation?

- 0/0 ☐ A To automatically generate optimized Terraform code that improves the database's performance settings.
- 0/0 ☒ B To bring the database under Terraform management so future changes can be tracked and managed through your IaC workflow.
- 0/0 ☐ C To validate that the manually created database meets your organization's security compliance requirements.
- 0/0 ☐ D To create a backup of the database configuration in case the manual console settings are lost.

6. Your team manages infrastructure across multiple AWS regions using Terraform. You want to see a complete list of all resources currently tracked in your Terraform state file, but don't need the detailed attributes of each resource. Which command should you use?

- 0/0 ☐ A `terraform show`
- 0/0 ☒ B `terraform state list`
- 0/0 ☐ C `terraform output`
- 0/0 ☐ D `terraform state show`

7. You want to start managing resources that were not originally provisioned through infrastructure as code. Before you can import the resources, what must you do before running the terraform import command?

- 0/0 ☒ A update the Terraform configuration file to include new resource blocks that match the resources you want to import
- 0/0 ☐ B modify the Terraform state file to add the new resources so Terraform will have a record of the resources to be managed
- 0/0 ☐ C add import blocks to the configuration to indicate what resources you want to bring under Terraform management
- 0/0 ☐ D run terraform apply -refresh-only to ensure that the state file has the latest information for existing resources.

8. Your teammate wants you to use terraform import to bring an existing Google Cloud Storage bucket under Terraform management. They expected that after running the import, the Terraform configuration file would automatically be populated with all the bucket's current settings, but it wasn't. What should you tell your teammate about Terraform's import functionality?

- 0/0 ☐ A Terraform import automatically generates a complete resource block with all current settings, but it needs to be pasted into the config file.
- 0/0 ☐ B Import will fail unless you also include the --generate-config flag to create the configuration automatically.
- 0/0 ☒ C Importing only adds the resource to Terraform state and you need to add the resource block to match the existing bucket settings.
- 0/0 ☐ D You forgot to add the import block to the configuration so Terraform will automatically generate the configuration.

9. After adding an import block to your configuration, you see the error as shown below. What steps must be taken first to manage this EC2 instance using Terraform?

\$ terraform apply

Error: resource address "aws_instance.web_app_42" does not exist in the configuration.

- 0/0 ☐ A add a lifecycle { ignore_changes = all } block to bypass the error and allow the import to succeed.
- 0/0 ☐ B create a data "aws_instance" block to read the configuration of the existing resource to enable Terraform to start managing it
- 0/0 ☐ C Terraform cannot manage resources that were provisioned outside of the core Terraform workflow.
- 0/0 ☐ D create a new resource block in your configuration for the aws_instance resource in the Terraform configuration file

10. You are reviewing a Terraform workspace set up by another team member. You want to quickly count the number of resources currently being managed without scrolling through pages of detailed configuration and attribute information. Which command is most appropriate for this task?

- 0/0 ☒ **A** terraform state list
- 0/0 ☐ **B** terraform show
- 0/0 ☐ **C** terraform state show
- 0/0 ☐ **D** terraform state -count

11. True or False? After successfully importing an existing resource using an import block and running terraform apply, you can immediately delete the import block from your configuration file without affecting Terraform's ability to manage the resource.

- 0/0 ☒ **T** True
- 0/0 ☐ **F** False

12. Sunil needs to gather detailed information about an EC2 instance that he deployed earlier in the day. What command can Sunil use to view this detailed information?

- 0/0 ☒ **A** terraform state show aws_instance.frontend
- 0/0 ☐ **B** terraform state list
- 0/0 ☐ **C** terraform show aws_instance.frontend
- 0/0 ☐ **D** terraform providers schema aws_instance.frontend