










R1

```
C      10.0.0.0/8 is directly connected, Ethernet0/0
L      10.0.0.1/32 is directly connected, Ethernet0/0
      20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C      20.0.0.0/8 is directly connected, Ethernet0/1
L      20.0.0.1/32 is directly connected, Ethernet0/1
S      30.0.0.0/8 [1/0] via 20.0.0.2
S      40.0.0.0/8 [1/0] via 20.0.0.2
S      172.50.0.0/16 [1/0] via 20.0.0.2
S      200.12.56.0/24 [1/0] via 20.0.0.2
```

R1#

R1#conf t

Enter configuration commands, one per line. End with CNTL/Z.

R1(config)#access-list 10 permit 10.0.0.10 0.0.0.0

R1(config)#int e0/0

R1(config-if)#ip access-group 10 in

R1(config-if)#ex

R1(config)#exit

R1#

*Sep 13 05:58:47.381: %SYS-5-CONFIG_I: Configured from console by console

R1#sh access-list


Standard IP access list 10

10 permit 10.0.0.10 (1 match)

R1#

10.0.0.10

Step 3: Create s



```
l#conf t
```


```
Enter configuration commands, one per line. End with CNTL/Z.
```

```
l(config)#access-list 10 permit 10.0.0.20 0.0.0.0
```

```
l(config)#
```

```
10.0.0.10
```






```
R1(config-if)#ex
R1(config)#$ 100 permit tcp 10.0.0.10 0.0.0.0 172.50.0.10 0.0.0.0 eq 80
R1(config)#$ 100 permit tcp 10.0.0.20 0.0.0.0 172.50.0.20 0.0.0.0 eq 80
R1(config)#int e0/0
R1(config-if)#ip access-group 10 in
R1(config-if)#
```

labs.surennetwork.com/legacy/topology

QEMU (Win-2)




File Edit View History Bookmarks Tools Help


Problem loading page

https://search.yahoo.com/yhs/search?p=172.50.0.10&ei=UTF-8&hspart=mozilla&hsimp=yhs-003

Search

Server not found





PNETLab | Topology



QEMU (Win-1)



File Edit View History Bookmarks Tools Help

Connecting...



www.server1.com



Search

Hello World! This file is located in /home/httpd