

QEMU (Win1)



My Documents

Network Connections

Local Area Connection Properties

General Advanced

Internet Protocol (TCP/IP) Properties

General

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☐ Obtain an IP address automatically

☒ Use the following IP address:

IP address: 50 . 0 . 0 . 10

Subnet mask: 255 . 0 . 0 . 0

Default gateway: 50 . 0 . 0 . 1

☐ Obtain DNS server address automatically

☒ Use the following DNS server addresses:

Preferred DNS server:

Alternate DNS server:

Advanced...

OK

Cancel

Details

Local Area Connection

Connected

00:11:12


1.0 Gbps

Received

94

0

Close



*Aug 26 11:59:53.113: unix_ll_sock_notify: Invalid L1 socket file descriptor fd = 6

*Aug 26 11:59:53.113: unix_ll_sock_notify: Invalid L1 socket file descriptor fd = 6

*Aug 26 12:01:31.535: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)

Router>

Router>en

Router#config

Configuring from terminal, memory, or network [terminal]? config t
?Must be "terminal", "memory" or "network"

Router#config t

Enter configuration commands, one per line. End with CNTL/Z.

Router(config)#int e0/0

Router(config-if)#ip add 50.0.0.1 255.0.0.0

Router(config-if)#no shutdown

Router(config-if)#exit

*Aug 26 12:03:38.772: %LINK-3-UPDOWN: Interface Ethernet0/0, changed state to up

Router(config-if)#exit

Router(config)#

*Aug 26 12:03:39.772: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/0, changed state to up

Router(config)#int e0/1

Router(config-if)#ip add 60.0.0.1 255.0.0.0

Router(config-if)#no shutdown

Router(config-if)#exit

*Aug 26 12:04:54.490: %LINK-3-UPDOWN: Interface Ethernet0/1, changed state to up

*Aug 26 12:04:55.490: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/1, changed state to up

Router(config-if)#exit

Router(config)#

Router(config)#exit

Router#

*Aug 26 12:05:20.421: %SYS-5-CONFIG_I: Configured from console by console

Router#sh ip int br

Interface	IP-Address	OK?	Method	Status	Prot
ooc1					
Ethernet0/0	50.0.0.1	YES	manual	up	up
Ethernet0/1	60.0.0.1	YES	manual	up	up
Ethernet0/2	unassigned	YES	unset	administratively down	down
Ethernet0/3	unassigned	YES	unset	administratively down	down

Router#



C:\WINDOWS\system32\cmd.exe

```
Connection-specific DNS Suffix . :  
IP Address. . . . . : 50.0.0.10  
Subnet Mask . . . . . : 255.0.0.0  
Default Gateway . . . . . : 50.0.0.1
```

C:\Documents and Settings\user>ping 60.0.0.1

Pinging 60.0.0.1 with 32 bytes of data:

```
Reply from 60.0.0.1: bytes=32 time=1ms TTL=255  
Reply from 60.0.0.1: bytes=32 time=1ms TTL=255  
Reply from 60.0.0.1: bytes=32 time=1ms TTL=255  
Reply from 60.0.0.1: bytes=32 time=1ms TTL=255
```

Ping statistics for 60.0.0.1:

```
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 1ms, Maximum = 1ms, Average = 1ms
```

C:\Documents and Settings\user>ping 50.0.0.1

Pinging 50.0.0.1 with 32 bytes of data:

```
Reply from 50.0.0.1: bytes=32 time<1ms TTL=255  
Reply from 50.0.0.1: bytes=32 time<1ms TTL=255  
Reply from 50.0.0.1: bytes=32 time=1ms TTL=255  
Reply from 50.0.0.1: bytes=32 time<1ms TTL=255
```

Ping statistics for 50.0.0.1:

```
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

C:\Documents and Settings\user>ping 50.0.0.10

Pinging 50.0.0.10 with 32 bytes of data:

```
Reply from 50.0.0.10: bytes=32 time<1ms TTL=128  
Reply from 50.0.0.10: bytes=32 time<1ms TTL=128  
Reply from 50.0.0.10: bytes=32 time<1ms TTL=128  
Reply from 50.0.0.10: bytes=32 time<1ms TTL=128
```

Ping statistics for 50.0.0.10:

```
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

C:\Documents and Settings\user>ping 60.0.0.10

Pinging 60.0.0.10 with 32 bytes of data:

```
Reply from 60.0.0.10: bytes=32 time=2ms TTL=127  
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127  
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127  
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127
```

Ping statistics for 60.0.0.10:

```
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:
```


QEMU (Win2)



C:\WINDOWS\system32\cmd.exe

Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.

C:\Documents and Settings\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . :
IP Address : 60.0.0.10
Subnet Mask : 255.0.0.0
Default Gateway : 60.0.0.1

C:\Documents and Settings\user>ping 50.0.0.10

Pinging 50.0.0.10 with 32 bytes of data:

Reply from 50.0.0.10: bytes=32 time=3ms TTL=127
Reply from 50.0.0.10: bytes=32 time=1ms TTL=127
Reply from 50.0.0.10: bytes=32 time=1ms TTL=127
Reply from 50.0.0.10: bytes=32 time=1ms TTL=127

Ping statistics for 50.0.0.10:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 3ms, Average = 1ms

C:\Documents and Settings\user>ping 50.0.0.1

Pinging 50.0.0.1 with 32 bytes of data:

Reply from 50.0.0.1: bytes=32 time=1ms TTL=255
Reply from 50.0.0.1: bytes=32 time=1ms TTL=255
Reply from 50.0.0.1: bytes=32 time=1ms TTL=255
Reply from 50.0.0.1: bytes=32 time=1ms TTL=255

Ping statistics for 50.0.0.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Documents and Settings\user>ping 60.0.0.1

Pinging 60.0.0.1 with 32 bytes of data:

Reply from 60.0.0.1: bytes=32 time=1ms TTL=255
Reply from 60.0.0.1: bytes=32 time=1ms TTL=255
Reply from 60.0.0.1: bytes=32 time=1ms TTL=255
Reply from 60.0.0.1: bytes=32 time<1ms TTL=255

Ping statistics for 60.0.0.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Documents and Settings\user>



Network Connections

C:\WINDOWS\system...