



DP-ATE-8423-CCMU

Central Control and Monitoring Unit

Functional Test Report

|                      |                |
|----------------------|----------------|
| System S.No          | : 6            |
| Tested Environment   | : AMBIENT      |
| Tested by            | : SATHYA VARMA |
| Test Location        | : K-SITE       |
| Application Version  | : 1.00         |
| Application CheckSum | : 0x813B0F55   |

**Copyrights (2026) By Data Patterns (India) Limited**

All right reserved. These Materials are confidential and proprietary to Data Patterns (India) Limited and no part of these materials should be reproduced, published in any form by any means, electronic or mechanical including photocopy or any information storage or retrieved system nor should these materials be disclosed to third parties without the written authorization of Data Patterns (India) Limited.

Optical Bandwidth Test (1G)

| Tested On : 08 / Jul / 2026 12:11:42 PM |                 |                |                |                        |                                   |                        |                    |                  |                       | Major Cycle No. :1 |                           |        |
|-----------------------------------------|-----------------|----------------|----------------|------------------------|-----------------------------------|------------------------|--------------------|------------------|-----------------------|--------------------|---------------------------|--------|
|                                         |                 |                |                |                        |                                   |                        |                    |                  |                       | Minor Cycle No. :1 |                           |        |
| S. No.                                  | Test Setup Mode | Rx Channel No. | Receiving Unit | Tx Packet size (Bytes) | No.of Packets Transmitted (Count) | No.of Packets Received | No. of Packet Loss | No. of Data Loss | Rx Overall Time (sec) | Rx Speed (Gbps)    | Expected Bandwidth (Gbps) | Result |
| 1                                       | Test Setup - 1  | 1              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 2                                       | Test Setup - 1  | 2              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 3                                       | Test Setup - 1  | 3              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 4                                       | Test Setup - 1  | 4              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994356           | ≥0.9                      | Pass   |
| 5                                       | Test Setup - 1  | 5              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 6                                       | Test Setup - 1  | 6              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 7                                       | Test Setup - 1  | 7              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 8                                       | Test Setup - 1  | 8              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 9                                       | Test Setup - 1  | 9              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 10                                      | Test Setup - 1  | 10             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 11                                      | Test Setup - 1  | 11             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 12                                      | Test Setup - 1  | 12             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 13                                      | Test Setup - 1  | 13             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 14                                      | Test Setup - 1  | 14             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 15                                      | Test Setup - 1  | 15             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |

Optical Bandwidth Test (1G) (Continued)

| S. No. | Test Setup Mode | Rx Channel No. | Receiving Unit | Tx Packet size (Bytes) | No. of Packets Transmitted (Count) | No. of Packets Received | No. of Packet Loss | No. of Data Loss | Rx Overall Time (sec) | Rx Speed (Gbps) | Expected Bandwidth (Gbps) | Result |
|--------|-----------------|----------------|----------------|------------------------|------------------------------------|-------------------------|--------------------|------------------|-----------------------|-----------------|---------------------------|--------|
| 16     | Test Setup - 1  | 16             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 17     | Test Setup - 1  | 17             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 18     | Test Setup - 1  | 18             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 19     | Test Setup - 1  | 19             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 20     | Test Setup - 1  | 20             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 21     | Test Setup - 1  | 21             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 22     | Test Setup - 1  | 22             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 23     | Test Setup - 1  | 23             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 24     | Test Setup - 1  | 24             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 25     | Test Setup - 1  | 25             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 26     | Test Setup - 1  | 26             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 27     | Test Setup - 1  | 27             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 28     | Test Setup - 1  | 28             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 29     | Test Setup - 1  | 29             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 30     | Test Setup - 1  | 30             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 31     | Test Setup - 1  | 31             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 32     | Test Setup - 1  | 32             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 33     | Test Setup - 1  | 33             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |

Optical Bandwidth Test (1G) (Continued)

| S. No. | Test Setup Mode | Rx Channel No. | Receiving Unit | Tx Packet size (Bytes) | No. of Packets Transmitted (Count) | No. of Packets Received | No. of Packet Loss | No. of Data Loss | Rx Overall Time (sec) | Rx Speed (Gbps) | Expected Bandwidth (Gbps) | Result |
|--------|-----------------|----------------|----------------|------------------------|------------------------------------|-------------------------|--------------------|------------------|-----------------------|-----------------|---------------------------|--------|
| 34     | Test Setup - 1  | 34             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 35     | Test Setup - 1  | 35             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 36     | Test Setup - 1  | 36             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 37     | Test Setup - 1  | 37             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 38     | Test Setup - 1  | 38             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 39     | Test Setup - 1  | 39             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 40     | Test Setup - 1  | 40             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 41     | Test Setup - 1  | 41             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 42     | Test Setup - 1  | 42             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 43     | Test Setup - 1  | 43             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 44     | Test Setup - 1  | 44             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 45     | Test Setup - 1  | 45             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 46     | Test Setup - 1  | 46             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 47     | Test Setup - 1  | 47             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 48     | Test Setup - 1  | 48             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994356        | ≥0.9                      | Pass   |
| 49     | Test Setup - 1  | 49             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 50     | Test Setup - 1  | 50             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 51     | Test Setup - 1  | 51             | OPU            | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |

Optical Bandwidth Test (1G) (Continued)

| S. No. | Test Setup Mode | Rx Channel No. | Receiving Unit | Tx Packet size (Bytes) | No. of Packets Transmitted (Count) | No. of Packets Received | No. of Packet Loss | No. of Data Loss | Rx Overall Time (sec) | Rx Speed (Gbps) | Expected Bandwidth (Gbps) | Result |
|--------|-----------------|----------------|----------------|------------------------|------------------------------------|-------------------------|--------------------|------------------|-----------------------|-----------------|---------------------------|--------|
| 52     | Test Setup - 1  | 1              | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 53     | Test Setup - 1  | 2              | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 54     | Test Setup - 1  | 3              | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 55     | Test Setup - 1  | 4              | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 56     | Test Setup - 1  | 5              | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 57     | Test Setup - 1  | 6              | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 58     | Test Setup - 1  | 7              | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 59     | Test Setup - 1  | 8              | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 60     | Test Setup - 1  | 9              | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 61     | Test Setup - 1  | 10             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 62     | Test Setup - 1  | 11             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 63     | Test Setup - 1  | 12             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 64     | Test Setup - 1  | 13             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 65     | Test Setup - 1  | 14             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 66     | Test Setup - 1  | 15             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 67     | Test Setup - 1  | 16             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 68     | Test Setup - 1  | 17             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 69     | Test Setup - 1  | 18             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |

## Optical Bandwidth Test (1G) (Continued)

| S. No. | Test Setup Mode | Rx Channel No. | Receiving Unit | Tx Packet size (Bytes) | No. of Packets Transmitted (Count) | No. of Packets Received | No. of Packet Loss | No. of Data Loss | Rx Overall Time (sec) | Rx Speed (Gbps) | Expected Bandwidth (Gbps) | Result |
|--------|-----------------|----------------|----------------|------------------------|------------------------------------|-------------------------|--------------------|------------------|-----------------------|-----------------|---------------------------|--------|
| 70     | Test Setup - 1  | 19             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 71     | Test Setup - 1  | 20             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 72     | Test Setup - 1  | 21             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 73     | Test Setup - 1  | 22             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 74     | Test Setup - 1  | 23             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 75     | Test Setup - 1  | 24             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 76     | Test Setup - 1  | 25             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 77     | Test Setup - 1  | 26             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 78     | Test Setup - 1  | 27             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 79     | Test Setup - 1  | 28             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 80     | Test Setup - 1  | 29             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 81     | Test Setup - 1  | 30             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 82     | Test Setup - 1  | 31             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 83     | Test Setup - 1  | 32             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 84     | Test Setup - 1  | 33             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 85     | Test Setup - 1  | 34             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 86     | Test Setup - 1  | 35             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 87     | Test Setup - 1  | 36             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |

Optical Bandwidth Test (1G) (Continued)

| S. No. | Test Setup Mode | Rx Channel No. | Receiving Unit | Tx Packet size (Bytes) | No. of Packets Transmitted (Count) | No. of Packets Received | No. of Packet Loss | No. of Data Loss | Rx Overall Time (sec) | Rx Speed (Gbps) | Expected Bandwidth (Gbps) | Result |
|--------|-----------------|----------------|----------------|------------------------|------------------------------------|-------------------------|--------------------|------------------|-----------------------|-----------------|---------------------------|--------|
| 88     | Test Setup - 1  | 37             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 89     | Test Setup - 1  | 38             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 90     | Test Setup - 1  | 39             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 91     | Test Setup - 1  | 40             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 92     | Test Setup - 1  | 41             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 93     | Test Setup - 1  | 42             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 94     | Test Setup - 1  | 43             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 95     | Test Setup - 1  | 44             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 96     | Test Setup - 1  | 45             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 97     | Test Setup - 1  | 46             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 98     | Test Setup - 1  | 47             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 99     | Test Setup - 1  | 48             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 100    | Test Setup - 1  | 49             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 101    | Test Setup - 1  | 50             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 102    | Test Setup - 1  | 51             | CCMU           | 128                    | 100000                             | 100000                  | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |

Optical Bandwidth Test (10G)

|                                         |                |                |                        |                                   |                        |                    |                  |                       |                 |                           |        |
|-----------------------------------------|----------------|----------------|------------------------|-----------------------------------|------------------------|--------------------|------------------|-----------------------|-----------------|---------------------------|--------|
| Tested On : 08 / Jul / 2026 12:11:45 PM |                |                |                        |                                   |                        |                    |                  |                       |                 | Major Cycle No. :1        |        |
|                                         |                |                |                        |                                   |                        |                    |                  |                       |                 | Minor Cycle No. :1        |        |
| S. No.                                  | Rx Channel No. | Receiving Unit | Tx Packet size (Bytes) | No.of Packets Transmitted (Count) | No.of Packets Received | No. of Packet Loss | No. of Data Loss | Rx Overall Time (sec) | Rx Speed (Gbps) | Expected Bandwidth (Gbps) | Result |
| 1                                       | 1              | CCMU           | 128                    | 10000                             | 10000                  | 0                  | 0                | 0.01                  | 8.261732        | ≥8.2                      | Pass   |
| 2                                       | 2              | CCMU           | 128                    | 10000                             | 10000                  | 0                  | 0                | 0.01                  | 8.256275        | ≥8.2                      | Pass   |
| 3                                       | 1              | OPU            | 128                    | 10000                             | 10000                  | 0                  | 0                | 0.01                  | 8.261732        | ≥8.2                      | Pass   |
| 4                                       | 2              | OPU            | 128                    | 10000                             | 10000                  | 0                  | 0                | 0.01                  | 8.256275        | ≥8.2                      | Pass   |



User Flash Memory Validation Test

| Tested On : 08 / Jul / 2026 12:11:50 PM |          |                |                               |                             |           |                    |        |
|-----------------------------------------|----------|----------------|-------------------------------|-----------------------------|-----------|--------------------|--------|
| Major Cycle No. :1                      |          |                |                               |                             |           |                    |        |
| Minor Cycle No. :1                      |          |                |                               |                             |           |                    |        |
| S. No.                                  | FPGA No. | Flash ID (Hex) | Start page No. [ 1 - 262144 ] | No. of pages [ 1 - 262144 ] | Test Data | Failed Page Number | Result |
| 1                                       | 1        | BA20           | 1                             | 5                           | Counter   | -                  | Pass   |
| 2                                       | 2        | BA20           | 1                             | 5                           | Counter   | -                  | Pass   |

EEPROM Memory Validation Test

| Tested On : 08 / Jul / 2026 12:12:10 PM |          |                               |                             | Major Cycle No. :1    |        |
|-----------------------------------------|----------|-------------------------------|-----------------------------|-----------------------|--------|
|                                         |          |                               |                             | Minor Cycle No. :1    |        |
| S. No.                                  | FPGA No. | Start Page No.<br>[ 2 - 512 ] | No. of Pages<br>[ 2 - 512 ] | Failed Page<br>Number | Result |
| 1                                       | 1        | 32                            | 2                           | -                     | Pass   |
| 2                                       | 2        | 32                            | 2                           | -                     | Pass   |

SFP Diagnostics Information

| Tested On : 08 / Jul / 2026 12:13:40 PM |                |          |         |                  | Major Cycle No. :1 |                   |                |                |
|-----------------------------------------|----------------|----------|---------|------------------|--------------------|-------------------|----------------|----------------|
|                                         |                |          |         |                  | Minor Cycle No. :1 |                   |                |                |
| Channel No.                             | SFP Serial No. | Fault    | LOSS    | Temperature (°C) | Vcc (V)            | Bias Current (mA) | Tx Power (dBm) | Rx Power (dBm) |
| 1                                       | O2HT011757     | No Fault | No LOSS | 43.19            | 3.29               | 94.13             | 1.88           | -9.36          |
| 2                                       | O2HT011756     | No Fault | No LOSS | 46.37            | 3.28               | 94.48             | 1.93           | -7.41          |
| 3                                       | O2HT011755     | No Fault | No LOSS | 48.50            | 3.27               | 94.50             | 1.85           | -11.70         |
| 4                                       | O2HT011754     | No Fault | No LOSS | 48.07            | 3.26               | 95.81             | 1.78           | -8.98          |
| 5                                       | O2HT011749     | No Fault | No LOSS | 50.34            | 3.26               | 93.95             | 2.30           | -8.68          |
| 6                                       | O2HT011758     | No Fault | No LOSS | 51.32            | 3.28               | 93.95             | 2.28           | -9.70          |
| 7                                       | O2HT011892     | No Fault | No LOSS | 51.86            | 3.27               | 93.91             | 2.30           | -8.94          |
| 8                                       | O2HT011893     | No Fault | No LOSS | 53.38            | 3.27               | 94.58             | 1.46           | -8.59          |
| 9                                       | O2HT011764     | No Fault | LOSS    | 49.77            | 3.27               | 93.00             | 1.30           | -40.00         |
| 10                                      | O2HT011765     | No Fault | LOSS    | 47.80            | 3.27               | 94.59             | 2.23           | -40.00         |
| 11                                      | O2HT011766     | No Fault | LOSS    | 49.81            | 3.28               | 94.04             | 1.96           | -40.00         |
| 12                                      | O2HT011767     | No Fault | LOSS    | 50.17            | 3.27               | 91.84             | 2.27           | -40.00         |
| 13                                      | O2HT011894     | No Fault | LOSS    | 53.94            | 3.28               | 94.41             | 1.18           | -40.00         |
| 14                                      | O2HT011899     | No Fault | LOSS    | 54.67            | 3.25               | 93.86             | 0.99           | -40.00         |
| 15                                      | O2HT011904     | No Fault | LOSS    | 52.75            | 3.29               | 93.32             | -0.19          | -40.00         |
| 16                                      | O2HT011905     | No Fault | LOSS    | 51.97            | 3.25               | 96.47             | 1.47           | -40.00         |

SFP Diagnostics Information (Continued)

| Tested On : 08 / Jul / 2026 12:13:40 PM |                |          |         |                  | Major Cycle No. :1 |                   |                |                |
|-----------------------------------------|----------------|----------|---------|------------------|--------------------|-------------------|----------------|----------------|
|                                         |                |          |         |                  | Minor Cycle No. :1 |                   |                |                |
| Channel No.                             | SFP Serial No. | Fault    | LOSS    | Temperature (°C) | Vcc (V)            | Bias Current (mA) | Tx Power (dBm) | Rx Power (dBm) |
| 17                                      | O2HT011768     | No Fault | No LOSS | 47.01            | 3.26               | 94.56             | 1.09           | -8.59          |
| 18                                      | O2HT011759     | No Fault | No LOSS | 46.22            | 3.26               | 93.82             | 1.16           | -7.47          |
| 19                                      | O2HT011760     | No Fault | No LOSS | 44.42            | 3.28               | 95.35             | 1.26           | -8.23          |
| 20                                      | O2HT011762     | No Fault | No LOSS | 42.64            | 3.28               | 95.58             | 1.84           | -8.03          |
| 21                                      | O2HT011906     | No Fault | No LOSS | 50.86            | 3.26               | 94.24             | 2.40           | -11.37         |
| 22                                      | O2HT011907     | No Fault | No LOSS | 50.47            | 3.27               | 95.31             | 1.26           | -9.22          |
| 23                                      | O2HT011761     | No Fault | No LOSS | 49.14            | 3.28               | 94.73             | 1.82           | -8.98          |
| 24                                      | O2HT011763     | No Fault | No LOSS | 47.29            | 3.25               | 93.86             | 1.42           | -8.05          |
| 25                                      | O2GT000795     | No Fault | No LOSS | 45.58            | 3.27               | 94.90             | 2.18           | -8.03          |
| 26                                      | O2GT000796     | No Fault | No LOSS | 48.70            | 3.27               | 93.92             | 1.76           | -9.69          |
| 27                                      | O2GT000797     | No Fault | No LOSS | 49.59            | 3.26               | 94.12             | 0.74           | -8.32          |
| 28                                      | O2GT000798     | No Fault | No LOSS | 50.04            | 3.27               | 95.54             | 0.26           | -15.62         |
| 29                                      | O3HT000235     | No Fault | No LOSS | 52.65            | 3.27               | 91.11             | 0.82           | -12.67         |
| 30                                      | O3HT000233     | No Fault | No LOSS | 53.94            | 3.27               | 95.52             | -0.05          | -7.74          |
| 31                                      | O3HT000234     | No Fault | No LOSS | 55.56            | 3.28               | 94.58             | -0.84          | -9.67          |
| 32                                      | O3HT000217     | No Fault | No LOSS | 54.96            | 3.26               | 94.71             | 0.75           | -10.13         |

SFP Diagnostics Information (Continued)

| Tested On : 08 / Jul / 2026 12:13:40 PM |                |          |         |                  | Major Cycle No. :1 |                   |                |                |
|-----------------------------------------|----------------|----------|---------|------------------|--------------------|-------------------|----------------|----------------|
|                                         |                |          |         |                  | Minor Cycle No. :1 |                   |                |                |
| Channel No.                             | SFP Serial No. | Fault    | LOSS    | Temperature (°C) | Vcc (V)            | Bias Current (mA) | Tx Power (dBm) | Rx Power (dBm) |
| 33                                      | O2GT000722     | No Fault | No LOSS | 49.36            | 3.25               | 94.16             | -0.19          | -12.20         |
| 34                                      | O2GT000717     | No Fault | No LOSS | 51.85            | 3.27               | 94.05             | 1.34           | -18.15         |
| 35                                      | O2GT000803     | No Fault | No LOSS | 52.39            | 3.25               | 94.66             | 0.74           | -13.14         |
| 37                                      | O2GT000799     | No Fault | No LOSS | 54.16            | 3.25               | 90.97             | 2.66           | -9.50          |
| 38                                      | O2GT000800     | No Fault | No LOSS | 54.72            | 3.26               | 94.03             | 2.51           | -8.60          |
| 39                                      | O2GT000801     | No Fault | No LOSS | 55.12            | 3.25               | 94.85             | 0.96           | -10.00         |
| 40                                      | O2GT000721     | No Fault | No LOSS | 52.80            | 3.26               | 93.81             | 2.64           | -9.43          |
| 41                                      | O2GT000716     | No Fault | LOSS    | 49.39            | 3.24               | 96.37             | 0.29           | -40.00         |
| 42                                      | O2GT000718     | No Fault | LOSS    | 47.53            | 3.25               | 95.13             | 2.06           | -40.00         |
| 43                                      | O2GT000719     | No Fault | LOSS    | 45.59            | 3.25               | 93.66             | 1.74           | -40.00         |
| 44                                      | O2GT000715     | No Fault | LOSS    | 42.53            | 3.24               | 95.42             | 1.37           | -40.00         |
| 45                                      | O2GT000720     | No Fault | LOSS    | 51.12            | 3.27               | 90.55             | 2.66           | -40.00         |
| 46                                      | O2GT000802     | No Fault | LOSS    | 50.64            | 3.26               | 94.89             | -0.04          | -40.00         |
| 47                                      | O2GT000804     | No Fault | LOSS    | 48.85            | 3.26               | 94.81             | 1.09           | -40.00         |
| 48                                      | O3HT000232     | No Fault | LOSS    | 49.15            | 3.25               | 95.15             | 0.52           | -40.00         |
| 49                                      | O3HT000514     | No Fault | No LOSS | 49.51            | 3.27               | 94.13             | 0.23           | -8.14          |

SFP Diagnostics Information (Continued)

| Tested On : 08 / Jul / 2026 12:13:40 PM |                |          |         |                  | Major Cycle No. :1 |                   |                |                |
|-----------------------------------------|----------------|----------|---------|------------------|--------------------|-------------------|----------------|----------------|
|                                         |                |          |         |                  | Minor Cycle No. :1 |                   |                |                |
| Channel No.                             | SFP Serial No. | Fault    | LOSS    | Temperature (°C) | Vcc (V)            | Bias Current (mA) | Tx Power (dBm) | Rx Power (dBm) |
| 50                                      | O3HT000506     | No Fault | No LOSS | 50.52            | 3.26               | 93.33             | 0.60           | -9.34          |
| 51                                      | O3HT000503     | No Fault | No LOSS | 54.04            | 3.27               | 94.53             | 0.79           | -8.92          |
| 52                                      | O3HT000504     | No Fault | No LOSS | 56.23            | 3.25               | 94.52             | 0.36           | -10.35         |
| 53                                      | O3HT000515     | No Fault | No LOSS | 56.75            | 3.28               | 93.62             | 0.01           | -11.00         |
| 54                                      | O3HT000516     | No Fault | No LOSS | 56.37            | 3.25               | 94.49             | 0.21           | -9.19          |
| 55                                      | O3HT000511     | No Fault | No LOSS | 58.63            | 3.25               | 94.74             | 0.61           | -10.45         |
| 56                                      | O3HT000512     | No Fault | No LOSS | 59.89            | 3.27               | 92.61             | -0.97          | -10.33         |
| 57                                      | O3HT000505     | No Fault | No LOSS | 56.18            | 3.25               | 94.67             | 0.36           | -8.45          |
| 58                                      | O3HT000500     | No Fault | No LOSS | 57.13            | 3.25               | 95.34             | 0.08           | -9.03          |
| 59                                      | O3HT000501     | No Fault | No LOSS | 56.27            | 3.27               | 94.10             | -0.23          | -8.75          |
| 60                                      | O3HT000502     | No Fault | No LOSS | 56.73            | 3.25               | 93.98             | 0.33           | -11.18         |
| 61                                      | O3HT000513     | No Fault | No LOSS | 61.19            | 3.25               | 93.32             | 0.66           | -10.22         |
| 62                                      | O3HT000508     | No Fault | No LOSS | 61.06            | 3.25               | 94.07             | 0.30           | -9.26          |
| 63                                      | O3HT000509     | No Fault | No LOSS | 61.32            | 3.23               | 93.79             | 0.55           | -10.79         |
| 64                                      | O3HT000510     | No Fault | No LOSS | 60.52            | 3.25               | 93.98             | -0.05          | -8.89          |
| 65                                      | O3HT000497     | No Fault | No LOSS | 52.98            | 3.26               | 93.42             | 0.84           | -3.19          |

SFP Diagnostics Information (Continued)

| Tested On : 08 / Jul / 2026 12:13:40 PM |                |          |         |                  | Major Cycle No. :1 |                   |                |                |
|-----------------------------------------|----------------|----------|---------|------------------|--------------------|-------------------|----------------|----------------|
|                                         |                |          |         |                  | Minor Cycle No. :1 |                   |                |                |
| Channel No.                             | SFP Serial No. | Fault    | LOSS    | Temperature (°C) | Vcc (V)            | Bias Current (mA) | Tx Power (dBm) | Rx Power (dBm) |
| 66                                      | O3HT000498     | No Fault | No LOSS | 48.02            | 3.26               | 93.23             | 0.18           | -1.65          |
| 67                                      | O3HT000499     | No Fault | No LOSS | 48.07            | 3.26               | 95.08             | 0.74           | -13.88         |
| 68                                      | O3HT000507     | No Fault | No LOSS | 44.26            | 3.26               | 93.47             | 1.12           | -8.71          |
| 69                                      | O3HT000483     | No Fault | No LOSS | 55.43            | 3.26               | 94.63             | 0.15           | -9.91          |
| 70                                      | O3NT033689     | No Fault | No LOSS | 56.56            | 3.26               | 93.35             | -0.59          | -8.14          |
| 71                                      | O3NT033688     | No Fault | No LOSS | 54.32            | 3.26               | 90.67             | 1.60           | -9.28          |
| 72                                      | O3NT033687     | No Fault | No LOSS | 52.39            | 3.27               | 94.71             | 0.80           | -8.50          |
| 73                                      | O2HT011814     | No Fault | No LOSS | 36.63            | 3.34               | 0.00              | -40.00         | -15.64         |
| 74                                      | O2HT011818     | No Fault | No LOSS | 39.09            | 3.36               | 0.00              | -40.00         | -0.60          |
| 75                                      | O2HT011810     | No Fault | No LOSS | 39.54            | 3.36               | 0.00              | -40.00         | -3.68          |
| 76                                      | O2HT011809     | No Fault | No LOSS | 39.43            | 3.37               | 0.00              | -40.00         | 2.18           |

Temperature Monitoring Test

|                                         |          |                                          |                         |
|-----------------------------------------|----------|------------------------------------------|-------------------------|
| Tested On : 08 / Jul / 2026 12:13:44 PM |          | Major Cycle No. :1<br>Minor Cycle No. :1 |                         |
| S. No.                                  | FPGA No. | Local Temperature (°C)                   | Remote Temperature (°C) |
| 1                                       | 1        | 45.0                                     | 48.0                    |
| 2                                       | 2        | 42.0                                     | 44.0                    |



DDR4 Memory Validation Test

| Tested On : 08 / Jul / 2026 12:13:45 PM |          |          |                                            |                                          | Major Cycle No. :1    |        |
|-----------------------------------------|----------|----------|--------------------------------------------|------------------------------------------|-----------------------|--------|
|                                         |          |          |                                            |                                          | Minor Cycle No. :1    |        |
| S. No.                                  | FPGA No. | DDR4 No. | Start Address<br>(Hex)<br>[ 0 - 3FFFFFFF ] | End Address<br>(Hex)<br>[ 0 - 3FFFFFFF ] | Failed Page<br>Number | Result |
| 1                                       | 1        | 1        | 1                                          | 1                                        | -                     | Pass   |
| 2                                       | 1        | 2        | 1                                          | 1                                        | -                     | Pass   |
| 3                                       | 2        | 1        | 1                                          | 1                                        | -                     | Pass   |
| 4                                       | 2        | 2        | 1                                          | 1                                        | -                     | Pass   |

TRS Interface Validation Test

|                                         |                  |            |                |                 |                    |                     |        |
|-----------------------------------------|------------------|------------|----------------|-----------------|--------------------|---------------------|--------|
| Tested On : 08 / Jul / 2026 12:13:56 PM |                  |            |                |                 | Major Cycle No. :1 |                     |        |
|                                         |                  |            |                |                 | Minor Cycle No. :1 |                     |        |
| S. No.                                  | Received Channel | Data Count | TRS First Data | TRS 1000th Data | TRS Difference     | Expected Difference | Result |
| 1                                       | MAIN             | 2049       | 328693         | 329693          | 1000               | 1000                | Pass   |

RSS Monitoring Test

|                                         |  |          |  |                    |  |                    |  |                    |  |  |  |
|-----------------------------------------|--|----------|--|--------------------|--|--------------------|--|--------------------|--|--|--|
| Tested On : 08 / Jul / 2026 12:13:57 PM |  |          |  | Major Cycle No. :1 |  |                    |  | Minor Cycle No. :1 |  |  |  |
| S. No.                                  |  | FPGA No. |  | RSS Main Channel   |  | RSS Backup Channel |  |                    |  |  |  |
| 1                                       |  | 1        |  | Available          |  | Available          |  |                    |  |  |  |
| 2                                       |  | 2        |  | Available          |  | Available          |  |                    |  |  |  |

Main and Redundancy Test

|                                         |            |             |                    |
|-----------------------------------------|------------|-------------|--------------------|
| Tested On : 08 / Jul / 2026 12:13:58 PM |            |             | Major Cycle No. :1 |
|                                         |            |             | Minor Cycle No. :1 |
| S. No.                                  | RSGU Main  | RSGU Backup |                    |
| 1                                       | Monitoring | Monitoring  |                    |

Optical Bandwidth Test (1G)

| Tested On : 08 / Jul / 2026 12:17:45 PM |                 |                |                |                        |                                   |                        |                    |                  |                       | Major Cycle No. :1 |                           |        |
|-----------------------------------------|-----------------|----------------|----------------|------------------------|-----------------------------------|------------------------|--------------------|------------------|-----------------------|--------------------|---------------------------|--------|
|                                         |                 |                |                |                        |                                   |                        |                    |                  |                       | Minor Cycle No. :1 |                           |        |
| S. No.                                  | Test Setup Mode | Rx Channel No. | Receiving Unit | Tx Packet size (Bytes) | No.of Packets Transmitted (Count) | No.of Packets Received | No. of Packet Loss | No. of Data Loss | Rx Overall Time (sec) | Rx Speed (Gbps)    | Expected Bandwidth (Gbps) | Result |
| 1                                       | Test Setup - 2  | 1              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 2                                       | Test Setup - 2  | 2              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 3                                       | Test Setup - 2  | 3              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 4                                       | Test Setup - 2  | 4              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 5                                       | Test Setup - 2  | 5              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 6                                       | Test Setup - 2  | 6              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 7                                       | Test Setup - 2  | 7              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 8                                       | Test Setup - 2  | 8              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 9                                       | Test Setup - 2  | 9              | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 10                                      | Test Setup - 2  | 10             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 11                                      | Test Setup - 2  | 11             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 12                                      | Test Setup - 2  | 12             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 13                                      | Test Setup - 2  | 13             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 14                                      | Test Setup - 2  | 14             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |
| 15                                      | Test Setup - 2  | 15             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365           | ≥0.9                      | Pass   |

Optical Bandwidth Test (1G) (Continued)

| S. No. | Test Setup Mode | Rx Channel No. | Receiving Unit | Tx Packet size (Bytes) | No.of Packets Transmitted (Count) | No.of Packets Received | No. of Packet Loss | No. of Data Loss | Rx Overall Time (sec) | Rx Speed (Gbps) | Expected Bandwidth (Gbps) | Result |
|--------|-----------------|----------------|----------------|------------------------|-----------------------------------|------------------------|--------------------|------------------|-----------------------|-----------------|---------------------------|--------|
| 16     | Test Setup - 2  | 16             | OPU            | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.87                  | 0.994365        | ≥0.9                      | Pass   |
| 17     | Test Setup - 2  | 53             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 18     | Test Setup - 2  | 54             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 19     | Test Setup - 2  | 55             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 20     | Test Setup - 2  | 56             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 21     | Test Setup - 2  | 57             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 22     | Test Setup - 2  | 58             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 23     | Test Setup - 2  | 59             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 24     | Test Setup - 2  | 60             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 25     | Test Setup - 2  | 61             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 26     | Test Setup - 2  | 62             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 27     | Test Setup - 2  | 63             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 28     | Test Setup - 2  | 64             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 29     | Test Setup - 2  | 65             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936023        | ≥0.9                      | Pass   |
| 30     | Test Setup - 2  | 66             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 31     | Test Setup - 2  | 67             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |
| 32     | Test Setup - 2  | 68             | CCMU           | 128                    | 100000                            | 100000                 | 0                  | 0                | 0.88                  | 0.936014        | ≥0.9                      | Pass   |

Optical Bandwidth Test (10G)

|                                         |                |                |                        |                                   |                        |                    |                  |                       |                 |                           |        |
|-----------------------------------------|----------------|----------------|------------------------|-----------------------------------|------------------------|--------------------|------------------|-----------------------|-----------------|---------------------------|--------|
| Tested On : 08 / Jul / 2026 12:17:47 PM |                |                |                        |                                   |                        |                    |                  |                       |                 | Major Cycle No. :1        |        |
|                                         |                |                |                        |                                   |                        |                    |                  |                       |                 | Minor Cycle No. :1        |        |
| S. No.                                  | Rx Channel No. | Receiving Unit | Tx Packet size (Bytes) | No.of Packets Transmitted (Count) | No.of Packets Received | No. of Packet Loss | No. of Data Loss | Rx Overall Time (sec) | Rx Speed (Gbps) | Expected Bandwidth (Gbps) | Result |
| 1                                       | 1              | CCMU           | 128                    | 10000                             | 10000                  | 0                  | 0                | 0.01                  | 8.256275        | ≥8.2                      | Pass   |
| 2                                       | 2              | CCMU           | 128                    | 10000                             | 10000                  | 0                  | 0                | 0.01                  | 8.261732        | ≥8.2                      | Pass   |
| 3                                       | 1              | OPU            | 128                    | 10000                             | 10000                  | 0                  | 0                | 0.01                  | 8.256275        | ≥8.2                      | Pass   |
| 4                                       | 2              | OPU            | 128                    | 10000                             | 10000                  | 0                  | 0                | 0.01                  | 8.256275        | ≥8.2                      | Pass   |