

Q1) What will be the output of below C program?

```
#include<stdio.h>
int main()
{
    int x, y;
    x = 5;
    y = x++ / 2;
    printf("%d", y);
    return 0;
}
```

- a) 3
- b) Compile-time error
- c) None of these
- d) 2

 Show Answer

. . .

Q2) What will be the output of below C program?

```
#include<stdio.h>
int main()
{
    int a=4,b,c;
    b = --a;
    c = a--;
    printf("%d %d %d",a,b,c);
    return 0;
}
```

- a) 3 3 2
- b) 2 3 2
- c) 3 2 2
- d) 2 3 3

Q3) What will be the output of below C program?

```
#include<stdio.h>
int main()
{
    int a=5;
    printf("%d", ++a++);
    return 0;
}
```

- a) 6
- b) 5
- c) Compile-time error
- d) 7

 Show Answer

Q4) What will be the output of below C program?

```
#include<stdio.h>
int main()
{
    int a=3, b=9;
    printf("%d ", ++(a*b+1));
    return 0;
}
```

- a) Compile-time error
- b) 29
- c) 28
- d) None of these

Q5) What will be the output of below C program?

```
#include<stdio.h>
int main()
{
    int a=10, b=10,c;
    c= a+++++b;
    printf("%d %d %d",a,b,c);
    return 0;
}
```

- a) 21 10 10
- b) Compile-time error
- c) 21 10 11
- d) 21 11 11

 Show Answer

. . .

Q6) What will be the output of below C program?

```
#include<stdio.h>
int main()
{
    int a=2,b=1,c=0;
    c = a +++ b;
    printf("%d %d %d",a,b,c);
    return 0;
}
```

- a) 3 1 3
- b) Compile-time error
- c) 2 2 4
- d) None of these

Q7) What will be the output of below C program?

```
#include<stdio.h>
int main()
{
    int x;
    x = 5;
    printf("%d ", x);
    printf("%d ", x--);
    printf("%d", x);
    return 0;
}
```

- a) 5 4 4
- b) 5 5 4
- c) 5 4 3
- d) 5 5 5

 Show Answer

. . .

Q8) What will be the output of below C program?

```
#include<stdio.h>
int main()
{
    int a=10, b;
    b = ++++a;
    printf("%d %d",a,b );
    return 0;
}
```

- a) Compile-time error
- b) 10
- c) 12
- d) 11

Q9) What will be the output of below C program?

```
#include<stdio.h>
int main()
{
    printf("%d ", + +9);
    printf("%d ", + -9);
    printf("%d ", - +9);
    printf("%d ", - -9);
    return 0;
}
```

- a) 9 -9 -9 9
- b) 10 9 9 9
- c) 10 -9 -9 8
- d) 10 9 9 8

 Show Answer

. . .

Q10) What will be the output of below C program?

```
#include<stdio.h>
int main()
{
    int x, y;
    x = 5;
    y = x++;
    printf("%d ",x);
    printf("%d",y);
    return 0;
}
```

- a) 5 5
- b) 6 6
- c) 6 5
- d) 5 6