

VOL - 4



Manufactured by:

Viola Decoratives Pvt Ltd.
Plot no - 420, RIIL Co Road, VIII Keshwana Rajput
Tehsil- Kotputli, Jaipur 303108 Rajasthan

Head Office

2E/7, Jhandewalan Extension, New Delhi-110055. India
www.alstoneindia.in
Email: info@alstoneindia.in

Customer Care:

9810846953, 011-42307700

Branches:

- | | |
|----------------|------------|
| • Delhi | 9205483527 |
| • Pune | 9370016616 |
| • Hyderabad | 9289027600 |
| • Kochi | 9311733245 |
| • Ranchi | 7428586876 |
| • Noida | 9886444677 |
| • Lucknow | 9810258005 |
| • Patna | 9006416500 |
| • Indore | 9311811650 |
| • Bhubaneshwar | 9311622658 |
| • Bangalore | 9311733237 |
| • Rajasthan | 9289097330 |
| • Gurgaon | 9901111631 |
| • Dehradun | 9289027609 |
| • Haryana | 9289027603 |



CONTACT US ON
WHATSAPP



DESIGN
BENDABLE PVC LAMINATES

90°



SCAN TO DOWNLOAD
E-CATALOGUE



— COLOUR CORE PVC LAMINATES —

90° BENDABLE PVC LAMINATES



DESIGN

90°




1.25mm

*We are a professional team,
that is eager to bring value to your business*

Alstone Colour Core PVC Laminate is a decorative Surfacing material like no other. Elegant and exclusive with a contemporary look and pattern, its touch and feel is just like real and last longer than anything you get for decorating the surface. It is created using a technology that protects it from heat, finger prints and accidental abrasion so it stay looking beautiful forever. It is one surface with endless possibilities.

Alstone Colour Core PVC Laminate, a 90° ben-dable PVC laminate, is the best solution to get perf-ection in edges also. Just use U-groove cutter & make a groove to bend the PVC laminate and give your furniture a modern and stylist look.

BENEFIT OF ALSTONE PVC LAMINATE



CONTENT

02-09 HIGH GLOSS WOODGRAINS	10-15 MATTE WOODGRAINS	16-23 MARVELLOUS MARBLE	24-31 MOODY METALS
32-39 SHIMMER N SHINE	40-55 AMAZING ABSTRACTS	56-59 PREMIUM PEARL	60-67 TERRIFIC TEXTURES
68-71 MATTE SOLIDS	72-75 SUPER SPARKLE	76-81 MIRROR GLOSS SOLIDS	82-83 SPECIFICATIONS



SCAN TO DOWNLOAD
E-CATALOGUE



CONTACT US ON
WHATSAPP

HIGH GLOSS WOODGRAINS

HIGH GLOSS WOOD GRAINS

ALL LAMINATES ARE

**100%
MIR
ROR
GL
OSS**

● Shades Used: MD 102 Red Oxford Cherry

MD 101 Oder Pearwood

NEW

MD 102 Red Oxford Cherry

NEW




MD 103 Choco Lure

NEW



MD 106 Walnut

NEW



MD 107 Wegen

NEW




MD 116 Warmy Smoked Maple

NEW



MD 105 Knotty Walnut

NEW





MD 108 Sapeli Crown




MD 109 Burl



MD 112 Persian Mono



MD 113 Taupe Tropical



MD 110 Wenge



MD 111 Midnight Acacia



MD 114 Siam Teak



MD 115 Samoa



● Shades Used: MD 701 Glacier White & MD 001 Light Willowood



MD 001 Light Willowood



MD 002 Dark Willowood



MD 005 Dandy Wood Grey

NEW




MD 006 Dandy Wood Blue

NEW



● Shades Used: MD 006 Dandy Wood Blue




MATTE WOOD GRAINS





MD 007 Oak

NEW




MD 009 Bistro Wood

Soft Touch



MD 010 Cadiz Walnut

Soft Touch



DESIGN 90° BENDABLE PVC LAMINATES




MD 013 Cape Seed



MD 014 Sorrel Teak

NEW



● Shades Used: MD 007 Oak

MARVELLOUS MARBLE

MARVELLOUS MARBLE



MD 051 Cloud Terrazzo



MD 052 Caster Terrazzo

ALL LAMINATES ARE

**100%
ANTI-
BAC
TERIAL**



● Shades Used: MD 051 Cloud Terrazzo




MD 053 Lgneous Micas



MD 054 Allies Micas



MD 055 Aggies Micas



● Shades Used: MD 056 Grey Marmor & MD 057 Torino Grey




MD 056 Grey Marmor

NEW




MD 057 Torino Grey

NEW



MD 060 Light Emperador




MD 061 Tanned




Md 065 Mother of Pearls



MD 067 Brick Stone



MD 062 Torino Brown



MD 063 Torino Grey




MD 064 Statuano




ALL LAMINATES ARE
**90°
BEN
DA
BLE**



MD 201 Red Flame




MD 202 Black Flame




MD 207 L-Square Golden



MD 208 L-Square Black



MD 212 Hex Silver



MD 213 Hex R Gold




DESIGN 90° BENDABLE PVC LAMINATES

● Shades Used: MD 208 L-Square Black





MD 214 Florist White



MD 215 Florist Purple

DESIGN 90° BENDABLE PVC LAMINATES





MD 219 Sap




MD 220 Sap Black



MD 223 Tangled White



MD 224 Tangled Copper



DESIGN 900 BENDABLE PVC LAMINATES


MD 221 Gold Tree




NEW

MD 222 Copper Tree

NEW



MD 225 Light Pearl Flore



MD 226 Dark Pearl Flore


DESIGN 900 BENDABLE PVC LAMINATES

SHIMMER AND SHINE

SHIMMER AND SHINE




● Shades Used: MD 252 Wine Red



MD 251 Metal Green

NEW



MD 252 Wine Red


NEW

MD 253 Overcast Sky

MD 255 Elephant Grey

MD 254 Liqueur Brown

MD 256 Beige Brown



MD 257 Pearl Night Blue



MD 258 Temple Brown



MD 260 Oxide Yellow



MD 261 Gold Athaea

NEW



DESIGN 90° BENDABLE PVC LAMINATES

MD 259 Pearl Blackberry

NEW



● Shades Used: MD 261 Gold Athaea & MD 262 Early Sunlight



MD 262 Early Sunlight

DESIGN 90° BENDABLE PVC LAMINATES

MD 263 Light Ash

MD 264 Ochre Copper

MD 265 Golden Wax

MD 266 Traffic Grey

AMAZING ABSTRACTS




ALL LAMINATES ARE


100% LEAD-FREE




● Shades Used: MD 302 Expression Light



MD 301 Expression Velvet




MD 302 Expression Light



MD 303 Ecru Cloth



MD 304 Madera Gris



MD 307 Golden Geoart




MD 308 Black Geoart



MD 305 Madera De Gris



MD 306 Marfil Gris




MD 309 White Geoart



● Shades Used: MD 311 Copper Chain Dark



MD 312 Eternity White




MD 313 Eternity Black




MD 310 Copper Chain Light




MD 311 Copper Chain Dark



MD 314 Interlock White



MD 315 Interlock Black





MD 321 Modello White




MD 322 Modello Black




MD 325 Tulip Camel



MD 326 Tulip Eagle Grey



MD 323 Kalamkari White




MD 324 Kalamkari Black



MD 327 Tulip Shadow Grey




MD 328 Tulip Graphite Black




MD 329 Purple Sapphire




MD 330 Blue Sapphire



MD 333 Brown Leaf



MD 334 Brescan Blood Red



MD 331 Golden Leaf



MD 332 Dark Leaf



MD 335 Brescan Frosty White




MD 336 Brescan Dark Black



MD 337 Cube Silver




MD 338 Cube Copper



MD 341 Vector Light




MD 342 Vector Brown



MD 339 Silver Swirl




MD 340 Golden Swirl





● Shades Used: MD 344 Maple Black



MD 345 Strom Grey Barock




MD 346 Liqueur Cream Barock



DESIGN 90° BENDABLE PVC LAMINATES

MD 343 Maple White



MD 344 Maple Black



MD 347 Clay Brown Barock



MD 348 Graphite Black Barock

PREMIUM PEARL

PRE MIUM PEARL



MD 401 Pearl White

NEW

MD 402 Blushed Trees

NEW



MD 403 Liqueur Cream



MD 404 Antique Pink





MD 405 Clay Brown



MD 406 Navy Grey

TERRIFIC TEXTURES



MD 501 Matrix Silver

NEW



MD 502 Matrix Gold


NEW



MD 503 Domino Pear



MD 507 Versace White



MD 510 Brown Leather



MD 512 Fabrican Mood




MD 508 Versace Brown



MD 509 White Leather



MD 513 Fabrican Taupe



MD 514 Latin Mood



MD 515 Latin Taupe




MD 516 Winter Fabricaro



MD 517 Stoffa Fabricaro



MD 521 Abstract Geometric Ivory



DESIGN 90° BENDABLE PVC LAMINATES



MD 519 Abstract Geometric Blue



MD 520 Abstract Geometric Brown

DESIGN 90° BENDABLE PVC LAMINATES



MD 551 Platinum Grey



MD 552 Vermillion Red




MD 553 Lemon Yellow



MD 554 Sky Blue



MD 555 Red Oxide Brown



MD 556 Velvet Beige



MD 557 White Cloud




MD 558 Satin Black




SUPER SPARKLE

ALL LAMINATES ARE

**100%
FIRE
RETAR-
DANT**




MD 601 Frosting White



MD 602 Berry Red

● Shades Used: MD 602 Berry Red & MD 601 Frosting White



MD 603 Alpine White



MD 604 Dreamy White



MD 605 Sand Grey



MD 616 Intermediate Azure



MD 617 Lemony Green



MD 618 Milky Moss



MD 606 Dark Grey




MD 607 Dark Desire



MD 608 Silica Wash



MD 619 Desert Night



MD 620 Papaya Yellow



MD 609 Tobacco



MD 611 Golden Black




MD 612 Candy Pink



MD 613 Cairo Pink



MD 614 Traffic Violet



MD 615 Wine Purple



● Shades Used: MD 603 Alpine White, MD 112 Persian Mono


MIRROR GLOSS SOLIDS



ALL LAMINATES ARE
**100%
COLOUR
CORE**



● Shades Used: MD 701 Glacier White, MD 704 Cream MD 706 Peach Lace & MD 707 Hydro Grey






MD 701 Glacier White



MD 703 Paper White



MD 704 Cream



MD 715 Apple Green



MD 716 Pastel Rose



MD 717 Signal Violet




MD 705 Liquored Beige




MD 707 Hydro Grey



MD 708 Cobblestone



MD 718



MD 719



MD 709 Saffron Yellow

NEW



MD 710 Lobster Orange



MD 711 Flame Red



MD 721



MD 722



MD 706 Peach Lace



MD 712 Whispering



MD 713 Aqua



MD 724



MD 725




● Shades Used: MD 718



MD 728




MD 729




MD 730




MD 731




MD 732




Coming Soon




Coming Soon




Coming Soon



Coming Soon



Coming Soon



Coming Soon



Shades Used: MD 715 Apple Green, MD 716 Pastel Rose & MD 717 Signal Violet


SPECIFICATIONS

Sizes: 8ft X 4ft & 10ft X 4ft | **Thickness:** 1.25mm & 3mm (+-3%)

Finishes: Glossy, Matte, Textures, Anti-Finger, Sparkles, Solids, Wooden, Leather and Soft Touch Finishes.

Warranty Conditions: Please check the product properly before using and follow the recommended guidelines during cutting bending and pasting. For any defect company liability is limited to the product replacement only.


SPECIFICATIONS




Adhesive recommended to use: It is recommended to use special adhesive (Solvent based) for pasting PVC Laminate to any wooden surface like Ply, Board, MDF, Particle Board etc. For pasting PVC Laminate on WPC PVC Boards, use PVC Cement Solvent Adhesive. Glue should be evenly applied on both surfaces for best results.



Cutting: It can be cut by using diamond cutter blade and can be routed and drilled with standard sharp wood working tools or equipments.



Bending: Alstone PVC laminate can be easily bend to 90 degree by using U-groove cutter.



Maintenance: Cleaning recommended with mild detergent and cotton cloth. Exposure to direct sunlight should be avoided.

ANTIMICROBIAL TEST REPORT

SHIRRAM INSTITUTE FOR INDUSTRIAL RESEARCH
(A unity of Shriram Scientific and Industrial Research Foundation)
19, University Road, Delhi - 110007 (India)
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute
Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org

TEST CERTIFICATE NO. : C1/0000319875

Issued To:	Date :
Client Code: A0631	15/04/2020
Alstone Industries Pvt. Ltd.	Job No. :
2R/7, JHANDEWALAN EXTENSION	Booking Date :
Kind Attn: MR. PARAMEET SINGH	Customer Ref No. :
	Customer Ref ID : 121504

Sample Particulars:
One sample of PVC LAMINATES SHEET Design Codes MD-21, was research.
The sampling was not carried out by Shriram Institute for Industrial Research. The sample details provided in test certificates are based on declaration by the party.

Test- Antimicrobial efficacy of PVC LAMINATES SHEET, Design N'D-21
Test- As per ASTM E 2180
Sample size- 3.0 x 3.0 cm
Test Organization- 3.0 x 3.0 cm

TEST RESULTS

9 Hr COUNT, cfu/ml 24 hr count,cfu/ml (Treated Percent Reduction)			
S. No.	Test Microorganisms used	[untreated Sample]	(Sample) (%)
1	Pseudomonas aeruginosa	4.3X10 ⁶	<1 99.99
1	Staphylococcus aeruginosa	4.5X10 ⁶	<1 99.99

Interpretation: The antimicrobial activity of PVC LAMINATES SHEETS, Design Code MD-21 was found 99.99% against Pseudomonas aeruginosa and Staphylococcus aeruginosa.

DOI: 5/04/2020
DOC: 15/04/2020

AUTHORIZED SIGNATORY
EMPLOYEE CODE : (L1)(S1)

SC-01 (Rev-01) Page 1 of 2

Phone : 91-11-27567267, 27667933, 27667860 Fax : 91-11-27667676, 27667207
See overleaf for terms & conditions

ABRASION TEST REPORT

SHIRRAM INSTITUTE FOR INDUSTRIAL RESEARCH
(A unity of Shriram Scientific and Industrial Research Foundation)
19, University Road, Delhi - 110007 (India)
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute
Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org

TEST CERTIFICATE NO. : C1/0000321423

Issued To:	Date :
Client Code: A0631	15/04/2020
Alstone Industries Pvt. Ltd.	Job No. :
2R/7, JHANDEWALAN EXTENSION	Booking Date :
Kind Attn: MR. PARAMEET SINGH	Customer Ref No. :
	Customer Ref ID : 121504

Job No: 3007-1-141-331

ONE SAMPLE DESCRIBED AS PVC LAMINATES SHEET DESIGN CODES MD-21, WAS RESEARCH.

THE SAMPLING WAS NOT CARRIED OUT BY SHIRRAM INSTITUTE FOR INDUSTRIAL RESEARCH. THE SAMPLE DESCRIPTION PROVIDED IN THE TEST CERTIFICATE ARE BASED ON DECLARATION BY THE SPONSOR.

S.No	Test	Results	Protocol / Method
1	Abrasion Resistance (1 kg, 1000 cycle) weight loss, mg	9.1	ASTM D 4060-19

DOI: 5/04/2020
DOC: 15/04/2020

AUTHORIZED SIGNATORY
EMPLOYEE CODE : (L1)(S1)

SC-01 (Rev-01) Page 1 of 1

Phone : 91-11-27567267, 27667933, 27667860 Fax : 91-11-27667676, 27667207
See overleaf for terms & conditions

MECHANICAL PROPERTIES TEST REPORT

SHIRRAM INSTITUTE FOR INDUSTRIAL RESEARCH
(A unity of Shriram Scientific and Industrial Research Foundation)
19, University Road, Delhi - 110007 (India)
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute
Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org

TEST CERTIFICATE NO. : C1/0000319446

Issued To:	Date :
Client Code: A0631	15/04/2020
Alstone Industries Pvt. Ltd.	Job No. :
2R/7, JHANDEWALAN EXTENSION	Booking Date :
Kind Attn: MR. PARAMEET SINGH	Customer Ref No. :
	Customer Ref ID : 121504

Job No: 2008-1-156-1082

ONE SAMPLE DESCRIBED AS PVC LAMINATES SHEET DESIGN CODES MD-21, WAS RESEARCH.

THE SAMPLING WAS NOT CARRIED OUT BY SHIRRAM INSTITUTE FOR INDUSTRIAL RESEARCH. THE SAMPLE DESCRIPTION PROVIDED IN THE TEST CERTIFICATE ARE BASED ON DECLARATION BY THE SPONSOR.

S.No	Test	Results	Protocol / Method
1	Thickness, mm	1.25	Using Micrometer
2	Density, g/cm ³ at 23°C	1.71	ASTM D 792-13
3	Gloss Value @ 60°	109	ASTM D 523-13(2018)
4	Abrasion Resistance (1 kg, 1000 cycle)		ASTM D 4060-19
a)	Wear Index	0.95	
b)	Weight Loss, mg	0.95	
5	Peel Strength, kg/mm	0.23	ASTM D 903-98 (2017)
6	Resistance to Cracking	No crack was observed at(-) 40°C	ASTM D 903-98 (2017)

DOI: 5/04/2020
DOC: 15/04/2020

AUTHORIZED SIGNATORY
EMPLOYEE CODE : (L1)(S1)

SC-01 (Rev-01) Page 1 of 2

Phone : 91-11-27567267, 27667933, 27667860 Fax : 91-11-27667676, 27667207
See overleaf for terms & conditions

FIRE TEST REPORT

SHIRRAM INSTITUTE FOR INDUSTRIAL RESEARCH
(A unity of Shriram Scientific and Industrial Research Foundation)
19, University Road, Delhi - 110007 (India)
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute
Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org

TEST CERTIFICATE NO. : C1/0000322532

Issued To:	Date :
Client Code: A0631	15/04/2020
Alstone Industries Pvt. Ltd.	Job No. :
2R/7, JHANDEWALAN EXTENSION	Booking Date :
Kind Attn: MR. PARAMEET SINGH	Customer Ref No. :
	Customer Ref ID : 121504

Job No: 2005-2-42-204

ONE SAMPLE DESCRIBED AS PVC LAMINATES SHEET DESIGN CODES MD-21, WAS RESEARCH.

THE SAMPLING WAS NOT CARRIED OUT BY SHIRRAM INSTITUTE FOR INDUSTRIAL RESEARCH. THE SAMPLE DESCRIPTION PROVIDED IN THE TEST CERTIFICATE ARE BASED ON DECLARATION BY THE SPONSOR.

AS PER UL 94

S.No	Test	Results	Requirement for Gread of UL 94	Conformity
1	Flammability (Vertical Burning Rate) For Specimen Conditioned @ 23±2°C & 50±5% RH for 48 hours	<10	V-0	Yes
a)	Flame propagation time of any specimen after either application of the last flame, Sec.	0.0.0.1		
b)	Total flaming combustion time after 10 flame application for each set of five specimens Sec	1.0.0.1	≤50	Yes
c)	Glowing combustion time of any specimen after the second removal of the test flame, sec	0.0.0.0	≤50	Yes
d)	Flaming or glowing combustion of any specimen upto the holding clamp	No specimen bum with flaming or glowing combustion up to holding clamp	No specimen bum with flaming or glowing combustion up to holding clamp	Yes

SC-01 (Rev-05) Page 1 of 2

Phone : 91-11-27567267, 27667933, 27667860 Fax : 91-11-27667676, 27667207
See overleaf for terms & conditions

