QAOA: methods and congestion atlas

Step 1 | Audited QAOA study of 26 October 2026

Purpose. Understand how the mapped QAOA circuit becomes routed communication, where those routes concentrate demand, and how the structural congestion changes as capacity increases. This edition covers methods and congestion only. Physical simulation comparisons and dynamic-policy results are reserved for the next step.

1. Circuit to placement

The input is a 48-qubit QAOA circuit in OpenQASM. The architecture has 16 cores arranged in a 4 x 4 mesh or torus. A mesh connects neighbouring grid positions; a torus also connects opposite boundaries. The current experiment selects T-HQA, with mapping seeds 42, 43 and 44.

T-HQA is the topology-aware HQA implementation. It constructs assignment costs from shortest-hop distances and uses lookahead attraction from future interactions. A Hungarian assignment solver selects assignments from the feasible cost matrix. This encourages interacting qubits to meet while accounting for transfer distance; it does not directly minimise the congestion percentages defined later.

The recorded mapper configuration uses OEE initial placement, four data-qubit slots per core, and link-reliability values in the range 0.1 to 1.0. Initial-placement implementation: `mapper/qmap/placement/initial.py`. Data-qubit placement capacity is distinct from the communication-memory threshold C swept in the congestion study.

Implementation: `mapper/qmap/placement/T_HQA.py`; `mapper/qmap/placement/cost.py`; `mapper/qmap/placement/assignment.py`.

The QAOA run imports previously generated placements and routes from the audited golden-study corpus. It does not rerun placement during each policy simulation. Placement contracts record assignments[t][q], the core occupied by qubit q at slice t. Reusing a fixed trace lets scheduler comparisons share the same communication input.

Mapping orchestration: `tools/golden_study/map_inputs.py`. Placement contract: `tools/mapper_ace/placement_contract.py`. Audited QAOA import: `tools/golden_study/prepare_qaoa.py`.

Input and provenance: `results/qaoa_2seed_2026-10-26/inputs/qaoa/circuit.qasm`; `results/qaoa_2seed_2026-10-26/mapping_contract.json`; `results/qaoa_2seed_2026-10-26/validation/mapping_audit.csv`.

2. Placement to physical routes

A placement change gives a logical migration: a qubit moves from one core to another at a compiler layer. The adapter assigns a path to that migration, checks its endpoints and physical adjacency, and exports adjacent-hop requests. Routing changes the path while preserving the required placement transitions.

Topology	Route	Decision rule
Mesh	XY	Coordinate dimension 0, then dimension 1
Mesh	YX	Coordinate dimension 1, then dimension 0
Mesh	shortest_reliable	Shortest hops; reliability breaks ties
Mesh	max_reliability	Maximum product reliability; hops break ties
Torus	dijkstra	Shortest hops with reliability tie-breaks

XY and YX test how equal-length paths redistribute load. Reliability-aware paths can choose different relays; maximum reliability may accept extra hops. The torus tests a different connectivity graph as well as its approved routing policy, so mesh-versus-torus differences cannot be attributed to routing alone.

Implementation: `tools/mapper_ace/routing.py`; `mapper/qmap/metrics/distance.py`; migration construction and validation in `tools/mapper_ace/adapter.py`. The oracle also uses EPR latency as a later tie-breaker when hop and reliability costs tie.

There are 15 conceptual route aliases: (4 mesh routes + 1 torus route) x 3 seeds. Only 11 request files have distinct SHA-256 hashes. Identical files remain visible as separate route labels in this atlas, but they are not independent observations. Simulation planning deduplicates exact traces.

3. Routed traces to ACE experiments

The broader study compares on-demand generation (ODG), continuous generation (CGP), adaptive continuous generation (ACGP), and Dynamic full-chain/first-hop preparation. It sweeps total memories 2, 3, 4, 6, 8, 16 and 32, legal compiler allocations, and evaluation physics seeds 0 and 1. These simulation dimensions do not multiply the trace-only congestion atlas.

Execution definition: `results/qaoa_2seed_2026-10-26/execution_spec.json`. Planning/running: `tools/golden_study/plan_execution.py`; `tools/golden_study/run_execution.py`. Simulator entry: `run_trace_comparison.py`; compiler scheduling: `compiler_scheduler.py`.

4. What congestion means here

For each communication-active compiler layer l and core c, let D(c,l) be total route demand and E(c,l) the demand from route endpoints. Capacity C is a structural threshold. Overload requires D > C; equality is not overload. Empty communication layers are excluded from the denominator A.

Hop counting: a source or destination contributes one demand unit; each internal relay contributes two (arrival and departure). **Route counting:** each distinct core visited by a qubit route contributes one unit. Both views are included because relay accounting changes the structural pressure estimate.

Example: path C0 - C1 - C2 contributes [1,2,1] in hop counting and [1,1,1] in route counting. At C=1, C1 is overloaded only under hop counting. This demonstrates why the two definitions cannot be pooled as if they measured the same resource model.

Total overload: 100 x count(D > C) / A. **Endpoint overload:** 100 x count(E > C) / A. **Relay-only overload:** 100 x count(E <= C < D) / A. Endpoint overload and relay-only overload partition the total-overload layers for each core; their percentages add to total.

Relay-only does not mean the core has no endpoint traffic. It means endpoint demand alone fits, but additional relay demand pushes the total above capacity. Endpoint overload also does not exclude simultaneous relay traffic.

The trace-level statistic is different: percentage of active layers with *any* overloaded core. It is not the mean of the 16 per-core percentages. The overview graphs use this any-core measure; the spatial heatmaps use per-core percentages.

Why sweep capacity? Increasing C while holding the trace fixed isolates the threshold sensitivity of the same demand pattern. Overload must be non-increasing with C. Zero overload means demand stays within this structural threshold, not that the physical simulator has no waiting, retries, or fidelity loss.

These figures do not simulate occupancy, link timing, memory expiry, or dynamic cache state. They cannot establish a winning scheduler or a latency speedup. Mapping seeds vary compiler inputs; physics seeds do not enter this calculation. Three seed values are shown individually rather than treated as strong statistical evidence.

Analysis implementation: `tools/golden_study/analyze_qft96_congestion.py`. Its historical filename refers to QFT, but this PDF verifies QAOA CSV rows and hashes and regenerates QAOA-labelled figures. Sources: `results/qaoa_2seed_2026-10-26/congestion/per_core_congestion.csv` and `results/qaoa_2seed_2026-10-26/congestion/trace_congestion_summary.csv`.

Congestion overview | hop counting



Topology / route	2	3	4	6	8	16	32
mesh / xy	82.93	75.00	57.32	23.17	4.88	0.00	0.00
mesh / yx	82.93	75.61	54.27	26.22	7.93	0.00	0.00
mesh / shortest_reliable	84.55	78.86	62.20	32.11	12.80	0.00	0.00
mesh / max_reliability	85.98	83.33	71.75	50.61	32.52	1.42	0.00
torus / dijkstra	78.40	68.72	47.74	12.55	2.26	0.00	0.00

Table values are the exact graph series rounded to two decimals; each is an unweighted mean of three seed-specific percentages. Source values: graph and table CSV. Original source: trace congestion CSV.

Read the capacity trend within each line first. Differences between mesh routes reflect their chosen paths on each fixed mesh placement. Torus comparisons additionally change topology and may use different placements. Coincident lines can reflect identical trace content. The atlas that follows retains every seed and both demand definitions.

Congestion overview | route counting



Topology / route	2	3	4	6	8	16	32
mesh / xy	72.56	48.17	17.68	1.22	0.00	0.00	0.00
mesh / yx	71.34	45.12	24.39	4.27	0.00	0.00	0.00
mesh / shortest_reliable	73.58	49.39	28.86	2.64	0.41	0.00	0.00
mesh / max_reliability	75.61	60.16	42.28	16.06	3.25	0.00	0.00
torus / dijkstra	68.93	39.30	12.35	0.62	0.00	0.00	0.00

Table values are the exact graph series rounded to two decimals; each is an unweighted mean of three seed-specific percentages. Source values: graph and table CSV. Original source: trace congestion CSV.

Read the capacity trend within each line first. Differences between mesh routes reflect their chosen paths on each fixed mesh placement. Torus comparisons additionally change topology and may use different placements. Coincident lines can reflect identical trace content. The atlas that follows retains every seed and both demand definitions.

MESH / xy | hop counting

Capacity 2 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	28.66	9.15	19.51	8	288
1	49.39	7.32	42.07	8	424
2	42.07	9.76	32.32	8	390
3	23.78	9.15	14.63	6	244
4	39.63	12.20	27.44	10	370
5	50.00	5.49	44.51	11	474
6	49.39	10.37	39.02	12	478
7	34.76	6.71	28.05	9	361
8	25.61	5.49	20.12	8	281
9	39.63	5.49	34.15	8	368
10	37.80	2.44	35.37	10	376
11	31.71	6.10	25.61	9	312
12	9.15	3.66	5.49	5	162
13	29.88	6.10	23.78	7	286
14	27.44	4.27	23.17	6	290
15	15.24	5.49	9.76	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 82.93% of active layers have at least one overloaded core. Highest per-core overload: C5 at 50.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 2 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	28.66	9.15	19.51	8	288
1	49.39	7.32	42.07	8	424
2	42.07	9.76	32.32	8	390
3	23.78	9.15	14.63	6	244
4	39.63	12.20	27.44	10	370
5	50.00	5.49	44.51	11	474
6	49.39	10.37	39.02	12	478
7	34.76	6.71	28.05	9	361
8	25.61	5.49	20.12	8	281
9	39.63	5.49	34.15	8	368
10	37.80	2.44	35.37	10	376
11	31.71	6.10	25.61	9	312
12	9.15	3.66	5.49	5	162
13	29.88	6.10	23.78	7	286
14	27.44	4.27	23.17	6	290
15	15.24	5.49	9.76	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 82.93% of active layers have at least one overloaded core. Highest per-core overload: C5 at 50.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 2 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	28.66	9.15	19.51	8	288
1	49.39	7.32	42.07	8	424
2	42.07	9.76	32.32	8	390
3	23.78	9.15	14.63	6	244
4	39.63	12.20	27.44	10	370
5	50.00	5.49	44.51	11	474
6	49.39	10.37	39.02	12	478
7	34.76	6.71	28.05	9	361
8	25.61	5.49	20.12	8	281
9	39.63	5.49	34.15	8	368
10	37.80	2.44	35.37	10	376
11	31.71	6.10	25.61	9	312
12	9.15	3.66	5.49	5	162
13	29.88	6.10	23.78	7	286
14	27.44	4.27	23.17	6	290
15	15.24	5.49	9.76	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 82.93% of active layers have at least one overloaded core. Highest per-core overload: C5 at 50.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 3 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	12.80	0.00	12.80	8	288
1	29.88	0.61	29.27	8	424
2	27.44	2.44	25.00	8	390
3	9.15	1.22	7.93	6	244
4	23.78	1.83	21.95	10	370
5	40.24	0.00	40.24	11	474
6	39.63	1.22	38.41	12	478
7	22.56	0.61	21.95	9	361
8	15.85	0.00	15.85	8	281
9	28.05	1.83	26.22	8	368
10	25.00	0.00	25.00	10	376
11	21.34	0.00	21.34	9	312
12	1.83	0.00	1.83	5	162
13	15.24	0.00	15.24	7	286
14	20.12	1.22	18.90	6	290
15	7.93	1.83	6.10	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 75.00% of active layers have at least one overloaded core. Highest per-core overload: C5 at 40.24% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 3 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	12.80	0.00	12.80	8	288
1	29.88	0.61	29.27	8	424
2	27.44	2.44	25.00	8	390
3	9.15	1.22	7.93	6	244
4	23.78	1.83	21.95	10	370
5	40.24	0.00	40.24	11	474
6	39.63	1.22	38.41	12	478
7	22.56	0.61	21.95	9	361
8	15.85	0.00	15.85	8	281
9	28.05	1.83	26.22	8	368
10	25.00	0.00	25.00	10	376
11	21.34	0.00	21.34	9	312
12	1.83	0.00	1.83	5	162
13	15.24	0.00	15.24	7	286
14	20.12	1.22	18.90	6	290
15	7.93	1.83	6.10	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 75.00% of active layers have at least one overloaded core. Highest per-core overload: C5 at 40.24% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 3 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	12.80	0.00	12.80	8	288
1	29.88	0.61	29.27	8	424
2	27.44	2.44	25.00	8	390
3	9.15	1.22	7.93	6	244
4	23.78	1.83	21.95	10	370
5	40.24	0.00	40.24	11	474
6	39.63	1.22	38.41	12	478
7	22.56	0.61	21.95	9	361
8	15.85	0.00	15.85	8	281
9	28.05	1.83	26.22	8	368
10	25.00	0.00	25.00	10	376
11	21.34	0.00	21.34	9	312
12	1.83	0.00	1.83	5	162
13	15.24	0.00	15.24	7	286
14	20.12	1.22	18.90	6	290
15	7.93	1.83	6.10	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 75.00% of active layers have at least one overloaded core. Highest per-core overload: C5 at 40.24% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 4 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	3.66	0.00	3.66	8	288
1	15.24	0.61	14.63	8	424
2	15.85	1.22	14.63	8	390
3	3.66	0.00	3.66	6	244
4	12.80	0.00	12.80	10	370
5	24.39	0.00	24.39	11	474
6	26.83	0.00	26.83	12	478
7	14.02	0.00	14.02	9	361
8	7.93	0.00	7.93	8	281
9	11.59	1.22	10.37	8	368
10	14.63	0.00	14.63	10	376
11	12.20	0.00	12.20	9	312
12	1.22	0.00	1.22	5	162
13	7.93	0.00	7.93	7	286
14	7.93	0.00	7.93	6	290
15	1.83	0.00	1.83	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 57.32% of active layers have at least one overloaded core. Highest per-core overload: C6 at 26.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 4 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	3.66	0.00	3.66	8	288
1	15.24	0.61	14.63	8	424
2	15.85	1.22	14.63	8	390
3	3.66	0.00	3.66	6	244
4	12.80	0.00	12.80	10	370
5	24.39	0.00	24.39	11	474
6	26.83	0.00	26.83	12	478
7	14.02	0.00	14.02	9	361
8	7.93	0.00	7.93	8	281
9	11.59	1.22	10.37	8	368
10	14.63	0.00	14.63	10	376
11	12.20	0.00	12.20	9	312
12	1.22	0.00	1.22	5	162
13	7.93	0.00	7.93	7	286
14	7.93	0.00	7.93	6	290
15	1.83	0.00	1.83	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 57.32% of active layers have at least one overloaded core. Highest per-core overload: C6 at 26.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 4 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	3.66	0.00	3.66	8	288
1	15.24	0.61	14.63	8	424
2	15.85	1.22	14.63	8	390
3	3.66	0.00	3.66	6	244
4	12.80	0.00	12.80	10	370
5	24.39	0.00	24.39	11	474
6	26.83	0.00	26.83	12	478
7	14.02	0.00	14.02	9	361
8	7.93	0.00	7.93	8	281
9	11.59	1.22	10.37	8	368
10	14.63	0.00	14.63	10	376
11	12.20	0.00	12.20	9	312
12	1.22	0.00	1.22	5	162
13	7.93	0.00	7.93	7	286
14	7.93	0.00	7.93	6	290
15	1.83	0.00	1.83	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 57.32% of active layers have at least one overloaded core. Highest per-core overload: C6 at 26.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 6 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.61	0.00	0.61	8	288
1	3.05	0.00	3.05	8	424
2	2.44	0.00	2.44	8	390
3	0.00	0.00	0.00	6	244
4	2.44	0.00	2.44	10	370
5	7.93	0.00	7.93	11	474
6	6.71	0.00	6.71	12	478
7	6.10	0.00	6.10	9	361
8	1.22	0.00	1.22	8	281
9	3.05	0.00	3.05	8	368
10	2.44	0.00	2.44	10	376
11	2.44	0.00	2.44	9	312
12	0.00	0.00	0.00	5	162
13	0.61	0.00	0.61	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 23.17% of active layers have at least one overloaded core. Highest per-core overload: C5 at 7.93% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 6 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.61	0.00	0.61	8	288
1	3.05	0.00	3.05	8	424
2	2.44	0.00	2.44	8	390
3	0.00	0.00	0.00	6	244
4	2.44	0.00	2.44	10	370
5	7.93	0.00	7.93	11	474
6	6.71	0.00	6.71	12	478
7	6.10	0.00	6.10	9	361
8	1.22	0.00	1.22	8	281
9	3.05	0.00	3.05	8	368
10	2.44	0.00	2.44	10	376
11	2.44	0.00	2.44	9	312
12	0.00	0.00	0.00	5	162
13	0.61	0.00	0.61	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 23.17% of active layers have at least one overloaded core. Highest per-core overload: C5 at 7.93% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 6 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.61	0.00	0.61	8	288
1	3.05	0.00	3.05	8	424
2	2.44	0.00	2.44	8	390
3	0.00	0.00	0.00	6	244
4	2.44	0.00	2.44	10	370
5	7.93	0.00	7.93	11	474
6	6.71	0.00	6.71	12	478
7	6.10	0.00	6.10	9	361
8	1.22	0.00	1.22	8	281
9	3.05	0.00	3.05	8	368
10	2.44	0.00	2.44	10	376
11	2.44	0.00	2.44	9	312
12	0.00	0.00	0.00	5	162
13	0.61	0.00	0.61	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 23.17% of active layers have at least one overloaded core. Highest per-core overload: C5 at 7.93% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 8 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	288
1	0.00	0.00	0.00	8	424
2	0.00	0.00	0.00	8	390
3	0.00	0.00	0.00	6	244
4	1.22	0.00	1.22	10	370
5	1.83	0.00	1.83	11	474
6	0.61	0.00	0.61	12	478
7	0.61	0.00	0.61	9	361
8	0.00	0.00	0.00	8	281
9	0.00	0.00	0.00	8	368
10	1.22	0.00	1.22	10	376
11	0.61	0.00	0.61	9	312
12	0.00	0.00	0.00	5	162
13	0.00	0.00	0.00	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 4.88% of active layers have at least one overloaded core. Highest per-core overload: C5 at 1.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 8 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	288
1	0.00	0.00	0.00	8	424
2	0.00	0.00	0.00	8	390
3	0.00	0.00	0.00	6	244
4	1.22	0.00	1.22	10	370
5	1.83	0.00	1.83	11	474
6	0.61	0.00	0.61	12	478
7	0.61	0.00	0.61	9	361
8	0.00	0.00	0.00	8	281
9	0.00	0.00	0.00	8	368
10	1.22	0.00	1.22	10	376
11	0.61	0.00	0.61	9	312
12	0.00	0.00	0.00	5	162
13	0.00	0.00	0.00	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 4.88% of active layers have at least one overloaded core. Highest per-core overload: C5 at 1.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 8 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	288
1	0.00	0.00	0.00	8	424
2	0.00	0.00	0.00	8	390
3	0.00	0.00	0.00	6	244
4	1.22	0.00	1.22	10	370
5	1.83	0.00	1.83	11	474
6	0.61	0.00	0.61	12	478
7	0.61	0.00	0.61	9	361
8	0.00	0.00	0.00	8	281
9	0.00	0.00	0.00	8	368
10	1.22	0.00	1.22	10	376
11	0.61	0.00	0.61	9	312
12	0.00	0.00	0.00	5	162
13	0.00	0.00	0.00	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 4.88% of active layers have at least one overloaded core. Highest per-core overload: C5 at 1.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 16 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	288
1	0.00	0.00	0.00	8	424
2	0.00	0.00	0.00	8	390
3	0.00	0.00	0.00	6	244
4	0.00	0.00	0.00	10	370
5	0.00	0.00	0.00	11	474
6	0.00	0.00	0.00	12	478
7	0.00	0.00	0.00	9	361
8	0.00	0.00	0.00	8	281
9	0.00	0.00	0.00	8	368
10	0.00	0.00	0.00	10	376
11	0.00	0.00	0.00	9	312
12	0.00	0.00	0.00	5	162
13	0.00	0.00	0.00	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap16__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 16 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	288
1	0.00	0.00	0.00	8	424
2	0.00	0.00	0.00	8	390
3	0.00	0.00	0.00	6	244
4	0.00	0.00	0.00	10	370
5	0.00	0.00	0.00	11	474
6	0.00	0.00	0.00	12	478
7	0.00	0.00	0.00	9	361
8	0.00	0.00	0.00	8	281
9	0.00	0.00	0.00	8	368
10	0.00	0.00	0.00	10	376
11	0.00	0.00	0.00	9	312
12	0.00	0.00	0.00	5	162
13	0.00	0.00	0.00	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap16__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 16 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	288
1	0.00	0.00	0.00	8	424
2	0.00	0.00	0.00	8	390
3	0.00	0.00	0.00	6	244
4	0.00	0.00	0.00	10	370
5	0.00	0.00	0.00	11	474
6	0.00	0.00	0.00	12	478
7	0.00	0.00	0.00	9	361
8	0.00	0.00	0.00	8	281
9	0.00	0.00	0.00	8	368
10	0.00	0.00	0.00	10	376
11	0.00	0.00	0.00	9	312
12	0.00	0.00	0.00	5	162
13	0.00	0.00	0.00	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap16__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 32 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	288
1	0.00	0.00	0.00	8	424
2	0.00	0.00	0.00	8	390
3	0.00	0.00	0.00	6	244
4	0.00	0.00	0.00	10	370
5	0.00	0.00	0.00	11	474
6	0.00	0.00	0.00	12	478
7	0.00	0.00	0.00	9	361
8	0.00	0.00	0.00	8	281
9	0.00	0.00	0.00	8	368
10	0.00	0.00	0.00	10	376
11	0.00	0.00	0.00	9	312
12	0.00	0.00	0.00	5	162
13	0.00	0.00	0.00	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap32__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 32 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	288
1	0.00	0.00	0.00	8	424
2	0.00	0.00	0.00	8	390
3	0.00	0.00	0.00	6	244
4	0.00	0.00	0.00	10	370
5	0.00	0.00	0.00	11	474
6	0.00	0.00	0.00	12	478
7	0.00	0.00	0.00	9	361
8	0.00	0.00	0.00	8	281
9	0.00	0.00	0.00	8	368
10	0.00	0.00	0.00	10	376
11	0.00	0.00	0.00	9	312
12	0.00	0.00	0.00	5	162
13	0.00	0.00	0.00	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap32__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | hop counting

Capacity 32 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	288
1	0.00	0.00	0.00	8	424
2	0.00	0.00	0.00	8	390
3	0.00	0.00	0.00	6	244
4	0.00	0.00	0.00	10	370
5	0.00	0.00	0.00	11	474
6	0.00	0.00	0.00	12	478
7	0.00	0.00	0.00	9	361
8	0.00	0.00	0.00	8	281
9	0.00	0.00	0.00	8	368
10	0.00	0.00	0.00	10	376
11	0.00	0.00	0.00	9	312
12	0.00	0.00	0.00	5	162
13	0.00	0.00	0.00	7	286
14	0.00	0.00	0.00	6	290
15	0.00	0.00	0.00	5	192

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap32__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 2 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	16.46	9.15	7.32	5	240
1	31.10	7.32	23.78	6	301
2	29.27	9.76	19.51	7	282
3	15.24	9.15	6.10	5	204
4	26.83	12.20	14.63	7	276
5	32.32	5.49	26.83	6	299
6	36.59	10.37	26.22	6	328
7	23.78	6.71	17.07	5	267
8	16.46	5.49	10.98	5	212
9	22.56	5.49	17.07	5	248
10	18.90	2.44	16.46	6	250
11	18.90	6.10	12.80	5	226
12	4.88	3.66	1.22	4	138
13	17.07	6.10	10.98	4	212
14	17.07	4.27	12.80	4	205
15	10.98	5.49	5.49	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 72.56% of active layers have at least one overloaded core. Highest per-core overload: C6 at 36.59% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 2 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	16.46	9.15	7.32	5	240
1	31.10	7.32	23.78	6	301
2	29.27	9.76	19.51	7	282
3	15.24	9.15	6.10	5	204
4	26.83	12.20	14.63	7	276
5	32.32	5.49	26.83	6	299
6	36.59	10.37	26.22	6	328
7	23.78	6.71	17.07	5	267
8	16.46	5.49	10.98	5	212
9	22.56	5.49	17.07	5	248
10	18.90	2.44	16.46	6	250
11	18.90	6.10	12.80	5	226
12	4.88	3.66	1.22	4	138
13	17.07	6.10	10.98	4	212
14	17.07	4.27	12.80	4	205
15	10.98	5.49	5.49	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 72.56% of active layers have at least one overloaded core. Highest per-core overload: C6 at 36.59% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 2 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	16.46	9.15	7.32	5	240
1	31.10	7.32	23.78	6	301
2	29.27	9.76	19.51	7	282
3	15.24	9.15	6.10	5	204
4	26.83	12.20	14.63	7	276
5	32.32	5.49	26.83	6	299
6	36.59	10.37	26.22	6	328
7	23.78	6.71	17.07	5	267
8	16.46	5.49	10.98	5	212
9	22.56	5.49	17.07	5	248
10	18.90	2.44	16.46	6	250
11	18.90	6.10	12.80	5	226
12	4.88	3.66	1.22	4	138
13	17.07	6.10	10.98	4	212
14	17.07	4.27	12.80	4	205
15	10.98	5.49	5.49	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 72.56% of active layers have at least one overloaded core. Highest per-core overload: C6 at 36.59% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 3 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	3.66	0.00	3.66	5	240
1	9.15	0.61	8.54	6	301
2	12.20	2.44	9.76	7	282
3	4.27	1.22	3.05	5	204
4	9.15	1.83	7.32	7	276
5	13.41	0.00	13.41	6	299
6	18.29	1.22	17.07	6	328
7	11.59	0.61	10.98	5	267
8	6.10	0.00	6.10	5	212
9	7.93	1.83	6.10	5	248
10	8.54	0.00	8.54	6	250
11	8.54	0.00	8.54	5	226
12	0.61	0.00	0.61	4	138
13	5.49	0.00	5.49	4	212
14	4.27	1.22	3.05	4	205
15	2.44	1.83	0.61	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 48.17% of active layers have at least one overloaded core. Highest per-core overload: C6 at 18.29% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 3 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	3.66	0.00	3.66	5	240
1	9.15	0.61	8.54	6	301
2	12.20	2.44	9.76	7	282
3	4.27	1.22	3.05	5	204
4	9.15	1.83	7.32	7	276
5	13.41	0.00	13.41	6	299
6	18.29	1.22	17.07	6	328
7	11.59	0.61	10.98	5	267
8	6.10	0.00	6.10	5	212
9	7.93	1.83	6.10	5	248
10	8.54	0.00	8.54	6	250
11	8.54	0.00	8.54	5	226
12	0.61	0.00	0.61	4	138
13	5.49	0.00	5.49	4	212
14	4.27	1.22	3.05	4	205
15	2.44	1.83	0.61	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 48.17% of active layers have at least one overloaded core. Highest per-core overload: C6 at 18.29% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 3 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	3.66	0.00	3.66	5	240
1	9.15	0.61	8.54	6	301
2	12.20	2.44	9.76	7	282
3	4.27	1.22	3.05	5	204
4	9.15	1.83	7.32	7	276
5	13.41	0.00	13.41	6	299
6	18.29	1.22	17.07	6	328
7	11.59	0.61	10.98	5	267
8	6.10	0.00	6.10	5	212
9	7.93	1.83	6.10	5	248
10	8.54	0.00	8.54	6	250
11	8.54	0.00	8.54	5	226
12	0.61	0.00	0.61	4	138
13	5.49	0.00	5.49	4	212
14	4.27	1.22	3.05	4	205
15	2.44	1.83	0.61	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 48.17% of active layers have at least one overloaded core. Highest per-core overload: C6 at 18.29% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 4 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.61	0.00	0.61	5	240
1	1.83	0.61	1.22	6	301
2	2.44	1.22	1.22	7	282
3	0.61	0.00	0.61	5	204
4	3.05	0.00	3.05	7	276
5	4.27	0.00	4.27	6	299
6	4.88	0.00	4.88	6	328
7	3.05	0.00	3.05	5	267
8	1.22	0.00	1.22	5	212
9	3.05	1.22	1.83	5	248
10	1.83	0.00	1.83	6	250
11	2.44	0.00	2.44	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 17.68% of active layers have at least one overloaded core. Highest per-core overload: C6 at 4.88% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 4 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.61	0.00	0.61	5	240
1	1.83	0.61	1.22	6	301
2	2.44	1.22	1.22	7	282
3	0.61	0.00	0.61	5	204
4	3.05	0.00	3.05	7	276
5	4.27	0.00	4.27	6	299
6	4.88	0.00	4.88	6	328
7	3.05	0.00	3.05	5	267
8	1.22	0.00	1.22	5	212
9	3.05	1.22	1.83	5	248
10	1.83	0.00	1.83	6	250
11	2.44	0.00	2.44	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 17.68% of active layers have at least one overloaded core. Highest per-core overload: C6 at 4.88% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 4 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.61	0.00	0.61	5	240
1	1.83	0.61	1.22	6	301
2	2.44	1.22	1.22	7	282
3	0.61	0.00	0.61	5	204
4	3.05	0.00	3.05	7	276
5	4.27	0.00	4.27	6	299
6	4.88	0.00	4.88	6	328
7	3.05	0.00	3.05	5	267
8	1.22	0.00	1.22	5	212
9	3.05	1.22	1.83	5	248
10	1.83	0.00	1.83	6	250
11	2.44	0.00	2.44	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 17.68% of active layers have at least one overloaded core. Highest per-core overload: C6 at 4.88% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 6 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.61	0.00	0.61	7	282
3	0.00	0.00	0.00	5	204
4	0.61	0.00	0.61	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 1.22% of active layers have at least one overloaded core. Highest per-core overload: C2 at 0.61% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 6 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.61	0.00	0.61	7	282
3	0.00	0.00	0.00	5	204
4	0.61	0.00	0.61	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 1.22% of active layers have at least one overloaded core. Highest per-core overload: C2 at 0.61% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 6 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.61	0.00	0.61	7	282
3	0.00	0.00	0.00	5	204
4	0.61	0.00	0.61	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 1.22% of active layers have at least one overloaded core. Highest per-core overload: C2 at 0.61% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 8 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.00	0.00	0.00	7	282
3	0.00	0.00	0.00	5	204
4	0.00	0.00	0.00	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 8 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.00	0.00	0.00	7	282
3	0.00	0.00	0.00	5	204
4	0.00	0.00	0.00	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 8 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.00	0.00	0.00	7	282
3	0.00	0.00	0.00	5	204
4	0.00	0.00	0.00	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 16 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.00	0.00	0.00	7	282
3	0.00	0.00	0.00	5	204
4	0.00	0.00	0.00	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 16 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.00	0.00	0.00	7	282
3	0.00	0.00	0.00	5	204
4	0.00	0.00	0.00	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 16 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.00	0.00	0.00	7	282
3	0.00	0.00	0.00	5	204
4	0.00	0.00	0.00	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 32 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.00	0.00	0.00	7	282
3	0.00	0.00	0.00	5	204
4	0.00	0.00	0.00	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed42__cap32__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 32 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.00	0.00	0.00	7	282
3	0.00	0.00	0.00	5	204
4	0.00	0.00	0.00	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed43__cap32__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / xy | route counting

Capacity 32 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	240
1	0.00	0.00	0.00	6	301
2	0.00	0.00	0.00	7	282
3	0.00	0.00	0.00	5	204
4	0.00	0.00	0.00	7	276
5	0.00	0.00	0.00	6	299
6	0.00	0.00	0.00	6	328
7	0.00	0.00	0.00	5	267
8	0.00	0.00	0.00	5	212
9	0.00	0.00	0.00	5	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	5	226
12	0.00	0.00	0.00	4	138
13	0.00	0.00	0.00	4	212
14	0.00	0.00	0.00	4	205
15	0.00	0.00	0.00	4	167

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__xy__seed44__cap32__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 2 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	23.17	9.15	14.02	6	280
1	44.51	7.32	37.20	9	398
2	41.46	9.76	31.71	10	394
3	20.12	9.15	10.98	7	228
4	43.29	12.20	31.10	7	388
5	49.39	5.49	43.90	13	482
6	53.05	10.37	42.68	10	496
7	38.41	6.71	31.71	8	349
8	28.66	5.49	23.17	7	271
9	34.76	5.49	29.27	13	368
10	35.37	2.44	32.93	11	376
11	34.15	6.10	28.05	9	318
12	11.59	3.66	7.93	6	160
13	31.10	6.10	25.00	8	294
14	26.22	4.27	21.95	7	292
15	18.29	5.49	12.80	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 82.93% of active layers have at least one overloaded core. Highest per-core overload: C6 at 53.05% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 2 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	23.17	9.15	14.02	6	280
1	44.51	7.32	37.20	9	398
2	41.46	9.76	31.71	10	394
3	20.12	9.15	10.98	7	228
4	43.29	12.20	31.10	7	388
5	49.39	5.49	43.90	13	482
6	53.05	10.37	42.68	10	496
7	38.41	6.71	31.71	8	349
8	28.66	5.49	23.17	7	271
9	34.76	5.49	29.27	13	368
10	35.37	2.44	32.93	11	376
11	34.15	6.10	28.05	9	318
12	11.59	3.66	7.93	6	160
13	31.10	6.10	25.00	8	294
14	26.22	4.27	21.95	7	292
15	18.29	5.49	12.80	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 82.93% of active layers have at least one overloaded core. Highest per-core overload: C6 at 53.05% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 2 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	23.17	9.15	14.02	6	280
1	44.51	7.32	37.20	9	398
2	41.46	9.76	31.71	10	394
3	20.12	9.15	10.98	7	228
4	43.29	12.20	31.10	7	388
5	49.39	5.49	43.90	13	482
6	53.05	10.37	42.68	10	496
7	38.41	6.71	31.71	8	349
8	28.66	5.49	23.17	7	271
9	34.76	5.49	29.27	13	368
10	35.37	2.44	32.93	11	376
11	34.15	6.10	28.05	9	318
12	11.59	3.66	7.93	6	160
13	31.10	6.10	25.00	8	294
14	26.22	4.27	21.95	7	292
15	18.29	5.49	12.80	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 82.93% of active layers have at least one overloaded core. Highest per-core overload: C6 at 53.05% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 3 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	11.59	0.00	11.59	6	280
1	26.22	0.61	25.61	9	398
2	30.49	2.44	28.05	10	394
3	8.54	1.22	7.32	7	228
4	25.00	1.83	23.17	7	388
5	38.41	0.00	38.41	13	482
6	40.85	1.22	39.63	10	496
7	24.39	0.61	23.78	8	349
8	16.46	0.00	16.46	7	271
9	24.39	1.83	22.56	13	368
10	23.78	0.00	23.78	11	376
11	21.95	0.00	21.95	9	318
12	4.27	0.00	4.27	6	160
13	14.02	0.00	14.02	8	294
14	20.12	1.22	18.90	7	292
15	7.93	1.83	6.10	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 75.61% of active layers have at least one overloaded core. Highest per-core overload: C6 at 40.85% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 3 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	11.59	0.00	11.59	6	280
1	26.22	0.61	25.61	9	398
2	30.49	2.44	28.05	10	394
3	8.54	1.22	7.32	7	228
4	25.00	1.83	23.17	7	388
5	38.41	0.00	38.41	13	482
6	40.85	1.22	39.63	10	496
7	24.39	0.61	23.78	8	349
8	16.46	0.00	16.46	7	271
9	24.39	1.83	22.56	13	368
10	23.78	0.00	23.78	11	376
11	21.95	0.00	21.95	9	318
12	4.27	0.00	4.27	6	160
13	14.02	0.00	14.02	8	294
14	20.12	1.22	18.90	7	292
15	7.93	1.83	6.10	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 75.61% of active layers have at least one overloaded core. Highest per-core overload: C6 at 40.85% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 3 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	11.59	0.00	11.59	6	280
1	26.22	0.61	25.61	9	398
2	30.49	2.44	28.05	10	394
3	8.54	1.22	7.32	7	228
4	25.00	1.83	23.17	7	388
5	38.41	0.00	38.41	13	482
6	40.85	1.22	39.63	10	496
7	24.39	0.61	23.78	8	349
8	16.46	0.00	16.46	7	271
9	24.39	1.83	22.56	13	368
10	23.78	0.00	23.78	11	376
11	21.95	0.00	21.95	9	318
12	4.27	0.00	4.27	6	160
13	14.02	0.00	14.02	8	294
14	20.12	1.22	18.90	7	292
15	7.93	1.83	6.10	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 75.61% of active layers have at least one overloaded core. Highest per-core overload: C6 at 40.85% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 4 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	6.10	0.00	6.10	6	280
1	16.46	0.61	15.85	9	398
2	15.24	1.22	14.02	10	394
3	2.44	0.00	2.44	7	228
4	14.02	0.00	14.02	7	388
5	26.22	0.00	26.22	13	482
6	25.61	0.00	25.61	10	496
7	12.20	0.00	12.20	8	349
8	5.49	0.00	5.49	7	271
9	14.02	1.22	12.80	13	368
10	12.80	0.00	12.80	11	376
11	10.37	0.00	10.37	9	318
12	1.22	0.00	1.22	6	160
13	5.49	0.00	5.49	8	294
14	8.54	0.00	8.54	7	292
15	1.83	0.00	1.83	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 54.27% of active layers have at least one overloaded core. Highest per-core overload: C5 at 26.22% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 4 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	6.10	0.00	6.10	6	280
1	16.46	0.61	15.85	9	398
2	15.24	1.22	14.02	10	394
3	2.44	0.00	2.44	7	228
4	14.02	0.00	14.02	7	388
5	26.22	0.00	26.22	13	482
6	25.61	0.00	25.61	10	496
7	12.20	0.00	12.20	8	349
8	5.49	0.00	5.49	7	271
9	14.02	1.22	12.80	13	368
10	12.80	0.00	12.80	11	376
11	10.37	0.00	10.37	9	318
12	1.22	0.00	1.22	6	160
13	5.49	0.00	5.49	8	294
14	8.54	0.00	8.54	7	292
15	1.83	0.00	1.83	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 54.27% of active layers have at least one overloaded core. Highest per-core overload: C5 at 26.22% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 4 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	6.10	0.00	6.10	6	280
1	16.46	0.61	15.85	9	398
2	15.24	1.22	14.02	10	394
3	2.44	0.00	2.44	7	228
4	14.02	0.00	14.02	7	388
5	26.22	0.00	26.22	13	482
6	25.61	0.00	25.61	10	496
7	12.20	0.00	12.20	8	349
8	5.49	0.00	5.49	7	271
9	14.02	1.22	12.80	13	368
10	12.80	0.00	12.80	11	376
11	10.37	0.00	10.37	9	318
12	1.22	0.00	1.22	6	160
13	5.49	0.00	5.49	8	294
14	8.54	0.00	8.54	7	292
15	1.83	0.00	1.83	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 54.27% of active layers have at least one overloaded core. Highest per-core overload: C5 at 26.22% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 6 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	3.05	0.00	3.05	9	398
2	3.66	0.00	3.66	10	394
3	1.22	0.00	1.22	7	228
4	1.22	0.00	1.22	7	388
5	9.15	0.00	9.15	13	482
6	10.37	0.00	10.37	10	496
7	2.44	0.00	2.44	8	349
8	0.61	0.00	0.61	7	271
9	4.27	0.00	4.27	13	368
10	3.05	0.00	3.05	11	376
11	3.05	0.00	3.05	9	318
12	0.00	0.00	0.00	6	160
13	1.83	0.00	1.83	8	294
14	0.61	0.00	0.61	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 26.22% of active layers have at least one overloaded core. Highest per-core overload: C6 at 10.37% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 6 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	3.05	0.00	3.05	9	398
2	3.66	0.00	3.66	10	394
3	1.22	0.00	1.22	7	228
4	1.22	0.00	1.22	7	388
5	9.15	0.00	9.15	13	482
6	10.37	0.00	10.37	10	496
7	2.44	0.00	2.44	8	349
8	0.61	0.00	0.61	7	271
9	4.27	0.00	4.27	13	368
10	3.05	0.00	3.05	11	376
11	3.05	0.00	3.05	9	318
12	0.00	0.00	0.00	6	160
13	1.83	0.00	1.83	8	294
14	0.61	0.00	0.61	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 26.22% of active layers have at least one overloaded core. Highest per-core overload: C6 at 10.37% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 6 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	3.05	0.00	3.05	9	398
2	3.66	0.00	3.66	10	394
3	1.22	0.00	1.22	7	228
4	1.22	0.00	1.22	7	388
5	9.15	0.00	9.15	13	482
6	10.37	0.00	10.37	10	496
7	2.44	0.00	2.44	8	349
8	0.61	0.00	0.61	7	271
9	4.27	0.00	4.27	13	368
10	3.05	0.00	3.05	11	376
11	3.05	0.00	3.05	9	318
12	0.00	0.00	0.00	6	160
13	1.83	0.00	1.83	8	294
14	0.61	0.00	0.61	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 26.22% of active layers have at least one overloaded core. Highest per-core overload: C6 at 10.37% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 8 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.61	0.00	0.61	9	398
2	2.44	0.00	2.44	10	394
3	0.00	0.00	0.00	7	228
4	0.00	0.00	0.00	7	388
5	1.83	0.00	1.83	13	482
6	3.05	0.00	3.05	10	496
7	0.00	0.00	0.00	8	349
8	0.00	0.00	0.00	7	271
9	1.22	0.00	1.22	13	368
10	0.61	0.00	0.61	11	376
11	0.61	0.00	0.61	9	318
12	0.00	0.00	0.00	6	160
13	0.00	0.00	0.00	8	294
14	0.00	0.00	0.00	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 7.93% of active layers have at least one overloaded core. Highest per-core overload: C6 at 3.05% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 8 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.61	0.00	0.61	9	398
2	2.44	0.00	2.44	10	394
3	0.00	0.00	0.00	7	228
4	0.00	0.00	0.00	7	388
5	1.83	0.00	1.83	13	482
6	3.05	0.00	3.05	10	496
7	0.00	0.00	0.00	8	349
8	0.00	0.00	0.00	7	271
9	1.22	0.00	1.22	13	368
10	0.61	0.00	0.61	11	376
11	0.61	0.00	0.61	9	318
12	0.00	0.00	0.00	6	160
13	0.00	0.00	0.00	8	294
14	0.00	0.00	0.00	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 7.93% of active layers have at least one overloaded core. Highest per-core overload: C6 at 3.05% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 8 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.61	0.00	0.61	9	398
2	2.44	0.00	2.44	10	394
3	0.00	0.00	0.00	7	228
4	0.00	0.00	0.00	7	388
5	1.83	0.00	1.83	13	482
6	3.05	0.00	3.05	10	496
7	0.00	0.00	0.00	8	349
8	0.00	0.00	0.00	7	271
9	1.22	0.00	1.22	13	368
10	0.61	0.00	0.61	11	376
11	0.61	0.00	0.61	9	318
12	0.00	0.00	0.00	6	160
13	0.00	0.00	0.00	8	294
14	0.00	0.00	0.00	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 7.93% of active layers have at least one overloaded core. Highest per-core overload: C6 at 3.05% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 16 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.00	0.00	0.00	9	398
2	0.00	0.00	0.00	10	394
3	0.00	0.00	0.00	7	228
4	0.00	0.00	0.00	7	388
5	0.00	0.00	0.00	13	482
6	0.00	0.00	0.00	10	496
7	0.00	0.00	0.00	8	349
8	0.00	0.00	0.00	7	271
9	0.00	0.00	0.00	13	368
10	0.00	0.00	0.00	11	376
11	0.00	0.00	0.00	9	318
12	0.00	0.00	0.00	6	160
13	0.00	0.00	0.00	8	294
14	0.00	0.00	0.00	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap16__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 16 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.00	0.00	0.00	9	398
2	0.00	0.00	0.00	10	394
3	0.00	0.00	0.00	7	228
4	0.00	0.00	0.00	7	388
5	0.00	0.00	0.00	13	482
6	0.00	0.00	0.00	10	496
7	0.00	0.00	0.00	8	349
8	0.00	0.00	0.00	7	271
9	0.00	0.00	0.00	13	368
10	0.00	0.00	0.00	11	376
11	0.00	0.00	0.00	9	318
12	0.00	0.00	0.00	6	160
13	0.00	0.00	0.00	8	294
14	0.00	0.00	0.00	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap16__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 16 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.00	0.00	0.00	9	398
2	0.00	0.00	0.00	10	394
3	0.00	0.00	0.00	7	228
4	0.00	0.00	0.00	7	388
5	0.00	0.00	0.00	13	482
6	0.00	0.00	0.00	10	496
7	0.00	0.00	0.00	8	349
8	0.00	0.00	0.00	7	271
9	0.00	0.00	0.00	13	368
10	0.00	0.00	0.00	11	376
11	0.00	0.00	0.00	9	318
12	0.00	0.00	0.00	6	160
13	0.00	0.00	0.00	8	294
14	0.00	0.00	0.00	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap16__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 32 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.00	0.00	0.00	9	398
2	0.00	0.00	0.00	10	394
3	0.00	0.00	0.00	7	228
4	0.00	0.00	0.00	7	388
5	0.00	0.00	0.00	13	482
6	0.00	0.00	0.00	10	496
7	0.00	0.00	0.00	8	349
8	0.00	0.00	0.00	7	271
9	0.00	0.00	0.00	13	368
10	0.00	0.00	0.00	11	376
11	0.00	0.00	0.00	9	318
12	0.00	0.00	0.00	6	160
13	0.00	0.00	0.00	8	294
14	0.00	0.00	0.00	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap32__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 32 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.00	0.00	0.00	9	398
2	0.00	0.00	0.00	10	394
3	0.00	0.00	0.00	7	228
4	0.00	0.00	0.00	7	388
5	0.00	0.00	0.00	13	482
6	0.00	0.00	0.00	10	496
7	0.00	0.00	0.00	8	349
8	0.00	0.00	0.00	7	271
9	0.00	0.00	0.00	13	368
10	0.00	0.00	0.00	11	376
11	0.00	0.00	0.00	9	318
12	0.00	0.00	0.00	6	160
13	0.00	0.00	0.00	8	294
14	0.00	0.00	0.00	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap32__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | hop counting

Capacity 32 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.00	0.00	0.00	9	398
2	0.00	0.00	0.00	10	394
3	0.00	0.00	0.00	7	228
4	0.00	0.00	0.00	7	388
5	0.00	0.00	0.00	13	482
6	0.00	0.00	0.00	10	496
7	0.00	0.00	0.00	8	349
8	0.00	0.00	0.00	7	271
9	0.00	0.00	0.00	13	368
10	0.00	0.00	0.00	11	376
11	0.00	0.00	0.00	9	318
12	0.00	0.00	0.00	6	160
13	0.00	0.00	0.00	8	294
14	0.00	0.00	0.00	7	292
15	0.00	0.00	0.00	6	202

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap32__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 2 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	15.85	9.15	6.71	4	236
1	27.44	7.32	20.12	7	288
2	29.27	9.76	19.51	8	284
3	14.02	9.15	4.88	5	196
4	26.83	12.20	14.63	5	285
5	34.15	5.49	28.66	7	303
6	37.80	10.37	27.44	7	337
7	27.44	6.71	20.73	5	261
8	16.46	5.49	10.98	4	207
9	21.95	5.49	16.46	8	248
10	16.46	2.44	14.02	6	250
11	20.12	6.10	14.02	6	229
12	7.32	3.66	3.66	4	137
13	17.68	6.10	11.59	5	216
14	16.46	4.27	12.20	5	206
15	10.98	5.49	5.49	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 71.34% of active layers have at least one overloaded core. Highest per-core overload: C6 at 37.80% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 2 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	15.85	9.15	6.71	4	236
1	27.44	7.32	20.12	7	288
2	29.27	9.76	19.51	8	284
3	14.02	9.15	4.88	5	196
4	26.83	12.20	14.63	5	285
5	34.15	5.49	28.66	7	303
6	37.80	10.37	27.44	7	337
7	27.44	6.71	20.73	5	261
8	16.46	5.49	10.98	4	207
9	21.95	5.49	16.46	8	248
10	16.46	2.44	14.02	6	250
11	20.12	6.10	14.02	6	229
12	7.32	3.66	3.66	4	137
13	17.68	6.10	11.59	5	216
14	16.46	4.27	12.20	5	206
15	10.98	5.49	5.49	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 71.34% of active layers have at least one overloaded core. Highest per-core overload: C6 at 37.80% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 2 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	15.85	9.15	6.71	4	236
1	27.44	7.32	20.12	7	288
2	29.27	9.76	19.51	8	284
3	14.02	9.15	4.88	5	196
4	26.83	12.20	14.63	5	285
5	34.15	5.49	28.66	7	303
6	37.80	10.37	27.44	7	337
7	27.44	6.71	20.73	5	261
8	16.46	5.49	10.98	4	207
9	21.95	5.49	16.46	8	248
10	16.46	2.44	14.02	6	250
11	20.12	6.10	14.02	6	229
12	7.32	3.66	3.66	4	137
13	17.68	6.10	11.59	5	216
14	16.46	4.27	12.20	5	206
15	10.98	5.49	5.49	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 71.34% of active layers have at least one overloaded core. Highest per-core overload: C6 at 37.80% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 3 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	4.88	0.00	4.88	4	236
1	11.59	0.61	10.98	7	288
2	10.98	2.44	8.54	8	284
3	3.66	1.22	2.44	5	196
4	10.98	1.83	9.15	5	285
5	15.24	0.00	15.24	7	303
6	18.29	1.22	17.07	7	337
7	8.54	0.61	7.93	5	261
8	3.66	0.00	3.66	4	207
9	8.54	1.83	6.71	8	248
10	6.10	0.00	6.10	6	250
11	6.10	0.00	6.10	6	229
12	1.22	0.00	1.22	4	137
13	3.05	0.00	3.05	5	216
14	3.66	1.22	2.44	5	206
15	3.05	1.83	1.22	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 45.12% of active layers have at least one overloaded core. Highest per-core overload: C6 at 18.29% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 3 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	4.88	0.00	4.88	4	236
1	11.59	0.61	10.98	7	288
2	10.98	2.44	8.54	8	284
3	3.66	1.22	2.44	5	196
4	10.98	1.83	9.15	5	285
5	15.24	0.00	15.24	7	303
6	18.29	1.22	17.07	7	337
7	8.54	0.61	7.93	5	261
8	3.66	0.00	3.66	4	207
9	8.54	1.83	6.71	8	248
10	6.10	0.00	6.10	6	250
11	6.10	0.00	6.10	6	229
12	1.22	0.00	1.22	4	137
13	3.05	0.00	3.05	5	216
14	3.66	1.22	2.44	5	206
15	3.05	1.83	1.22	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 45.12% of active layers have at least one overloaded core. Highest per-core overload: C6 at 18.29% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 3 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	4.88	0.00	4.88	4	236
1	11.59	0.61	10.98	7	288
2	10.98	2.44	8.54	8	284
3	3.66	1.22	2.44	5	196
4	10.98	1.83	9.15	5	285
5	15.24	0.00	15.24	7	303
6	18.29	1.22	17.07	7	337
7	8.54	0.61	7.93	5	261
8	3.66	0.00	3.66	4	207
9	8.54	1.83	6.71	8	248
10	6.10	0.00	6.10	6	250
11	6.10	0.00	6.10	6	229
12	1.22	0.00	1.22	4	137
13	3.05	0.00	3.05	5	216
14	3.66	1.22	2.44	5	206
15	3.05	1.83	1.22	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 45.12% of active layers have at least one overloaded core. Highest per-core overload: C6 at 18.29% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 4 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	2.44	0.61	1.83	7	288
2	4.88	1.22	3.66	8	284
3	0.61	0.00	0.61	5	196
4	1.83	0.00	1.83	5	285
5	5.49	0.00	5.49	7	303
6	7.93	0.00	7.93	7	337
7	2.44	0.00	2.44	5	261
8	0.00	0.00	0.00	4	207
9	3.66	1.22	2.44	8	248
10	3.05	0.00	3.05	6	250
11	1.83	0.00	1.83	6	229
12	0.00	0.00	0.00	4	137
13	0.61	0.00	0.61	5	216
14	1.22	0.00	1.22	5	206
15	0.61	0.00	0.61	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 24.39% of active layers have at least one overloaded core. Highest per-core overload: C6 at 7.93% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 4 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	2.44	0.61	1.83	7	288
2	4.88	1.22	3.66	8	284
3	0.61	0.00	0.61	5	196
4	1.83	0.00	1.83	5	285
5	5.49	0.00	5.49	7	303
6	7.93	0.00	7.93	7	337
7	2.44	0.00	2.44	5	261
8	0.00	0.00	0.00	4	207
9	3.66	1.22	2.44	8	248
10	3.05	0.00	3.05	6	250
11	1.83	0.00	1.83	6	229
12	0.00	0.00	0.00	4	137
13	0.61	0.00	0.61	5	216
14	1.22	0.00	1.22	5	206
15	0.61	0.00	0.61	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 24.39% of active layers have at least one overloaded core. Highest per-core overload: C6 at 7.93% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 4 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	2.44	0.61	1.83	7	288
2	4.88	1.22	3.66	8	284
3	0.61	0.00	0.61	5	196
4	1.83	0.00	1.83	5	285
5	5.49	0.00	5.49	7	303
6	7.93	0.00	7.93	7	337
7	2.44	0.00	2.44	5	261
8	0.00	0.00	0.00	4	207
9	3.66	1.22	2.44	8	248
10	3.05	0.00	3.05	6	250
11	1.83	0.00	1.83	6	229
12	0.00	0.00	0.00	4	137
13	0.61	0.00	0.61	5	216
14	1.22	0.00	1.22	5	206
15	0.61	0.00	0.61	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 24.39% of active layers have at least one overloaded core. Highest per-core overload: C6 at 7.93% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 6 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.61	0.00	0.61	7	288
2	1.22	0.00	1.22	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.61	0.00	0.61	7	303
6	1.22	0.00	1.22	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	1.22	0.00	1.22	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 4.27% of active layers have at least one overloaded core. Highest per-core overload: C2 at 1.22% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 6 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.61	0.00	0.61	7	288
2	1.22	0.00	1.22	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.61	0.00	0.61	7	303
6	1.22	0.00	1.22	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	1.22	0.00	1.22	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 4.27% of active layers have at least one overloaded core. Highest per-core overload: C2 at 1.22% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 6 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.61	0.00	0.61	7	288
2	1.22	0.00	1.22	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.61	0.00	0.61	7	303
6	1.22	0.00	1.22	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	1.22	0.00	1.22	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 4.27% of active layers have at least one overloaded core. Highest per-core overload: C2 at 1.22% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 8 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.00	0.00	0.00	7	288
2	0.00	0.00	0.00	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.00	0.00	0.00	7	303
6	0.00	0.00	0.00	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	0.00	0.00	0.00	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 8 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.00	0.00	0.00	7	288
2	0.00	0.00	0.00	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.00	0.00	0.00	7	303
6	0.00	0.00	0.00	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	0.00	0.00	0.00	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 8 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.00	0.00	0.00	7	288
2	0.00	0.00	0.00	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.00	0.00	0.00	7	303
6	0.00	0.00	0.00	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	0.00	0.00	0.00	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 16 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.00	0.00	0.00	7	288
2	0.00	0.00	0.00	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.00	0.00	0.00	7	303
6	0.00	0.00	0.00	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	0.00	0.00	0.00	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 16 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.00	0.00	0.00	7	288
2	0.00	0.00	0.00	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.00	0.00	0.00	7	303
6	0.00	0.00	0.00	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	0.00	0.00	0.00	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 16 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.00	0.00	0.00	7	288
2	0.00	0.00	0.00	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.00	0.00	0.00	7	303
6	0.00	0.00	0.00	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	0.00	0.00	0.00	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 32 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.00	0.00	0.00	7	288
2	0.00	0.00	0.00	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.00	0.00	0.00	7	303
6	0.00	0.00	0.00	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	0.00	0.00	0.00	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed42__cap32__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 32 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.00	0.00	0.00	7	288
2	0.00	0.00	0.00	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.00	0.00	0.00	7	303
6	0.00	0.00	0.00	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	0.00	0.00	0.00	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed43__cap32__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / yx | route counting

Capacity 32 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	236
1	0.00	0.00	0.00	7	288
2	0.00	0.00	0.00	8	284
3	0.00	0.00	0.00	5	196
4	0.00	0.00	0.00	5	285
5	0.00	0.00	0.00	7	303
6	0.00	0.00	0.00	7	337
7	0.00	0.00	0.00	5	261
8	0.00	0.00	0.00	4	207
9	0.00	0.00	0.00	8	248
10	0.00	0.00	0.00	6	250
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	4	137
13	0.00	0.00	0.00	5	216
14	0.00	0.00	0.00	5	206
15	0.00	0.00	0.00	5	172

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__yx__seed44__cap32__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 2 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	9.15	9.15	0.00	3	192
1	44.51	7.32	37.20	8	406
2	53.05	9.76	43.29	12	512
3	9.15	9.15	0.00	4	164
4	32.32	12.20	20.12	6	304
5	52.44	5.49	46.95	9	478
6	60.37	10.37	50.00	14	596
7	31.10	6.71	24.39	7	315
8	10.37	5.49	4.88	4	163
9	57.93	5.49	52.44	13	606
10	54.88	2.44	52.44	13	562
11	33.54	6.10	27.44	7	300
12	3.66	3.66	0.00	3	114
13	33.54	6.10	27.44	6	284
14	7.93	4.27	3.66	5	158
15	5.49	5.49	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 85.98% of active layers have at least one overloaded core. Highest per-core overload: C6 at 60.37% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed42__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 2 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	31.71	9.15	22.56	6	316
1	27.44	7.32	20.12	7	276
2	23.78	9.76	14.02	6	260
3	22.56	9.15	13.41	7	242
4	48.17	12.20	35.98	8	418
5	44.51	5.49	39.02	10	406
6	61.59	10.37	51.22	14	660
7	44.51	6.71	37.80	10	405
8	34.76	5.49	29.27	8	331
9	38.41	5.49	32.93	11	380
10	52.44	2.44	50.00	13	560
11	33.54	6.10	27.44	7	300
12	3.66	3.66	0.00	3	114
13	15.85	6.10	9.76	5	184
14	20.12	4.27	15.85	6	258
15	13.41	5.49	7.93	6	186

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 84.76% of active layers have at least one overloaded core. Highest per-core overload: C6 at 61.59% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed43__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 2 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	9.15	9.15	0.00	3	192
1	50.61	7.32	43.29	10	464
2	46.95	9.76	37.20	12	440
3	28.66	9.15	19.51	7	290
4	50.00	12.20	37.80	9	440
5	62.80	5.49	57.32	13	632
6	40.85	10.37	30.49	8	376
7	23.78	6.71	17.07	7	281
8	28.66	5.49	23.17	6	263
9	51.83	5.49	46.34	11	506
10	52.44	2.44	50.00	10	514
11	17.07	6.10	10.98	5	206
12	3.66	3.66	0.00	3	114
13	15.85	6.10	9.76	5	184
14	23.78	4.27	19.51	6	252
15	5.49	5.49	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 82.93% of active layers have at least one overloaded core. Highest per-core overload: C5 at 62.80% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed44__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 3 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	31.71	0.61	31.10	8	406
2	45.12	2.44	42.68	12	512
3	1.22	1.22	0.00	4	164
4	12.80	1.83	10.98	6	304
5	38.41	0.00	38.41	9	478
6	48.78	1.22	47.56	14	596
7	21.34	0.61	20.73	7	315
8	1.83	0.00	1.83	4	163
9	51.22	1.83	49.39	13	606
10	45.73	0.00	45.73	13	562
11	18.29	0.00	18.29	7	300
12	0.00	0.00	0.00	3	114
13	14.63	0.00	14.63	6	284
14	3.05	1.22	1.83	5	158
15	1.83	1.83	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 79.27% of active layers have at least one overloaded core. Highest per-core overload: C9 at 51.22% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed42__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 3 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	15.85	0.00	15.85	6	316
1	10.98	0.61	10.37	7	276
2	11.59	2.44	9.15	6	260
3	12.80	1.22	11.59	7	242
4	30.49	1.83	28.66	8	418
5	31.71	0.00	31.71	10	406
6	53.05	1.22	51.83	14	660
7	33.54	0.61	32.93	10	405
8	23.78	0.00	23.78	8	331
9	27.44	1.83	25.61	11	380
10	42.68	0.00	42.68	13	560
11	18.29	0.00	18.29	7	300
12	0.00	0.00	0.00	3	114
13	5.49	0.00	5.49	5	184
14	13.41	1.22	12.20	6	258
15	6.10	1.83	4.27	6	186

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 78.05% of active layers have at least one overloaded core. Highest per-core overload: C6 at 53.05% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed43__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 3 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	37.20	0.61	36.59	10	464
2	36.59	2.44	34.15	12	440
3	17.07	1.22	15.85	7	290
4	32.32	1.83	30.49	9	440
5	51.83	0.00	51.83	13	632
6	25.61	1.22	24.39	8	376
7	15.85	0.61	15.24	7	281
8	14.63	0.00	14.63	6	263
9	43.29	1.83	41.46	11	506
10	42.07	0.00	42.07	10	514
11	8.54	0.00	8.54	5	206
12	0.00	0.00	0.00	3	114
13	5.49	0.00	5.49	5	184
14	14.63	1.22	13.41	6	252
15	1.83	1.83	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 79.27% of active layers have at least one overloaded core. Highest per-core overload: C5 at 51.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed44__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 4 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	17.68	0.61	17.07	8	406
2	30.49	1.22	29.27	12	512
3	0.00	0.00	0.00	4	164
4	4.27	0.00	4.27	6	304
5	25.61	0.00	25.61	9	478
6	34.76	0.00	34.76	14	596
7	10.37	0.00	10.37	7	315
8	0.00	0.00	0.00	4	163
9	37.80	1.22	36.59	13	606
10	28.66	0.00	28.66	13	562
11	7.93	0.00	7.93	7	300
12	0.00	0.00	0.00	3	114
13	6.71	0.00	6.71	6	284
14	0.61	0.00	0.61	5	158
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 64.63% of active layers have at least one overloaded core. Highest per-core overload: C9 at 37.80% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed42__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 4 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	7.32	0.00	7.32	6	316
1	3.05	0.61	2.44	7	276
2	5.49	1.22	4.27	6	260
3	4.88	0.00	4.88	7	242
4	15.85	0.00	15.85	8	418
5	16.46	0.00	16.46	10	406
6	37.20	0.00	37.20	14	660
7	17.07	0.00	17.07	10	405
8	11.59	0.00	11.59	8	331
9	14.63	1.22	13.41	11	380
10	28.05	0.00	28.05	13	560
11	7.93	0.00	7.93	7	300
12	0.00	0.00	0.00	3	114
13	0.61	0.00	0.61	5	184
14	6.10	0.00	6.10	6	258
15	1.22	0.00	1.22	6	186

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 60.98% of active layers have at least one overloaded core. Highest per-core overload: C6 at 37.20% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed43__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 4 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	23.17	0.61	22.56	10	464
2	21.95	1.22	20.73	12	440
3	7.93	0.00	7.93	7	290
4	17.68	0.00	17.68	9	440
5	37.20	0.00	37.20	13	632
6	12.80	0.00	12.80	8	376
7	7.32	0.00	7.32	7	281
8	7.32	0.00	7.32	6	263
9	26.22	1.22	25.00	11	506
10	25.61	0.00	25.61	10	514
11	4.27	0.00	4.27	5	206
12	0.00	0.00	0.00	3	114
13	0.61	0.00	0.61	5	184
14	3.05	0.00	3.05	6	252
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 60.98% of active layers have at least one overloaded core. Highest per-core overload: C5 at 37.20% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed44__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 6 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	3.05	0.00	3.05	8	406
2	9.76	0.00	9.76	12	512
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	6	304
5	7.32	0.00	7.32	9	478
6	18.90	0.00	18.90	14	596
7	1.83	0.00	1.83	7	315
8	0.00	0.00	0.00	4	163
9	15.24	0.00	15.24	13	606
10	14.02	0.00	14.02	13	562
11	1.22	0.00	1.22	7	300
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	6	284
14	0.00	0.00	0.00	5	158
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 35.98% of active layers have at least one overloaded core. Highest per-core overload: C6 at 18.90% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed42__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 6 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	316
1	0.61	0.00	0.61	7	276
2	0.00	0.00	0.00	6	260
3	1.22	0.00	1.22	7	242
4	2.44	0.00	2.44	8	418
5	3.66	0.00	3.66	10	406
6	21.95	0.00	21.95	14	660
7	5.49	0.00	5.49	10	405
8	1.83	0.00	1.83	8	331
9	2.44	0.00	2.44	11	380
10	14.63	0.00	14.63	13	560
11	1.22	0.00	1.22	7	300
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	184
14	0.00	0.00	0.00	6	258
15	0.00	0.00	0.00	6	186

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 29.88% of active layers have at least one overloaded core. Highest per-core overload: C6 at 21.95% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed43__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 6 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	5.49	0.00	5.49	10	464
2	4.27	0.00	4.27	12	440
3	1.83	0.00	1.83	7	290
4	4.88	0.00	4.88	9	440
5	20.12	0.00	20.12	13	632
6	4.88	0.00	4.88	8	376
7	1.22	0.00	1.22	7	281
8	0.00	0.00	0.00	6	263
9	8.54	0.00	8.54	11	506
10	9.15	0.00	9.15	10	514
11	0.00	0.00	0.00	5	206
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	184
14	0.00	0.00	0.00	6	252
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 30.49% of active layers have at least one overloaded core. Highest per-core overload: C5 at 20.12% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed44__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 8 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	8	406
2	1.83	0.00	1.83	12	512
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	6	304
5	0.61	0.00	0.61	9	478
6	5.49	0.00	5.49	14	596
7	0.00	0.00	0.00	7	315
8	0.00	0.00	0.00	4	163
9	4.88	0.00	4.88	13	606
10	6.10	0.00	6.10	13	562
11	0.00	0.00	0.00	7	300
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	6	284
14	0.00	0.00	0.00	5	158
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 12.20% of active layers have at least one overloaded core. Highest per-core overload: C10 at 6.10% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed42__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 8 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	316
1	0.00	0.00	0.00	7	276
2	0.00	0.00	0.00	6	260
3	0.00	0.00	0.00	7	242
4	0.00	0.00	0.00	8	418
5	1.22	0.00	1.22	10	406
6	10.37	0.00	10.37	14	660
7	2.44	0.00	2.44	10	405
8	0.00	0.00	0.00	8	331
9	1.22	0.00	1.22	11	380
10	6.71	0.00	6.71	13	560
11	0.00	0.00	0.00	7	300
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	184
14	0.00	0.00	0.00	6	258
15	0.00	0.00	0.00	6	186

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 15.85% of active layers have at least one overloaded core. Highest per-core overload: C6 at 10.37% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed43__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 8 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	1.83	0.00	1.83	10	464
2	1.22	0.00	1.22	12	440
3	0.00	0.00	0.00	7	290
4	0.61	0.00	0.61	9	440
5	7.93	0.00	7.93	13	632
6	0.00	0.00	0.00	8	376
7	0.00	0.00	0.00	7	281
8	0.00	0.00	0.00	6	263
9	2.44	0.00	2.44	11	506
10	2.44	0.00	2.44	10	514
11	0.00	0.00	0.00	5	206
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	184
14	0.00	0.00	0.00	6	252
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 10.37% of active layers have at least one overloaded core. Highest per-core overload: C5 at 7.93% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed44__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 16 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	8	406
2	0.00	0.00	0.00	12	512
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	6	304
5	0.00	0.00	0.00	9	478
6	0.00	0.00	0.00	14	596
7	0.00	0.00	0.00	7	315
8	0.00	0.00	0.00	4	163
9	0.00	0.00	0.00	13	606
10	0.00	0.00	0.00	13	562
11	0.00	0.00	0.00	7	300
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	6	284
14	0.00	0.00	0.00	5	158
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__shortest_reliable__seed42__cap16__hop.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 16 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	316
1	0.00	0.00	0.00	7	276
2	0.00	0.00	0.00	6	260
3	0.00	0.00	0.00	7	242
4	0.00	0.00	0.00	8	418
5	0.00	0.00	0.00	10	406
6	0.00	0.00	0.00	14	660
7	0.00	0.00	0.00	10	405
8	0.00	0.00	0.00	8	331
9	0.00	0.00	0.00	11	380
10	0.00	0.00	0.00	13	560
11	0.00	0.00	0.00	7	300
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	184
14	0.00	0.00	0.00	6	258
15	0.00	0.00	0.00	6	186

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__shortest_reliable__seed43__cap16__hop.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 16 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	10	464
2	0.00	0.00	0.00	12	440
3	0.00	0.00	0.00	7	290
4	0.00	0.00	0.00	9	440
5	0.00	0.00	0.00	13	632
6	0.00	0.00	0.00	8	376
7	0.00	0.00	0.00	7	281
8	0.00	0.00	0.00	6	263
9	0.00	0.00	0.00	11	506
10	0.00	0.00	0.00	10	514
11	0.00	0.00	0.00	5	206
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	184
14	0.00	0.00	0.00	6	252
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__shortest_reliable__seed44__cap16__hop.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 32 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	8	406
2	0.00	0.00	0.00	12	512
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	6	304
5	0.00	0.00	0.00	9	478
6	0.00	0.00	0.00	14	596
7	0.00	0.00	0.00	7	315
8	0.00	0.00	0.00	4	163
9	0.00	0.00	0.00	13	606
10	0.00	0.00	0.00	13	562
11	0.00	0.00	0.00	7	300
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	6	284
14	0.00	0.00	0.00	5	158
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__shortest_reliable__seed42__cap32__hop.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 32 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	316
1	0.00	0.00	0.00	7	276
2	0.00	0.00	0.00	6	260
3	0.00	0.00	0.00	7	242
4	0.00	0.00	0.00	8	418
5	0.00	0.00	0.00	10	406
6	0.00	0.00	0.00	14	660
7	0.00	0.00	0.00	10	405
8	0.00	0.00	0.00	8	331
9	0.00	0.00	0.00	11	380
10	0.00	0.00	0.00	13	560
11	0.00	0.00	0.00	7	300
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	184
14	0.00	0.00	0.00	6	258
15	0.00	0.00	0.00	6	186

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__shortest_reliable__seed43__cap32__hop.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | hop counting

Capacity 32 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	10	464
2	0.00	0.00	0.00	12	440
3	0.00	0.00	0.00	7	290
4	0.00	0.00	0.00	9	440
5	0.00	0.00	0.00	13	632
6	0.00	0.00	0.00	8	376
7	0.00	0.00	0.00	7	281
8	0.00	0.00	0.00	6	263
9	0.00	0.00	0.00	11	506
10	0.00	0.00	0.00	10	514
11	0.00	0.00	0.00	5	206
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	184
14	0.00	0.00	0.00	6	252
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__shortest_reliable__seed44__cap32__hop.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 2 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	9.15	9.15	0.00	3	192
1	32.93	7.32	25.61	6	292
2	40.24	9.76	30.49	9	343
3	9.15	9.15	0.00	4	164
4	18.29	12.20	6.10	5	243
5	32.32	5.49	26.83	5	301
6	43.29	10.37	32.93	8	387
7	22.56	6.71	15.85	5	244
8	7.32	5.49	1.83	3	153
9	41.46	5.49	35.98	8	367
10	32.93	2.44	30.49	7	343
11	18.29	6.10	12.20	5	220
12	3.66	3.66	0.00	3	114
13	17.07	6.10	10.98	4	211
14	5.49	4.27	1.22	4	139
15	5.49	5.49	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 75.00% of active layers have at least one overloaded core. Highest per-core overload: C6 at 43.29% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed42__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 2 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	20.73	9.15	11.59	4	254
1	17.07	7.32	9.76	6	227
2	16.46	9.76	6.71	6	217
3	17.07	9.15	7.93	5	203
4	31.71	12.20	19.51	6	300
5	25.61	5.49	20.12	6	265
6	47.56	10.37	37.20	8	419
7	34.15	6.71	27.44	6	289
8	21.95	5.49	16.46	5	237
9	24.39	5.49	18.90	7	254
10	32.32	2.44	29.88	7	342
11	18.29	6.10	12.20	5	220
12	3.66	3.66	0.00	3	114
13	10.37	6.10	4.27	4	161
14	12.80	4.27	8.54	5	189
15	9.15	5.49	3.66	4	164

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 71.95% of active layers have at least one overloaded core. Highest per-core overload: C6 at 47.56% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed43__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 2 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	9.15	9.15	0.00	3	192
1	37.80	7.32	30.49	6	321
2	35.98	9.76	26.22	9	307
3	20.12	9.15	10.98	5	227
4	32.32	12.20	20.12	6	311
5	41.46	5.49	35.98	7	378
6	28.05	10.37	17.68	6	277
7	18.29	6.71	11.59	5	227
8	17.07	5.49	11.59	4	203
9	31.71	5.49	26.22	7	317
10	31.10	2.44	28.66	6	319
11	12.20	6.10	6.10	4	173
12	3.66	3.66	0.00	3	114
13	10.37	6.10	4.27	4	161
14	12.20	4.27	7.93	4	186
15	5.49	5.49	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 2, 73.78% of active layers have at least one overloaded core. Highest per-core overload: C5 at 41.46% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed44__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 3 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	9.15	0.61	8.54	6	292
2	21.34	2.44	18.90	9	343
3	1.22	1.22	0.00	4	164
4	4.27	1.83	2.44	5	243
5	15.24	0.00	15.24	5	301
6	26.83	1.22	25.61	8	387
7	6.10	0.61	5.49	5	244
8	0.00	0.00	0.00	3	153
9	23.17	1.83	21.34	8	367
10	18.29	0.00	18.29	7	343
11	4.88	0.00	4.88	5	220
12	0.00	0.00	0.00	3	114
13	4.27	0.00	4.27	4	211
14	1.83	1.22	0.61	4	139
15	1.83	1.83	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 50.00% of active layers have at least one overloaded core. Highest per-core overload: C6 at 26.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed42__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 3 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	5.49	0.00	5.49	4	254
1	2.44	0.61	1.83	6	227
2	4.88	2.44	2.44	6	217
3	4.88	1.22	3.66	5	203
4	9.15	1.83	7.32	6	300
5	8.54	0.00	8.54	6	265
6	26.22	1.22	25.00	8	419
7	11.59	0.61	10.98	6	289
8	7.32	0.00	7.32	5	237
9	8.54	1.83	6.71	7	254
10	18.90	0.00	18.90	7	342
11	4.88	0.00	4.88	5	220
12	0.00	0.00	0.00	3	114
13	0.61	0.00	0.61	4	161
14	3.66	1.22	2.44	5	189
15	3.05	1.83	1.22	4	164

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 48.17% of active layers have at least one overloaded core. Highest per-core overload: C6 at 26.22% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed43__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 3 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	12.20	0.61	11.59	6	321
2	14.02	2.44	11.59	9	307
3	6.71	1.22	5.49	5	227
4	13.41	1.83	11.59	6	311
5	25.61	0.00	25.61	7	378
6	8.54	1.22	7.32	6	277
7	4.27	0.61	3.66	5	227
8	5.49	0.00	5.49	4	203
9	17.07	1.83	15.24	7	317
10	14.02	0.00	14.02	6	319
11	2.44	0.00	2.44	4	173
12	0.00	0.00	0.00	3	114
13	0.61	0.00	0.61	4	161
14	3.05	1.22	1.83	4	186
15	1.83	1.83	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 3, 50.00% of active layers have at least one overloaded core. Highest per-core overload: C5 at 25.61% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed44__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 4 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	1.83	0.61	1.22	6	292
2	7.93	1.22	6.71	9	343
3	0.00	0.00	0.00	4	164
4	1.83	0.00	1.83	5	243
5	3.66	0.00	3.66	5	301
6	14.02	0.00	14.02	8	387
7	1.83	0.00	1.83	5	244
8	0.00	0.00	0.00	3	153
9	11.59	1.22	10.37	8	367
10	9.15	0.00	9.15	7	343
11	1.22	0.00	1.22	5	220
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	211
14	0.00	0.00	0.00	4	139
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 31.10% of active layers have at least one overloaded core. Highest per-core overload: C6 at 14.02% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed42__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 4 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	254
1	0.61	0.61	0.00	6	227
2	1.83	1.22	0.61	6	217
3	1.22	0.00	1.22	5	203
4	2.44	0.00	2.44	6	300
5	2.44	0.00	2.44	6	265
6	18.29	0.00	18.29	8	419
7	4.27	0.00	4.27	6	289
8	1.83	0.00	1.83	5	237
9	3.05	1.22	1.83	7	254
10	10.37	0.00	10.37	7	342
11	1.22	0.00	1.22	5	220
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	161
14	0.61	0.00	0.61	5	189
15	0.00	0.00	0.00	4	164

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 29.27% of active layers have at least one overloaded core. Highest per-core overload: C6 at 18.29% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed43__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 4 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	4.27	0.61	3.66	6	321
2	4.27	1.22	3.05	9	307
3	1.22	0.00	1.22	5	227
4	3.66	0.00	3.66	6	311
5	12.80	0.00	12.80	7	378
6	4.27	0.00	4.27	6	277
7	1.22	0.00	1.22	5	227
8	0.00	0.00	0.00	4	203
9	6.10	1.22	4.88	7	317
10	5.49	0.00	5.49	6	319
11	0.00	0.00	0.00	4	173
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	161
14	0.00	0.00	0.00	4	186
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 4, 26.22% of active layers have at least one overloaded core. Highest per-core overload: C5 at 12.80% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed44__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 6 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	6	292
2	0.61	0.00	0.61	9	343
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	5	243
5	0.00	0.00	0.00	5	301
6	1.83	0.00	1.83	8	387
7	0.00	0.00	0.00	5	244
8	0.00	0.00	0.00	3	153
9	1.83	0.00	1.83	8	367
10	1.83	0.00	1.83	7	343
11	0.00	0.00	0.00	5	220
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	211
14	0.00	0.00	0.00	4	139
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 3.66% of active layers have at least one overloaded core. Highest per-core overload: C6 at 1.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed42__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 6 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	254
1	0.00	0.00	0.00	6	227
2	0.00	0.00	0.00	6	217
3	0.00	0.00	0.00	5	203
4	0.00	0.00	0.00	6	300
5	0.00	0.00	0.00	6	265
6	1.83	0.00	1.83	8	419
7	0.00	0.00	0.00	6	289
8	0.00	0.00	0.00	5	237
9	0.61	0.00	0.61	7	254
10	1.22	0.00	1.22	7	342
11	0.00	0.00	0.00	5	220
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	161
14	0.00	0.00	0.00	5	189
15	0.00	0.00	0.00	4	164

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 2.44% of active layers have at least one overloaded core. Highest per-core overload: C6 at 1.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed43__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 6 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	6	321
2	0.61	0.00	0.61	9	307
3	0.00	0.00	0.00	5	227
4	0.00	0.00	0.00	6	311
5	0.61	0.00	0.61	7	378
6	0.00	0.00	0.00	6	277
7	0.00	0.00	0.00	5	227
8	0.00	0.00	0.00	4	203
9	0.61	0.00	0.61	7	317
10	0.00	0.00	0.00	6	319
11	0.00	0.00	0.00	4	173
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	161
14	0.00	0.00	0.00	4	186
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 6, 1.83% of active layers have at least one overloaded core. Highest per-core overload: C2 at 0.61% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed44__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 8 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	6	292
2	0.61	0.00	0.61	9	343
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	5	243
5	0.00	0.00	0.00	5	301
6	0.00	0.00	0.00	8	387
7	0.00	0.00	0.00	5	244
8	0.00	0.00	0.00	3	153
9	0.00	0.00	0.00	8	367
10	0.00	0.00	0.00	7	343
11	0.00	0.00	0.00	5	220
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	211
14	0.00	0.00	0.00	4	139
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 0.61% of active layers have at least one overloaded core. Highest per-core overload: C2 at 0.61% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed42__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 8 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	254
1	0.00	0.00	0.00	6	227
2	0.00	0.00	0.00	6	217
3	0.00	0.00	0.00	5	203
4	0.00	0.00	0.00	6	300
5	0.00	0.00	0.00	6	265
6	0.00	0.00	0.00	8	419
7	0.00	0.00	0.00	6	289
8	0.00	0.00	0.00	5	237
9	0.00	0.00	0.00	7	254
10	0.00	0.00	0.00	7	342
11	0.00	0.00	0.00	5	220
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	161
14	0.00	0.00	0.00	5	189
15	0.00	0.00	0.00	4	164

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed43__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 8 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	6	321
2	0.61	0.00	0.61	9	307
3	0.00	0.00	0.00	5	227
4	0.00	0.00	0.00	6	311
5	0.00	0.00	0.00	7	378
6	0.00	0.00	0.00	6	277
7	0.00	0.00	0.00	5	227
8	0.00	0.00	0.00	4	203
9	0.00	0.00	0.00	7	317
10	0.00	0.00	0.00	6	319
11	0.00	0.00	0.00	4	173
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	161
14	0.00	0.00	0.00	4	186
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 8, 0.61% of active layers have at least one overloaded core. Highest per-core overload: C2 at 0.61% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed44__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 16 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	6	292
2	0.00	0.00	0.00	9	343
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	5	243
5	0.00	0.00	0.00	5	301
6	0.00	0.00	0.00	8	387
7	0.00	0.00	0.00	5	244
8	0.00	0.00	0.00	3	153
9	0.00	0.00	0.00	8	367
10	0.00	0.00	0.00	7	343
11	0.00	0.00	0.00	5	220
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	211
14	0.00	0.00	0.00	4	139
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed42__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 16 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	254
1	0.00	0.00	0.00	6	227
2	0.00	0.00	0.00	6	217
3	0.00	0.00	0.00	5	203
4	0.00	0.00	0.00	6	300
5	0.00	0.00	0.00	6	265
6	0.00	0.00	0.00	8	419
7	0.00	0.00	0.00	6	289
8	0.00	0.00	0.00	5	237
9	0.00	0.00	0.00	7	254
10	0.00	0.00	0.00	7	342
11	0.00	0.00	0.00	5	220
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	161
14	0.00	0.00	0.00	5	189
15	0.00	0.00	0.00	4	164

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__shortest_reliable__seed43__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 16 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	6	321
2	0.00	0.00	0.00	9	307
3	0.00	0.00	0.00	5	227
4	0.00	0.00	0.00	6	311
5	0.00	0.00	0.00	7	378
6	0.00	0.00	0.00	6	277
7	0.00	0.00	0.00	5	227
8	0.00	0.00	0.00	4	203
9	0.00	0.00	0.00	7	317
10	0.00	0.00	0.00	6	319
11	0.00	0.00	0.00	4	173
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	161
14	0.00	0.00	0.00	4	186
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__shortest_reliable__seed44__cap16__route.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 32 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	6	292
2	0.00	0.00	0.00	9	343
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	5	243
5	0.00	0.00	0.00	5	301
6	0.00	0.00	0.00	8	387
7	0.00	0.00	0.00	5	244
8	0.00	0.00	0.00	3	153
9	0.00	0.00	0.00	8	367
10	0.00	0.00	0.00	7	343
11	0.00	0.00	0.00	5	220
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	211
14	0.00	0.00	0.00	4	139
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__shortest_reliable__seed42__cap32__route.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 32 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	254
1	0.00	0.00	0.00	6	227
2	0.00	0.00	0.00	6	217
3	0.00	0.00	0.00	5	203
4	0.00	0.00	0.00	6	300
5	0.00	0.00	0.00	6	265
6	0.00	0.00	0.00	8	419
7	0.00	0.00	0.00	6	289
8	0.00	0.00	0.00	5	237
9	0.00	0.00	0.00	7	254
10	0.00	0.00	0.00	7	342
11	0.00	0.00	0.00	5	220
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	161
14	0.00	0.00	0.00	5	189
15	0.00	0.00	0.00	4	164

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__shortest_reliable__seed43__cap32__route.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / shortest_reliable | route counting

Capacity 32 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	6	321
2	0.00	0.00	0.00	9	307
3	0.00	0.00	0.00	5	227
4	0.00	0.00	0.00	6	311
5	0.00	0.00	0.00	7	378
6	0.00	0.00	0.00	6	277
7	0.00	0.00	0.00	5	227
8	0.00	0.00	0.00	4	203
9	0.00	0.00	0.00	7	317
10	0.00	0.00	0.00	6	319
11	0.00	0.00	0.00	4	173
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	4	161
14	0.00	0.00	0.00	4	186
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2648 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__shortest_reliable__seed44__cap32__route.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 2 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	9.15	9.15	0.00	3	192
1	7.32	7.32	0.00	5	178
2	45.73	9.76	35.98	12	444
3	9.15	9.15	0.00	4	164
4	51.22	12.20	39.02	8	442
5	64.63	5.49	59.15	12	636
6	68.29	10.37	57.93	18	756
7	31.10	6.71	24.39	7	315
8	5.49	5.49	0.00	3	143
9	81.10	5.49	75.61	18	1086
10	78.05	2.44	75.61	18	988
11	40.24	6.10	34.15	9	338
12	3.66	3.66	0.00	3	114
13	38.41	6.10	32.32	7	338
14	4.27	4.27	0.00	4	120
15	5.49	5.49	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 2, 87.20% of active layers have at least one overloaded core. Highest per-core overload: C9 at 81.10% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 2 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	51.83	9.15	42.68	9	434
1	7.32	7.32	0.00	5	178
2	9.76	9.76	0.00	6	174
3	48.78	9.15	39.63	13	424
4	68.29	12.20	56.10	11	634
5	62.20	5.49	56.71	12	628
6	76.83	10.37	66.46	18	1124
7	64.02	6.71	57.32	16	673
8	35.98	5.49	30.49	8	337
9	36.59	5.49	31.10	11	402
10	69.51	2.44	67.07	20	1006
11	35.98	6.10	29.88	9	318
12	3.66	3.66	0.00	3	114
13	6.10	6.10	0.00	3	138
14	35.37	4.27	31.10	8	382
15	13.41	5.49	7.93	6	186

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 2, 87.20% of active layers have at least one overloaded core. Highest per-core overload: C6 at 76.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 2 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	9.15	9.15	0.00	3	192
1	64.02	7.32	56.71	16	650
2	53.66	9.76	43.90	14	504
3	39.02	9.15	29.88	9	354
4	50.00	12.20	37.80	9	440
5	70.12	5.49	64.63	14	754
6	23.78	10.37	13.41	7	256
7	23.78	6.71	17.07	7	281
8	32.93	5.49	27.44	8	309
9	60.98	5.49	55.49	12	642
10	56.71	2.44	54.27	10	594
11	17.07	6.10	10.98	5	206
12	3.66	3.66	0.00	3	114
13	6.10	6.10	0.00	3	138
14	23.78	4.27	19.51	6	252
15	5.49	5.49	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 2, 83.54% of active layers have at least one overloaded core. Highest per-core overload: C5 at 70.12% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed44__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 3 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.61	0.61	0.00	5	178
2	37.80	2.44	35.37	12	444
3	1.22	1.22	0.00	4	164
4	33.54	1.83	31.71	8	442
5	56.10	0.00	56.10	12	636
6	59.76	1.22	58.54	18	756
7	21.34	0.61	20.73	7	315
8	0.00	0.00	0.00	3	143
9	78.05	1.83	76.22	18	1086
10	73.17	0.00	73.17	18	988
11	23.17	0.00	23.17	9	338
12	0.00	0.00	0.00	3	114
13	20.73	0.00	20.73	7	338
14	1.22	1.22	0.00	4	120
15	1.83	1.83	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 3, 84.76% of active layers have at least one overloaded core. Highest per-core overload: C9 at 78.05% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 3 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	34.76	0.00	34.76	9	434
1	0.61	0.61	0.00	5	178
2	2.44	2.44	0.00	6	174
3	37.80	1.22	36.59	13	424
4	56.10	1.83	54.27	11	634
5	55.49	0.00	55.49	12	628
6	72.56	1.22	71.34	18	1124
7	58.54	0.61	57.93	16	673
8	25.61	0.00	25.61	8	337
9	27.44	1.83	25.61	11	402
10	67.07	0.00	67.07	20	1006
11	20.73	0.00	20.73	9	318
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	31.10	1.22	29.88	8	382
15	6.10	1.83	4.27	6	186

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 3, 83.54% of active layers have at least one overloaded core. Highest per-core overload: C6 at 72.56% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 3 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	54.27	0.61	53.66	16	650
2	45.12	2.44	42.68	14	504
3	25.00	1.22	23.78	9	354
4	32.32	1.83	30.49	9	440
5	60.37	0.00	60.37	14	754
6	9.15	1.22	7.93	7	256
7	15.85	0.61	15.24	7	281
8	21.95	0.00	21.95	8	309
9	55.49	1.83	53.66	12	642
10	49.39	0.00	49.39	10	594
11	8.54	0.00	8.54	5	206
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	14.63	1.22	13.41	6	252
15	1.83	1.83	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 3, 81.71% of active layers have at least one overloaded core. Highest per-core overload: C5 at 60.37% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed44__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 4 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.61	0.61	0.00	5	178
2	24.39	1.22	23.17	12	444
3	0.00	0.00	0.00	4	164
4	18.90	0.00	18.90	8	442
5	38.41	0.00	38.41	12	636
6	48.78	0.00	48.78	18	756
7	10.37	0.00	10.37	7	315
8	0.00	0.00	0.00	3	143
9	62.20	1.22	60.98	18	1086
10	51.22	0.00	51.22	18	988
11	10.98	0.00	10.98	9	338
12	0.00	0.00	0.00	3	114
13	12.80	0.00	12.80	7	338
14	0.00	0.00	0.00	4	120
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 4, 71.95% of active layers have at least one overloaded core. Highest per-core overload: C9 at 62.20% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 4 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	15.85	0.00	15.85	9	434
1	0.61	0.61	0.00	5	178
2	1.22	1.22	0.00	6	174
3	25.00	0.00	25.00	13	424
4	39.02	0.00	39.02	11	634
5	39.63	0.00	39.63	12	628
6	65.24	0.00	65.24	18	1124
7	45.73	0.00	45.73	16	673
8	15.85	0.00	15.85	8	337
9	18.29	1.22	17.07	11	402
10	56.71	0.00	56.71	20	1006
11	9.15	0.00	9.15	9	318
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	15.24	0.00	15.24	8	382
15	1.22	0.00	1.22	6	186

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 4, 72.56% of active layers have at least one overloaded core. Highest per-core overload: C6 at 65.24% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 4 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	42.68	0.61	42.07	16	650
2	28.66	1.22	27.44	14	504
3	12.20	0.00	12.20	9	354
4	17.68	0.00	17.68	9	440
5	44.51	0.00	44.51	14	754
6	3.66	0.00	3.66	7	256
7	7.32	0.00	7.32	7	281
8	12.80	0.00	12.80	8	309
9	39.02	1.22	37.80	12	642
10	32.93	0.00	32.93	10	594
11	4.27	0.00	4.27	5	206
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	3.05	0.00	3.05	6	252
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 4, 70.73% of active layers have at least one overloaded core. Highest per-core overload: C5 at 44.51% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed44__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 6 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	5	178
2	6.10	0.00	6.10	12	444
3	0.00	0.00	0.00	4	164
4	4.27	0.00	4.27	8	442
5	18.29	0.00	18.29	12	636
6	29.27	0.00	29.27	18	756
7	1.83	0.00	1.83	7	315
8	0.00	0.00	0.00	3	143
9	46.95	0.00	46.95	18	1086
10	37.20	0.00	37.20	18	988
11	2.44	0.00	2.44	9	338
12	0.00	0.00	0.00	3	114
13	1.22	0.00	1.22	7	338
14	0.00	0.00	0.00	4	120
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 6, 51.83% of active layers have at least one overloaded core. Highest per-core overload: C9 at 46.95% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 6 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	2.44	0.00	2.44	9	434
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	6	174
3	4.27	0.00	4.27	13	424
4	15.85	0.00	15.85	11	634
5	18.29	0.00	18.29	12	628
6	51.83	0.00	51.83	18	1124
7	25.61	0.00	25.61	16	673
8	2.44	0.00	2.44	8	337
9	7.93	0.00	7.93	11	402
10	39.02	0.00	39.02	20	1006
11	2.44	0.00	2.44	9	318
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	3.66	0.00	3.66	8	382
15	0.00	0.00	0.00	6	186

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 6, 59.15% of active layers have at least one overloaded core. Highest per-core overload: C6 at 51.83% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 6 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	18.90	0.00	18.90	16	650
2	7.93	0.00	7.93	14	504
3	3.66	0.00	3.66	9	354
4	4.88	0.00	4.88	9	440
5	30.49	0.00	30.49	14	754
6	0.61	0.00	0.61	7	256
7	1.22	0.00	1.22	7	281
8	0.61	0.00	0.61	8	309
9	17.07	0.00	17.07	12	642
10	16.46	0.00	16.46	10	594
11	0.00	0.00	0.00	5	206
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	6	252
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 6, 40.85% of active layers have at least one overloaded core. Highest per-core overload: C5 at 30.49% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed44__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 8 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	5	178
2	1.22	0.00	1.22	12	444
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	8	442
5	6.10	0.00	6.10	12	636
6	12.20	0.00	12.20	18	756
7	0.00	0.00	0.00	7	315
8	0.00	0.00	0.00	3	143
9	31.71	0.00	31.71	18	1086
10	25.61	0.00	25.61	18	988
11	0.61	0.00	0.61	9	338
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	7	338
14	0.00	0.00	0.00	4	120
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 8, 34.15% of active layers have at least one overloaded core. Highest per-core overload: C9 at 31.71% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 8 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.61	0.00	0.61	9	434
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	6	174
3	0.61	0.00	0.61	13	424
4	4.88	0.00	4.88	11	634
5	5.49	0.00	5.49	12	628
6	38.41	0.00	38.41	18	1124
7	8.54	0.00	8.54	16	673
8	0.00	0.00	0.00	8	337
9	2.44	0.00	2.44	11	402
10	27.44	0.00	27.44	20	1006
11	0.61	0.00	0.61	9	318
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	8	382
15	0.00	0.00	0.00	6	186

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 8, 41.46% of active layers have at least one overloaded core. Highest per-core overload: C6 at 38.41% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 8 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	6.10	0.00	6.10	16	650
2	1.83	0.00	1.83	14	504
3	0.61	0.00	0.61	9	354
4	0.61	0.00	0.61	9	440
5	14.63	0.00	14.63	14	754
6	0.00	0.00	0.00	7	256
7	0.00	0.00	0.00	7	281
8	0.00	0.00	0.00	8	309
9	8.54	0.00	8.54	12	642
10	5.49	0.00	5.49	10	594
11	0.00	0.00	0.00	5	206
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	6	252
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 8, 21.95% of active layers have at least one overloaded core. Highest per-core overload: C5 at 14.63% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed44__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 16 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	12	444
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	8	442
5	0.00	0.00	0.00	12	636
6	0.61	0.00	0.61	18	756
7	0.00	0.00	0.00	7	315
8	0.00	0.00	0.00	3	143
9	1.22	0.00	1.22	18	1086
10	1.22	0.00	1.22	18	988
11	0.00	0.00	0.00	9	338
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	7	338
14	0.00	0.00	0.00	4	120
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 16, 2.44% of active layers have at least one overloaded core. Highest per-core overload: C9 at 1.22% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap16__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 16 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	9	434
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	6	174
3	0.00	0.00	0.00	13	424
4	0.00	0.00	0.00	11	634
5	0.00	0.00	0.00	12	628
6	1.22	0.00	1.22	18	1124
7	0.00	0.00	0.00	16	673
8	0.00	0.00	0.00	8	337
9	0.00	0.00	0.00	11	402
10	1.22	0.00	1.22	20	1006
11	0.00	0.00	0.00	9	318
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	8	382
15	0.00	0.00	0.00	6	186

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 16, 1.83% of active layers have at least one overloaded core. Highest per-core overload: C6 at 1.22% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap16__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 16 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	16	650
2	0.00	0.00	0.00	14	504
3	0.00	0.00	0.00	9	354
4	0.00	0.00	0.00	9	440
5	0.00	0.00	0.00	14	754
6	0.00	0.00	0.00	7	256
7	0.00	0.00	0.00	7	281
8	0.00	0.00	0.00	8	309
9	0.00	0.00	0.00	12	642
10	0.00	0.00	0.00	10	594
11	0.00	0.00	0.00	5	206
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	6	252
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__max_reliability__seed44__cap16__hop.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 32 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	12	444
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	8	442
5	0.00	0.00	0.00	12	636
6	0.00	0.00	0.00	18	756
7	0.00	0.00	0.00	7	315
8	0.00	0.00	0.00	3	143
9	0.00	0.00	0.00	18	1086
10	0.00	0.00	0.00	18	988
11	0.00	0.00	0.00	9	338
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	7	338
14	0.00	0.00	0.00	4	120
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__max_reliability__seed42__cap32__hop.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 32 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	9	434
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	6	174
3	0.00	0.00	0.00	13	424
4	0.00	0.00	0.00	11	634
5	0.00	0.00	0.00	12	628
6	0.00	0.00	0.00	18	1124
7	0.00	0.00	0.00	16	673
8	0.00	0.00	0.00	8	337
9	0.00	0.00	0.00	11	402
10	0.00	0.00	0.00	20	1006
11	0.00	0.00	0.00	9	318
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	8	382
15	0.00	0.00	0.00	6	186

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__max_reliability__seed43__cap32__hop.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | hop counting

Capacity 32 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	16	650
2	0.00	0.00	0.00	14	504
3	0.00	0.00	0.00	9	354
4	0.00	0.00	0.00	9	440
5	0.00	0.00	0.00	14	754
6	0.00	0.00	0.00	7	256
7	0.00	0.00	0.00	7	281
8	0.00	0.00	0.00	8	309
9	0.00	0.00	0.00	12	642
10	0.00	0.00	0.00	10	594
11	0.00	0.00	0.00	5	206
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	6	252
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed44__cap32__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 2 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	9.15	9.15	0.00	3	192
1	7.32	7.32	0.00	5	178
2	35.37	9.76	25.61	9	309
3	9.15	9.15	0.00	4	164
4	32.93	12.20	20.73	6	312
5	43.29	5.49	37.80	6	380
6	53.66	10.37	43.29	9	467
7	22.56	6.71	15.85	5	244
8	5.49	5.49	0.00	3	143
9	64.02	5.49	58.54	10	607
10	54.88	2.44	52.44	10	556
11	21.34	6.10	15.24	6	239
12	3.66	3.66	0.00	3	114
13	22.56	6.10	16.46	5	238
14	4.27	4.27	0.00	4	120
15	5.49	5.49	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 2, 76.22% of active layers have at least one overloaded core. Highest per-core overload: C9 at 64.02% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 2 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	33.54	9.15	24.39	6	313
1	7.32	7.32	0.00	5	178
2	9.76	9.76	0.00	6	174
3	35.98	9.15	26.83	8	294
4	50.61	12.20	38.41	7	408
5	45.12	5.49	39.63	7	376
6	67.07	10.37	56.71	11	651
7	54.27	6.71	47.56	9	423
8	25.61	5.49	20.12	5	240
9	23.78	5.49	18.29	7	265
10	59.76	2.44	57.32	11	565
11	19.51	6.10	13.41	6	229
12	3.66	3.66	0.00	3	114
13	6.10	6.10	0.00	3	138
14	24.39	4.27	20.12	5	251
15	9.15	5.49	3.66	4	164

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 2, 75.61% of active layers have at least one overloaded core. Highest per-core overload: C6 at 67.07% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 2 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	9.15	9.15	0.00	3	192
1	50.61	7.32	43.29	9	414
2	42.68	9.76	32.93	10	339
3	26.22	9.15	17.07	6	259
4	32.32	12.20	20.12	6	311
5	48.17	5.49	42.68	8	439
6	15.85	10.37	5.49	5	217
7	18.29	6.71	11.59	5	227
8	23.17	5.49	17.68	5	226
9	43.29	5.49	37.80	7	385
10	37.20	2.44	34.76	6	359
11	12.20	6.10	6.10	4	173
12	3.66	3.66	0.00	3	114
13	6.10	6.10	0.00	3	138
14	12.20	4.27	7.93	4	186
15	5.49	5.49	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 2, 75.00% of active layers have at least one overloaded core. Highest per-core overload: C1 at 50.61% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed44__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 3 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.61	0.61	0.00	5	178
2	16.46	2.44	14.02	9	309
3	1.22	1.22	0.00	4	164
4	11.59	1.83	9.76	6	312
5	25.00	0.00	25.00	6	380
6	37.20	1.22	35.98	9	467
7	6.10	0.61	5.49	5	244
8	0.00	0.00	0.00	3	143
9	50.00	1.83	48.17	10	607
10	40.24	0.00	40.24	10	556
11	7.32	0.00	7.32	6	239
12	0.00	0.00	0.00	3	114
13	6.10	0.00	6.10	5	238
14	1.22	1.22	0.00	4	120
15	1.83	1.83	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 3, 57.93% of active layers have at least one overloaded core. Highest per-core overload: C9 at 50.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 3 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	10.98	0.00	10.98	6	313
1	0.61	0.61	0.00	5	178
2	2.44	2.44	0.00	6	174
3	15.85	1.22	14.63	8	294
4	28.05	1.83	26.22	7	408
5	24.39	0.00	24.39	7	376
6	56.71	1.22	55.49	11	651
7	35.98	0.61	35.37	9	423
8	9.15	0.00	9.15	5	240
9	12.80	1.83	10.98	7	265
10	45.12	0.00	45.12	11	565
11	6.10	0.00	6.10	6	229
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	9.76	1.22	8.54	5	251
15	3.05	1.83	1.22	4	164

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 3, 67.07% of active layers have at least one overloaded core. Highest per-core overload: C6 at 56.71% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 3 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	29.88	0.61	29.27	9	414
2	17.68	2.44	15.24	10	339
3	7.93	1.22	6.71	6	259
4	13.41	1.83	11.59	6	311
5	34.76	0.00	34.76	8	439
6	3.66	1.22	2.44	5	217
7	4.27	0.61	3.66	5	227
8	7.32	0.00	7.32	5	226
9	23.78	1.83	21.95	7	385
10	21.95	0.00	21.95	6	359
11	2.44	0.00	2.44	4	173
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	3.05	1.22	1.83	4	186
15	1.83	1.83	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 3, 55.49% of active layers have at least one overloaded core. Highest per-core overload: C5 at 34.76% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed44__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 4 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.61	0.61	0.00	5	178
2	5.49	1.22	4.27	9	309
3	0.00	0.00	0.00	4	164
4	3.66	0.00	3.66	6	312
5	10.98	0.00	10.98	6	380
6	22.56	0.00	22.56	9	467
7	1.83	0.00	1.83	5	244
8	0.00	0.00	0.00	3	143
9	34.76	1.22	33.54	10	607
10	30.49	0.00	30.49	10	556
11	2.44	0.00	2.44	6	239
12	0.00	0.00	0.00	3	114
13	0.61	0.00	0.61	5	238
14	0.00	0.00	0.00	4	120
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 4, 42.68% of active layers have at least one overloaded core. Highest per-core overload: C9 at 34.76% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 4 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	1.83	0.00	1.83	6	313
1	0.61	0.61	0.00	5	178
2	1.22	1.22	0.00	6	174
3	3.05	0.00	3.05	8	294
4	9.15	0.00	9.15	7	408
5	9.15	0.00	9.15	7	376
6	43.29	0.00	43.29	11	651
7	18.90	0.00	18.90	9	423
8	2.44	0.00	2.44	5	240
9	6.71	1.22	5.49	7	265
10	29.88	0.00	29.88	11	565
11	2.44	0.00	2.44	6	229
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	4.27	0.00	4.27	5	251
15	0.00	0.00	0.00	4	164

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 4, 50.00% of active layers have at least one overloaded core. Highest per-core overload: C6 at 43.29% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 4 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	13.41	0.61	12.80	9	414
2	7.32	1.22	6.10	10	339
3	3.05	0.00	3.05	6	259
4	3.66	0.00	3.66	6	311
5	21.95	0.00	21.95	8	439
6	1.83	0.00	1.83	5	217
7	1.22	0.00	1.22	5	227
8	0.61	0.00	0.61	5	226
9	12.80	1.22	11.59	7	385
10	9.15	0.00	9.15	6	359
11	0.00	0.00	0.00	4	173
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	4	186
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 4, 34.15% of active layers have at least one overloaded core. Highest per-core overload: C5 at 21.95% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed44__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 6 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	5	178
2	0.61	0.00	0.61	9	309
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	6	312
5	0.00	0.00	0.00	6	380
6	4.88	0.00	4.88	9	467
7	0.00	0.00	0.00	5	244
8	0.00	0.00	0.00	3	143
9	11.59	0.00	11.59	10	607
10	11.59	0.00	11.59	10	556
11	0.00	0.00	0.00	6	239
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	238
14	0.00	0.00	0.00	4	120
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 6, 18.29% of active layers have at least one overloaded core. Highest per-core overload: C9 at 11.59% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 6 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	313
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	6	174
3	0.61	0.00	0.61	8	294
4	1.22	0.00	1.22	7	408
5	1.22	0.00	1.22	7	376
6	18.90	0.00	18.90	11	651
7	1.83	0.00	1.83	9	423
8	0.00	0.00	0.00	5	240
9	1.22	0.00	1.22	7	265
10	14.63	0.00	14.63	11	565
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	5	251
15	0.00	0.00	0.00	4	164

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 6, 23.17% of active layers have at least one overloaded core. Highest per-core overload: C6 at 18.90% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 6 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	1.22	0.00	1.22	9	414
2	0.61	0.00	0.61	10	339
3	0.00	0.00	0.00	6	259
4	0.00	0.00	0.00	6	311
5	3.66	0.00	3.66	8	439
6	0.00	0.00	0.00	5	217
7	0.00	0.00	0.00	5	227
8	0.00	0.00	0.00	5	226
9	2.44	0.00	2.44	7	385
10	0.00	0.00	0.00	6	359
11	0.00	0.00	0.00	4	173
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	4	186
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 6, 6.71% of active layers have at least one overloaded core. Highest per-core overload: C5 at 3.66% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed44__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 8 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	5	178
2	0.61	0.00	0.61	9	309
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	6	312
5	0.00	0.00	0.00	6	380
6	1.22	0.00	1.22	9	467
7	0.00	0.00	0.00	5	244
8	0.00	0.00	0.00	3	143
9	2.44	0.00	2.44	10	607
10	1.83	0.00	1.83	10	556
11	0.00	0.00	0.00	6	239
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	238
14	0.00	0.00	0.00	4	120
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 8, 3.66% of active layers have at least one overloaded core. Highest per-core overload: C9 at 2.44% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 8 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	313
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	6	174
3	0.00	0.00	0.00	8	294
4	0.00	0.00	0.00	7	408
5	0.00	0.00	0.00	7	376
6	1.83	0.00	1.83	11	651
7	0.61	0.00	0.61	9	423
8	0.00	0.00	0.00	5	240
9	0.00	0.00	0.00	7	265
10	4.88	0.00	4.88	11	565
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	5	251
15	0.00	0.00	0.00	4	164

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 8, 5.49% of active layers have at least one overloaded core. Highest per-core overload: C10 at 4.88% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 8 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.61	0.00	0.61	9	414
2	0.61	0.00	0.61	10	339
3	0.00	0.00	0.00	6	259
4	0.00	0.00	0.00	6	311
5	0.00	0.00	0.00	8	439
6	0.00	0.00	0.00	5	217
7	0.00	0.00	0.00	5	227
8	0.00	0.00	0.00	5	226
9	0.00	0.00	0.00	7	385
10	0.00	0.00	0.00	6	359
11	0.00	0.00	0.00	4	173
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	4	186
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 8, 0.61% of active layers have at least one overloaded core. Highest per-core overload: C1 at 0.61% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed44__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 16 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	9	309
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	6	312
5	0.00	0.00	0.00	6	380
6	0.00	0.00	0.00	9	467
7	0.00	0.00	0.00	5	244
8	0.00	0.00	0.00	3	143
9	0.00	0.00	0.00	10	607
10	0.00	0.00	0.00	10	556
11	0.00	0.00	0.00	6	239
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	238
14	0.00	0.00	0.00	4	120
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 16 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	313
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	6	174
3	0.00	0.00	0.00	8	294
4	0.00	0.00	0.00	7	408
5	0.00	0.00	0.00	7	376
6	0.00	0.00	0.00	11	651
7	0.00	0.00	0.00	9	423
8	0.00	0.00	0.00	5	240
9	0.00	0.00	0.00	7	265
10	0.00	0.00	0.00	11	565
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	5	251
15	0.00	0.00	0.00	4	164

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed43__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 16 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	9	414
2	0.00	0.00	0.00	10	339
3	0.00	0.00	0.00	6	259
4	0.00	0.00	0.00	6	311
5	0.00	0.00	0.00	8	439
6	0.00	0.00	0.00	5	217
7	0.00	0.00	0.00	5	227
8	0.00	0.00	0.00	5	226
9	0.00	0.00	0.00	7	385
10	0.00	0.00	0.00	6	359
11	0.00	0.00	0.00	4	173
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	4	186
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__max_reliability__seed44__cap16__route.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 32 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	9	309
3	0.00	0.00	0.00	4	164
4	0.00	0.00	0.00	6	312
5	0.00	0.00	0.00	6	380
6	0.00	0.00	0.00	9	467
7	0.00	0.00	0.00	5	244
8	0.00	0.00	0.00	3	143
9	0.00	0.00	0.00	10	607
10	0.00	0.00	0.00	10	556
11	0.00	0.00	0.00	6	239
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	5	238
14	0.00	0.00	0.00	4	120
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 3198 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `mesh__max_reliability__seed42__cap32__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 32 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	313
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	6	174
3	0.00	0.00	0.00	8	294
4	0.00	0.00	0.00	7	408
5	0.00	0.00	0.00	7	376
6	0.00	0.00	0.00	11	651
7	0.00	0.00	0.00	9	423
8	0.00	0.00	0.00	5	240
9	0.00	0.00	0.00	7	265
10	0.00	0.00	0.00	11	565
11	0.00	0.00	0.00	6	229
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	5	251
15	0.00	0.00	0.00	4	164

This trace has 164 active layers out of 367 compiler layers and 3576 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__max_reliability__seed43__cap32__route.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

MESH / max_reliability | route counting

Capacity 32 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	3	192
1	0.00	0.00	0.00	9	414
2	0.00	0.00	0.00	10	339
3	0.00	0.00	0.00	6	259
4	0.00	0.00	0.00	6	311
5	0.00	0.00	0.00	8	439
6	0.00	0.00	0.00	5	217
7	0.00	0.00	0.00	5	227
8	0.00	0.00	0.00	5	226
9	0.00	0.00	0.00	7	385
10	0.00	0.00	0.00	6	359
11	0.00	0.00	0.00	4	173
12	0.00	0.00	0.00	3	114
13	0.00	0.00	0.00	3	138
14	0.00	0.00	0.00	4	186
15	0.00	0.00	0.00	4	142

This trace has 164 active layers out of 367 compiler layers and 2914 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: mesh__max_reliability__seed44__cap32__route.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 2 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	9.26	9.26	0.00	4	174
1	19.14	4.32	14.81	7	246
2	30.25	9.88	20.37	7	290
3	45.68	11.11	34.57	7	402
4	42.59	8.64	33.95	10	408
5	27.78	3.70	24.07	8	304
6	24.07	7.41	16.67	8	248
7	50.62	5.56	45.06	13	492
8	10.49	3.70	6.79	4	154
9	24.69	7.41	17.28	7	280
10	3.70	3.70	0.00	4	163
11	32.10	4.94	27.16	6	317
12	4.32	4.32	0.00	3	104
13	22.22	5.56	16.67	7	242
14	11.73	3.70	8.02	5	174
15	39.51	5.56	33.95	7	360

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 2, 77.78% of active layers have at least one overloaded core. Highest per-core overload: C7 at 50.62% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 2 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	33.33	9.26	24.07	8	316
1	27.78	4.32	23.46	8	298
2	34.57	9.88	24.69	8	344
3	32.10	11.11	20.99	7	292
4	12.96	8.64	4.32	5	200
5	29.63	3.70	25.93	8	304
6	38.89	7.41	31.48	9	330
7	5.56	5.56	0.00	4	158
8	23.46	3.70	19.75	5	238
9	30.25	7.41	22.84	8	316
10	25.31	3.70	21.60	8	281
11	26.54	4.94	21.60	6	285
12	16.67	4.32	12.35	7	206
13	16.05	5.56	10.49	5	206
14	21.60	3.70	17.90	6	252
15	35.19	5.56	29.63	7	332

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 2, 78.40% of active layers have at least one overloaded core. Highest per-core overload: C6 at 38.89% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 2 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	31.48	9.26	22.22	6	280
1	8.02	4.32	3.70	5	178
2	50.62	9.88	40.74	11	456
3	40.74	11.11	29.63	9	362
4	30.86	8.64	22.22	6	290
5	31.48	3.70	27.78	8	338
6	27.78	7.41	20.37	6	256
7	25.31	5.56	19.75	6	272
8	17.28	3.70	13.58	5	192
9	29.01	7.41	21.60	10	320
10	3.70	3.70	0.00	4	163
11	19.14	4.94	14.20	6	253
12	5.56	4.32	1.23	3	116
13	19.14	5.56	13.58	10	234
14	41.98	3.70	38.27	8	404
15	20.99	5.56	15.43	6	244

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 2, 79.01% of active layers have at least one overloaded core. Highest per-core overload: C2 at 50.62% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap2__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 3 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	1.23	1.23	0.00	4	174
1	11.73	0.00	11.73	7	246
2	16.05	3.70	12.35	7	290
3	26.54	0.62	25.93	7	402
4	29.63	1.23	28.40	10	408
5	17.90	0.62	17.28	8	304
6	7.41	0.00	7.41	8	248
7	43.21	1.23	41.98	13	492
8	3.09	0.00	3.09	4	154
9	15.43	0.62	14.81	7	280
10	0.62	0.62	0.00	4	163
11	18.52	0.62	17.90	6	317
12	0.00	0.00	0.00	3	104
13	8.64	0.62	8.02	7	242
14	5.56	0.00	5.56	5	174
15	24.07	0.00	24.07	7	360

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 3, 66.67% of active layers have at least one overloaded core. Highest per-core overload: C7 at 43.21% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 3 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	17.28	1.23	16.05	8	316
1	17.90	0.00	17.90	8	298
2	22.22	3.70	18.52	8	344
3	16.67	0.62	16.05	7	292
4	4.94	1.23	3.70	5	200
5	19.14	0.62	18.52	8	304
6	20.99	0.00	20.99	9	330
7	1.23	1.23	0.00	4	158
8	11.73	0.00	11.73	5	238
9	18.52	0.62	17.90	8	316
10	14.20	0.62	13.58	8	281
11	15.43	0.62	14.81	6	285
12	4.94	0.00	4.94	7	206
13	7.41	0.62	6.79	5	206
14	11.11	0.00	11.11	6	252
15	20.37	0.00	20.37	7	332

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 3, 70.99% of active layers have at least one overloaded core. Highest per-core overload: C2 at 22.22% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 3 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	12.96	1.23	11.73	6	280
1	1.85	0.00	1.85	5	178
2	37.65	3.70	33.95	11	456
3	22.84	0.62	22.22	9	362
4	20.37	1.23	19.14	6	290
5	22.84	0.62	22.22	8	338
6	11.11	0.00	11.11	6	256
7	18.52	1.23	17.28	6	272
8	6.17	0.00	6.17	5	192
9	17.90	0.62	17.28	10	320
10	0.62	0.62	0.00	4	163
11	9.26	0.62	8.64	6	253
12	0.00	0.00	0.00	3	116
13	9.26	0.62	8.64	10	234
14	30.25	0.00	30.25	8	404
15	6.79	0.00	6.79	6	244

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 3, 68.52% of active layers have at least one overloaded core. Highest per-core overload: C2 at 37.65% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap3__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 4 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	174
1	3.09	0.00	3.09	7	246
2	3.09	0.00	3.09	7	290
3	12.96	0.62	12.35	7	402
4	16.67	0.00	16.67	10	408
5	9.26	0.00	9.26	8	304
6	4.32	0.00	4.32	8	248
7	27.16	0.00	27.16	13	492
8	0.00	0.00	0.00	4	154
9	3.70	0.00	3.70	7	280
10	0.00	0.00	0.00	4	163
11	7.41	0.00	7.41	6	317
12	0.00	0.00	0.00	3	104
13	2.47	0.00	2.47	7	242
14	0.62	0.00	0.62	5	174
15	9.26	0.00	9.26	7	360

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 4, 46.91% of active layers have at least one overloaded core. Highest per-core overload: C7 at 27.16% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 4 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	9.88	0.00	9.88	8	316
1	5.56	0.00	5.56	8	298
2	9.88	0.00	9.88	8	344
3	6.17	0.62	5.56	7	292
4	2.47	0.00	2.47	5	200
5	6.79	0.00	6.79	8	304
6	8.64	0.00	8.64	9	330
7	0.00	0.00	0.00	4	158
8	2.47	0.00	2.47	5	238
9	8.02	0.00	8.02	8	316
10	6.17	0.00	6.17	8	281
11	4.94	0.00	4.94	6	285
12	2.47	0.00	2.47	7	206
13	1.85	0.00	1.85	5	206
14	3.70	0.00	3.70	6	252
15	6.79	0.00	6.79	7	332

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 4, 45.68% of active layers have at least one overloaded core. Highest per-core overload: C0 at 9.88% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 4 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	6.17	0.00	6.17	6	280
1	0.62	0.00	0.62	5	178
2	17.90	0.00	17.90	11	456
3	10.49	0.62	9.88	9	362
4	9.88	0.00	9.88	6	290
5	11.73	0.00	11.73	8	338
6	3.09	0.00	3.09	6	256
7	6.17	0.00	6.17	6	272
8	0.62	0.00	0.62	5	192
9	8.02	0.00	8.02	10	320
10	0.00	0.00	0.00	4	163
11	3.70	0.00	3.70	6	253
12	0.00	0.00	0.00	3	116
13	4.94	0.00	4.94	10	234
14	17.28	0.00	17.28	8	404
15	3.70	0.00	3.70	6	244

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 4, 50.62% of active layers have at least one overloaded core. Highest per-core overload: C2 at 17.90% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap4__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 6 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	174
1	0.62	0.00	0.62	7	246
2	0.62	0.00	0.62	7	290
3	2.47	0.00	2.47	7	402
4	4.94	0.00	4.94	10	408
5	1.85	0.00	1.85	8	304
6	0.62	0.00	0.62	8	248
7	9.88	0.00	9.88	13	492
8	0.00	0.00	0.00	4	154
9	0.62	0.00	0.62	7	280
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	6	317
12	0.00	0.00	0.00	3	104
13	0.62	0.00	0.62	7	242
14	0.00	0.00	0.00	5	174
15	1.85	0.00	1.85	7	360

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 6, 16.67% of active layers have at least one overloaded core. Highest per-core overload: C7 at 9.88% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 6 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	1.85	0.00	1.85	8	316
1	1.23	0.00	1.23	8	298
2	1.85	0.00	1.85	8	344
3	0.62	0.00	0.62	7	292
4	0.00	0.00	0.00	5	200
5	0.62	0.00	0.62	8	304
6	3.70	0.00	3.70	9	330
7	0.00	0.00	0.00	4	158
8	0.00	0.00	0.00	5	238
9	0.62	0.00	0.62	8	316
10	0.62	0.00	0.62	8	281
11	0.00	0.00	0.00	6	285
12	0.62	0.00	0.62	7	206
13	0.00	0.00	0.00	5	206
14	0.00	0.00	0.00	6	252
15	0.62	0.00	0.62	7	332

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 6, 9.26% of active layers have at least one overloaded core. Highest per-core overload: C6 at 3.70% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 6 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.00	0.00	0.00	5	178
2	5.56	0.00	5.56	11	456
3	1.85	0.00	1.85	9	362
4	0.00	0.00	0.00	6	290
5	1.85	0.00	1.85	8	338
6	0.00	0.00	0.00	6	256
7	0.00	0.00	0.00	6	272
8	0.00	0.00	0.00	5	192
9	3.09	0.00	3.09	10	320
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	6	253
12	0.00	0.00	0.00	3	116
13	0.62	0.00	0.62	10	234
14	2.47	0.00	2.47	8	404
15	0.00	0.00	0.00	6	244

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 6, 11.73% of active layers have at least one overloaded core. Highest per-core overload: C2 at 5.56% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap6__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 8 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	174
1	0.00	0.00	0.00	7	246
2	0.00	0.00	0.00	7	290
3	0.00	0.00	0.00	7	402
4	1.23	0.00	1.23	10	408
5	0.00	0.00	0.00	8	304
6	0.00	0.00	0.00	8	248
7	3.09	0.00	3.09	13	492
8	0.00	0.00	0.00	4	154
9	0.00	0.00	0.00	7	280
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	6	317
12	0.00	0.00	0.00	3	104
13	0.00	0.00	0.00	7	242
14	0.00	0.00	0.00	5	174
15	0.00	0.00	0.00	7	360

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 8, 3.70% of active layers have at least one overloaded core. Highest per-core overload: C7 at 3.09% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 8 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	316
1	0.00	0.00	0.00	8	298
2	0.00	0.00	0.00	8	344
3	0.00	0.00	0.00	7	292
4	0.00	0.00	0.00	5	200
5	0.00	0.00	0.00	8	304
6	0.62	0.00	0.62	9	330
7	0.00	0.00	0.00	4	158
8	0.00	0.00	0.00	5	238
9	0.00	0.00	0.00	8	316
10	0.00	0.00	0.00	8	281
11	0.00	0.00	0.00	6	285
12	0.00	0.00	0.00	7	206
13	0.00	0.00	0.00	5	206
14	0.00	0.00	0.00	6	252
15	0.00	0.00	0.00	7	332

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 8, 0.62% of active layers have at least one overloaded core. Highest per-core overload: C6 at 0.62% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 8 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.00	0.00	0.00	5	178
2	0.62	0.00	0.62	11	456
3	0.62	0.00	0.62	9	362
4	0.00	0.00	0.00	6	290
5	0.00	0.00	0.00	8	338
6	0.00	0.00	0.00	6	256
7	0.00	0.00	0.00	6	272
8	0.00	0.00	0.00	5	192
9	0.62	0.00	0.62	10	320
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	6	253
12	0.00	0.00	0.00	3	116
13	0.62	0.00	0.62	10	234
14	0.00	0.00	0.00	8	404
15	0.00	0.00	0.00	6	244

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 8, 2.47% of active layers have at least one overloaded core. Highest per-core overload: C2 at 0.62% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap8__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 16 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	174
1	0.00	0.00	0.00	7	246
2	0.00	0.00	0.00	7	290
3	0.00	0.00	0.00	7	402
4	0.00	0.00	0.00	10	408
5	0.00	0.00	0.00	8	304
6	0.00	0.00	0.00	8	248
7	0.00	0.00	0.00	13	492
8	0.00	0.00	0.00	4	154
9	0.00	0.00	0.00	7	280
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	6	317
12	0.00	0.00	0.00	3	104
13	0.00	0.00	0.00	7	242
14	0.00	0.00	0.00	5	174
15	0.00	0.00	0.00	7	360

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap16__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 16 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	316
1	0.00	0.00	0.00	8	298
2	0.00	0.00	0.00	8	344
3	0.00	0.00	0.00	7	292
4	0.00	0.00	0.00	5	200
5	0.00	0.00	0.00	8	304
6	0.00	0.00	0.00	9	330
7	0.00	0.00	0.00	4	158
8	0.00	0.00	0.00	5	238
9	0.00	0.00	0.00	8	316
10	0.00	0.00	0.00	8	281
11	0.00	0.00	0.00	6	285
12	0.00	0.00	0.00	7	206
13	0.00	0.00	0.00	5	206
14	0.00	0.00	0.00	6	252
15	0.00	0.00	0.00	7	332

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap16__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 16 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	11	456
3	0.00	0.00	0.00	9	362
4	0.00	0.00	0.00	6	290
5	0.00	0.00	0.00	8	338
6	0.00	0.00	0.00	6	256
7	0.00	0.00	0.00	6	272
8	0.00	0.00	0.00	5	192
9	0.00	0.00	0.00	10	320
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	6	253
12	0.00	0.00	0.00	3	116
13	0.00	0.00	0.00	10	234
14	0.00	0.00	0.00	8	404
15	0.00	0.00	0.00	6	244

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap16__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 32 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	174
1	0.00	0.00	0.00	7	246
2	0.00	0.00	0.00	7	290
3	0.00	0.00	0.00	7	402
4	0.00	0.00	0.00	10	408
5	0.00	0.00	0.00	8	304
6	0.00	0.00	0.00	8	248
7	0.00	0.00	0.00	13	492
8	0.00	0.00	0.00	4	154
9	0.00	0.00	0.00	7	280
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	6	317
12	0.00	0.00	0.00	3	104
13	0.00	0.00	0.00	7	242
14	0.00	0.00	0.00	5	174
15	0.00	0.00	0.00	7	360

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap32__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 32 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	8	316
1	0.00	0.00	0.00	8	298
2	0.00	0.00	0.00	8	344
3	0.00	0.00	0.00	7	292
4	0.00	0.00	0.00	5	200
5	0.00	0.00	0.00	8	304
6	0.00	0.00	0.00	9	330
7	0.00	0.00	0.00	4	158
8	0.00	0.00	0.00	5	238
9	0.00	0.00	0.00	8	316
10	0.00	0.00	0.00	8	281
11	0.00	0.00	0.00	6	285
12	0.00	0.00	0.00	7	206
13	0.00	0.00	0.00	5	206
14	0.00	0.00	0.00	6	252
15	0.00	0.00	0.00	7	332

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap32__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | hop counting

Capacity 32 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	6	280
1	0.00	0.00	0.00	5	178
2	0.00	0.00	0.00	11	456
3	0.00	0.00	0.00	9	362
4	0.00	0.00	0.00	6	290
5	0.00	0.00	0.00	8	338
6	0.00	0.00	0.00	6	256
7	0.00	0.00	0.00	6	272
8	0.00	0.00	0.00	5	192
9	0.00	0.00	0.00	10	320
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	6	253
12	0.00	0.00	0.00	3	116
13	0.00	0.00	0.00	10	234
14	0.00	0.00	0.00	8	404
15	0.00	0.00	0.00	6	244

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap32__hop.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 2 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	9.26	9.26	0.00	4	174
1	12.35	4.32	8.02	5	194
2	17.90	9.88	8.02	5	237
3	29.63	11.11	18.52	6	290
4	30.25	8.64	21.60	6	289
5	16.05	3.70	12.35	6	223
6	12.96	7.41	5.56	5	199
7	39.51	5.56	33.95	8	325
8	6.79	3.70	3.09	3	140
9	19.75	7.41	12.35	4	224
10	3.70	3.70	0.00	4	163
11	20.37	4.94	15.43	5	241
12	4.32	4.32	0.00	3	104
13	12.35	5.56	6.79	5	194
14	8.64	3.70	4.94	4	154
15	18.52	5.56	12.96	4	256

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 2, 68.52% of active layers have at least one overloaded core. Highest per-core overload: C7 at 39.51% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 2 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	22.22	9.26	12.96	5	245
1	15.43	4.32	11.11	5	220
2	22.22	9.88	12.35	5	264
3	23.46	11.11	12.35	6	235
4	10.49	8.64	1.85	4	185
5	14.81	3.70	11.11	6	223
6	22.84	7.41	15.43	6	240
7	5.56	5.56	0.00	4	158
8	13.58	3.70	9.88	4	182
9	22.22	7.41	14.81	5	242
10	16.05	3.70	12.35	5	222
11	17.90	4.94	12.96	5	225
12	5.56	4.32	1.23	5	155
13	11.11	5.56	5.56	4	176
14	12.35	3.70	8.64	4	193
15	18.52	5.56	12.96	4	242

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 2, 69.14% of active layers have at least one overloaded core. Highest per-core overload: C3 at 23.46% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 2 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	17.28	9.26	8.02	5	227
1	5.56	4.32	1.23	4	160
2	31.48	9.88	21.60	7	320
3	26.54	11.11	15.43	6	270
4	23.46	8.64	14.81	5	230
5	18.52	3.70	14.81	6	240
6	16.05	7.41	8.64	4	203
7	20.99	5.56	15.43	5	215
8	8.64	3.70	4.94	4	159
9	20.99	7.41	13.58	6	244
10	3.70	3.70	0.00	4	163
11	11.73	4.94	6.79	5	209
12	4.32	4.32	0.00	3	110
13	12.96	5.56	7.41	7	190
14	25.93	3.70	22.22	5	269
15	10.49	5.56	4.94	4	198

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 2, 69.14% of active layers have at least one overloaded core. Highest per-core overload: C2 at 31.48% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap2__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 3 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	1.23	1.23	0.00	4	174
1	2.47	0.00	2.47	5	194
2	5.56	3.70	1.85	5	237
3	9.26	0.62	8.64	6	290
4	14.20	1.23	12.96	6	289
5	6.79	0.62	6.17	6	223
6	3.70	0.00	3.70	5	199
7	19.14	1.23	17.90	8	325
8	0.00	0.00	0.00	3	140
9	3.70	0.62	3.09	4	224
10	0.62	0.62	0.00	4	163
11	4.32	0.62	3.70	5	241
12	0.00	0.00	0.00	3	104
13	1.85	0.62	1.23	5	194
14	0.62	0.00	0.62	4	154
15	8.02	0.00	8.02	4	256

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 3, 40.74% of active layers have at least one overloaded core. Highest per-core overload: C7 at 19.14% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 3 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	6.17	1.23	4.94	5	245
1	3.09	0.00	3.09	5	220
2	9.88	3.70	6.17	5	264
3	4.94	0.62	4.32	6	235
4	3.09	1.23	1.85	4	185
5	5.56	0.62	4.94	6	223
6	4.94	0.00	4.94	6	240
7	1.23	1.23	0.00	4	158
8	1.23	0.00	1.23	4	182
9	5.56	0.62	4.94	5	242
10	4.94	0.62	4.32	5	222
11	3.70	0.62	3.09	5	225
12	1.85	0.00	1.85	5	155
13	1.85	0.62	1.23	4	176
14	3.70	0.00	3.70	4	193
15	3.70	0.00	3.70	4	242

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 3, 34.57% of active layers have at least one overloaded core. Highest per-core overload: C2 at 9.88% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 3 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	6.17	1.23	4.94	5	227
1	0.62	0.00	0.62	4	160
2	14.81	3.70	11.11	7	320
3	8.64	0.62	8.02	6	270
4	8.02	1.23	6.79	5	230
5	7.41	0.62	6.79	6	240
6	2.47	0.00	2.47	4	203
7	3.09	1.23	1.85	5	215
8	0.62	0.00	0.62	4	159
9	6.79	0.62	6.17	6	244
10	0.62	0.62	0.00	4	163
11	2.47	0.62	1.85	5	209
12	0.00	0.00	0.00	3	110
13	1.85	0.62	1.23	7	190
14	11.73	0.00	11.73	5	269
15	2.47	0.00	2.47	4	198

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 3, 42.59% of active layers have at least one overloaded core. Highest per-core overload: C2 at 14.81% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap3__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 4 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	174
1	0.62	0.00	0.62	5	194
2	1.23	0.00	1.23	5	237
3	1.23	0.62	0.62	6	290
4	4.32	0.00	4.32	6	289
5	1.85	0.00	1.85	6	223
6	0.62	0.00	0.62	5	199
7	7.41	0.00	7.41	8	325
8	0.00	0.00	0.00	3	140
9	0.00	0.00	0.00	4	224
10	0.00	0.00	0.00	4	163
11	0.62	0.00	0.62	5	241
12	0.00	0.00	0.00	3	104
13	0.62	0.00	0.62	5	194
14	0.00	0.00	0.00	4	154
15	0.00	0.00	0.00	4	256

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 4, 13.58% of active layers have at least one overloaded core. Highest per-core overload: C7 at 7.41% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 4 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	2.47	0.00	2.47	5	245
1	1.23	0.00	1.23	5	220
2	3.09	0.00	3.09	5	264
3	0.62	0.62	0.00	6	235
4	0.00	0.00	0.00	4	185
5	0.62	0.00	0.62	6	223
6	3.70	0.00	3.70	6	240
7	0.00	0.00	0.00	4	158
8	0.00	0.00	0.00	4	182
9	0.62	0.00	0.62	5	242
10	0.62	0.00	0.62	5	222
11	0.62	0.00	0.62	5	225
12	0.62	0.00	0.62	5	155
13	0.00	0.00	0.00	4	176
14	0.00	0.00	0.00	4	193
15	0.00	0.00	0.00	4	242

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 4, 11.11% of active layers have at least one overloaded core. Highest per-core overload: C6 at 3.70% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 4 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.62	0.00	0.62	5	227
1	0.00	0.00	0.00	4	160
2	4.94	0.00	4.94	7	320
3	2.47	0.62	1.85	6	270
4	0.62	0.00	0.62	5	230
5	1.85	0.00	1.85	6	240
6	0.00	0.00	0.00	4	203
7	0.62	0.00	0.62	5	215
8	0.00	0.00	0.00	4	159
9	1.85	0.00	1.85	6	244
10	0.00	0.00	0.00	4	163
11	0.62	0.00	0.62	5	209
12	0.00	0.00	0.00	3	110
13	0.62	0.00	0.62	7	190
14	2.47	0.00	2.47	5	269
15	0.00	0.00	0.00	4	198

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 4, 12.35% of active layers have at least one overloaded core. Highest per-core overload: C2 at 4.94% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap4__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 6 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	174
1	0.00	0.00	0.00	5	194
2	0.00	0.00	0.00	5	237
3	0.00	0.00	0.00	6	290
4	0.00	0.00	0.00	6	289
5	0.00	0.00	0.00	6	223
6	0.00	0.00	0.00	5	199
7	0.62	0.00	0.62	8	325
8	0.00	0.00	0.00	3	140
9	0.00	0.00	0.00	4	224
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	5	241
12	0.00	0.00	0.00	3	104
13	0.00	0.00	0.00	5	194
14	0.00	0.00	0.00	4	154
15	0.00	0.00	0.00	4	256

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 6, 0.62% of active layers have at least one overloaded core. Highest per-core overload: C7 at 0.62% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 6 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	245
1	0.00	0.00	0.00	5	220
2	0.00	0.00	0.00	5	264
3	0.00	0.00	0.00	6	235
4	0.00	0.00	0.00	4	185
5	0.00	0.00	0.00	6	223
6	0.00	0.00	0.00	6	240
7	0.00	0.00	0.00	4	158
8	0.00	0.00	0.00	4	182
9	0.00	0.00	0.00	5	242
10	0.00	0.00	0.00	5	222
11	0.00	0.00	0.00	5	225
12	0.00	0.00	0.00	5	155
13	0.00	0.00	0.00	4	176
14	0.00	0.00	0.00	4	193
15	0.00	0.00	0.00	4	242

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 6, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 6 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	227
1	0.00	0.00	0.00	4	160
2	0.62	0.00	0.62	7	320
3	0.00	0.00	0.00	6	270
4	0.00	0.00	0.00	5	230
5	0.00	0.00	0.00	6	240
6	0.00	0.00	0.00	4	203
7	0.00	0.00	0.00	5	215
8	0.00	0.00	0.00	4	159
9	0.00	0.00	0.00	6	244
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	5	209
12	0.00	0.00	0.00	3	110
13	0.62	0.00	0.62	7	190
14	0.00	0.00	0.00	5	269
15	0.00	0.00	0.00	4	198

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 6, 1.23% of active layers have at least one overloaded core. Highest per-core overload: C2 at 0.62% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap6__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 8 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	174
1	0.00	0.00	0.00	5	194
2	0.00	0.00	0.00	5	237
3	0.00	0.00	0.00	6	290
4	0.00	0.00	0.00	6	289
5	0.00	0.00	0.00	6	223
6	0.00	0.00	0.00	5	199
7	0.00	0.00	0.00	8	325
8	0.00	0.00	0.00	3	140
9	0.00	0.00	0.00	4	224
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	5	241
12	0.00	0.00	0.00	3	104
13	0.00	0.00	0.00	5	194
14	0.00	0.00	0.00	4	154
15	0.00	0.00	0.00	4	256

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 8, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: torus__dijkstra__seed42__cap8__route.csv. Full source: per_core_congestion.csv. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 8 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	245
1	0.00	0.00	0.00	5	220
2	0.00	0.00	0.00	5	264
3	0.00	0.00	0.00	6	235
4	0.00	0.00	0.00	4	185
5	0.00	0.00	0.00	6	223
6	0.00	0.00	0.00	6	240
7	0.00	0.00	0.00	4	158
8	0.00	0.00	0.00	4	182
9	0.00	0.00	0.00	5	242
10	0.00	0.00	0.00	5	222
11	0.00	0.00	0.00	5	225
12	0.00	0.00	0.00	5	155
13	0.00	0.00	0.00	4	176
14	0.00	0.00	0.00	4	193
15	0.00	0.00	0.00	4	242

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 8, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 8 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	227
1	0.00	0.00	0.00	4	160
2	0.00	0.00	0.00	7	320
3	0.00	0.00	0.00	6	270
4	0.00	0.00	0.00	5	230
5	0.00	0.00	0.00	6	240
6	0.00	0.00	0.00	4	203
7	0.00	0.00	0.00	5	215
8	0.00	0.00	0.00	4	159
9	0.00	0.00	0.00	6	244
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	5	209
12	0.00	0.00	0.00	3	110
13	0.00	0.00	0.00	7	190
14	0.00	0.00	0.00	5	269
15	0.00	0.00	0.00	4	198

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 8, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap8__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 16 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	174
1	0.00	0.00	0.00	5	194
2	0.00	0.00	0.00	5	237
3	0.00	0.00	0.00	6	290
4	0.00	0.00	0.00	6	289
5	0.00	0.00	0.00	6	223
6	0.00	0.00	0.00	5	199
7	0.00	0.00	0.00	8	325
8	0.00	0.00	0.00	3	140
9	0.00	0.00	0.00	4	224
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	5	241
12	0.00	0.00	0.00	3	104
13	0.00	0.00	0.00	5	194
14	0.00	0.00	0.00	4	154
15	0.00	0.00	0.00	4	256

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 16 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	245
1	0.00	0.00	0.00	5	220
2	0.00	0.00	0.00	5	264
3	0.00	0.00	0.00	6	235
4	0.00	0.00	0.00	4	185
5	0.00	0.00	0.00	6	223
6	0.00	0.00	0.00	6	240
7	0.00	0.00	0.00	4	158
8	0.00	0.00	0.00	4	182
9	0.00	0.00	0.00	5	242
10	0.00	0.00	0.00	5	222
11	0.00	0.00	0.00	5	225
12	0.00	0.00	0.00	5	155
13	0.00	0.00	0.00	4	176
14	0.00	0.00	0.00	4	193
15	0.00	0.00	0.00	4	242

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 16 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	227
1	0.00	0.00	0.00	4	160
2	0.00	0.00	0.00	7	320
3	0.00	0.00	0.00	6	270
4	0.00	0.00	0.00	5	230
5	0.00	0.00	0.00	6	240
6	0.00	0.00	0.00	4	203
7	0.00	0.00	0.00	5	215
8	0.00	0.00	0.00	4	159
9	0.00	0.00	0.00	6	244
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	5	209
12	0.00	0.00	0.00	3	110
13	0.00	0.00	0.00	7	190
14	0.00	0.00	0.00	5	269
15	0.00	0.00	0.00	4	198

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 16, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap16__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 32 | Mapping seed 42 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	4	174
1	0.00	0.00	0.00	5	194
2	0.00	0.00	0.00	5	237
3	0.00	0.00	0.00	6	290
4	0.00	0.00	0.00	6	289
5	0.00	0.00	0.00	6	223
6	0.00	0.00	0.00	5	199
7	0.00	0.00	0.00	8	325
8	0.00	0.00	0.00	3	140
9	0.00	0.00	0.00	4	224
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	5	241
12	0.00	0.00	0.00	3	104
13	0.00	0.00	0.00	5	194
14	0.00	0.00	0.00	4	154
15	0.00	0.00	0.00	4	256

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed42__cap32__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 32 | Mapping seed 43 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	245
1	0.00	0.00	0.00	5	220
2	0.00	0.00	0.00	5	264
3	0.00	0.00	0.00	6	235
4	0.00	0.00	0.00	4	185
5	0.00	0.00	0.00	6	223
6	0.00	0.00	0.00	6	240
7	0.00	0.00	0.00	4	158
8	0.00	0.00	0.00	4	182
9	0.00	0.00	0.00	5	242
10	0.00	0.00	0.00	5	222
11	0.00	0.00	0.00	5	225
12	0.00	0.00	0.00	5	155
13	0.00	0.00	0.00	4	176
14	0.00	0.00	0.00	4	193
15	0.00	0.00	0.00	4	242

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed43__cap32__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

TORUS / dijkstra | route counting

Capacity 32 | Mapping seed 44 | QAOA / T-HQA



Core	Total %	Endpoint %	Relay-only %	Peak D	Total demand
0	0.00	0.00	0.00	5	227
1	0.00	0.00	0.00	4	160
2	0.00	0.00	0.00	7	320
3	0.00	0.00	0.00	6	270
4	0.00	0.00	0.00	5	230
5	0.00	0.00	0.00	6	240
6	0.00	0.00	0.00	4	203
7	0.00	0.00	0.00	5	215
8	0.00	0.00	0.00	4	159
9	0.00	0.00	0.00	6	244
10	0.00	0.00	0.00	4	163
11	0.00	0.00	0.00	5	209
12	0.00	0.00	0.00	3	110
13	0.00	0.00	0.00	7	190
14	0.00	0.00	0.00	5	269
15	0.00	0.00	0.00	4	198

This trace has 162 active layers out of 367 compiler layers and 2179 physical hop requests. At capacity 32, 0.00% of active layers have at least one overloaded core. Highest per-core overload: C0 at 0.00% (ties possible).

Compare the endpoint and relay-only panels to identify whether demand already exceeds capacity at endpoints or crosses the threshold after relay demand is added. All panels use the same 0-100% colour scale. Peak D is the maximum layer demand; total demand sums demand units over active layers.

Exact figure/table data: `torus__dijkstra__seed44__cap32__route.csv`. Full source: `per_core_congestion.csv`. Percentages in the figure use one decimal and in the table two decimals.

QAOA physical-simulation results

How to read the metric results

The validated base study is complete: 1,639 of 1,639 jobs and 6,402 of 6,402 policy-seed evaluations. The sections first report mesh results and then torus results. Every graph uses total memory banks per core on the horizontal axis and contains the applicable methodology lines: ODG, CGP, ACGP, Dynamic full-chain, and Dynamic first-hop. Each source simulation cell already averages evaluation physics seeds 0 and 1. A plotted point then averages all validated mapping-trace cells and all legal compiler-memory allocations available for its topology, route, total-memory value, and policy. This allocation-averaged view answers the requested total-memory question without selecting a favourable compiler split. The table reports the number of cells and the included compiler allocations so unequal cell counts remain visible. The shaded-error convention is omitted because two physics seeds do not support a strong uncertainty claim; the companion CSV nevertheless records the standard deviation across plotted cells. ODG uses compiler allocation zero. The other policies are evaluated over legal compiler allocations. Exact byte-identical route traces were executed once, so XY/YX cells can represent aliases from several mapping seeds while reliability-aware routes may contain three distinct trace groups. Mapping seeds and compiler allocations are controlled inputs, not independent experimental replications. All blank or inapplicable values are shown as "–. Compiler-planner, compiler-cache, hit, fallback, and storage counters are defined only for Dynamic full-chain and Dynamic first-hop; drawing zero lines for ODG, CGP, or ACGP would falsely imply those methods ran the Dynamic compiler planner. Every table follows its graph and links the exact compact CSV used for both. Mean is the plotted value; SD is descriptive variation across mapping-trace/allocation cells, not a confidence interval. The master validated source is base-evaluation-progress.csv.

Mesh results

The mesh section contains four routing panels per figure: XY, YX, shortest reliable, and maximum reliability. Route choice changes relay paths while the topology remains the 4 by 4 mesh.

Latency and waiting

Mean request latency



This plot asks how mean request latency changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `mesh__request_latency_mean_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	2.227	0.52229	6	0, 1	3
max rel.	CGP	2	2.240	0.54059	6	0, 1	3
max rel.	Dynamic first	2	1.931	0.19942	6	0, 1	3
max rel.	Dynamic full	2	2.132	0.41518	6	0, 1	3
max rel.	ODG	2	1.769	0.09677	3	0	3
max rel.	ACGP	3	1.712	0.41246	9	0, 1, 2	3
max rel.	CGP	3	1.745	0.44112	9	0, 1, 2	3
max rel.	Dynamic first	3	1.528	0.09718	9	0, 1, 2	3
max rel.	Dynamic full	3	1.706	0.34564	9	0, 1, 2	3
max rel.	ODG	3	1.445	0.03739	3	0	3
max rel.	ACGP	4	1.428	0.29822	12	0, 1, 2, 3	3
max rel.	CGP	4	1.430	0.29768	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	1.367	0.05759	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	1.495	0.25927	12	0, 1, 2, 3	3
max rel.	ODG	4	1.359	0.00921	3	0	3
max rel.	ACGP	6	1.134	0.25055	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	1.161	0.25056	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	1.244	0.05686	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	1.320	0.21301	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	1.332	0.00589	3	0	3
max rel.	ACGP	8	0.97339	0.23315	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	0.98868	0.23906	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	1.184	0.07945	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	1.208	0.14522	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	1.330	0.00854	3	0	3
max rel.	ACGP	16	0.73497	0.24619	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	0.74341	0.24517	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	1.086	0.10353	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1.012	0.15128	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	1.330	0.00891	3	0	3
max rel.	ACGP	32	0.59980	0.21717	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	0.60490	0.21721	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	1.043	0.08746	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.83601	0.18465	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	1.330	0.00891	3	0	3
shortest rel.	ACGP	2	2.013	0.44119	6	0, 1	3
shortest rel.	CGP	2	2.013	0.44039	6	0, 1	3
shortest rel.	Dynamic first	2	1.804	0.21123	6	0, 1	3
shortest rel.	Dynamic full	2	1.911	0.32583	6	0, 1	3
shortest rel.	ODG	2	1.615	0.01868	3	0	3
shortest rel.	ACGP	3	1.568	0.31542	9	0, 1, 2	3
shortest rel.	CGP	3	1.564	0.31375	9	0, 1, 2	3
shortest rel.	Dynamic first	3	1.456	0.11225	9	0, 1, 2	3
shortest rel.	Dynamic full	3	1.583	0.27560	9	0, 1, 2	3
shortest rel.	ODG	3	1.389	0.00726	3	0	3
shortest rel.	ACGP	4	1.321	0.22745	12	0, 1, 2, 3	3
shortest rel.	CGP	4	1.316	0.22756	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	1.339	0.08025	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	1.412	0.18517	12	0, 1, 2, 3	3
shortest rel.	ODG	4	1.339	0.00411	3	0	3
shortest rel.	ACGP	6	1.065	0.20846	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	1.062	0.21925	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	1.224	0.06850	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	1.248	0.12612	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	1.328	0.00462	3	0	3
shortest rel.	ACGP	8	0.91999	0.22930	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	0.92460	0.22913	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	Dynamic first	8	1.165	0.08992	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	1.167	0.11604	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ODG	8	1.328	0.00532	3	0	3
shortest rel.	ACGP	16	0.70524	0.24352	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	0.70545	0.24526	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	1.040	0.12096	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.98199	0.15547	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	1.328	0.00532	3	0	3
shortest rel.	ACGP	32	0.58318	0.21012	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	0.58460	0.20862	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.98212	0.10289	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.79065	0.20902	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	1.328	0.00532	3	0	3
xy	ACGP	2	1.881	0.47024	2	0, 1	1
xy	CGP	2	1.857	0.43687	2	0, 1	1
xy	Dynamic first	2	1.736	0.26864	2	0, 1	1
xy	Dynamic full	2	1.811	0.37470	2	0, 1	1
xy	ODG	2	1.547	0.00000	1	0	1
xy	ACGP	3	1.517	0.33608	3	0, 1, 2	1
xy	CGP	3	1.497	0.31019	3	0, 1, 2	1
xy	Dynamic first	3	1.458	0.14297	3	0, 1, 2	1
xy	Dynamic full	3	1.536	0.27828	3	0, 1, 2	1
xy	ODG	3	1.370	0.00000	1	0	1
xy	ACGP	4	1.260	0.21292	4	0, 1, 2, 3	1
xy	CGP	4	1.254	0.21100	4	0, 1, 2, 3	1
xy	Dynamic first	4	1.359	0.11608	4	0, 1, 2, 3	1
xy	Dynamic full	4	1.387	0.18917	4	0, 1, 2, 3	1
xy	ODG	4	1.343	0.00000	1	0	1
xy	ACGP	6	1.037	0.22555	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	1.034	0.22577	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	1.235	0.07364	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	1.243	0.11581	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	1.336	0.00000	1	0	1
xy	ACGP	8	0.89068	0.25512	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	0.89522	0.24736	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	1.167	0.09669	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	1.147	0.13033	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	1.336	0.00000	1	0	1
xy	ACGP	16	0.68647	0.25301	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	0.68676	0.25085	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	1.042	0.13062	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.96987	0.16847	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	1.336	0.00000	1	0	1
xy	ACGP	32	0.57272	0.20837	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	0.57546	0.20839	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.98734	0.10641	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.75014	0.24422	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	1.336	0.00000	1	0	1
yx	ACGP	2	1.952	0.49923	2	0, 1	1
yx	CGP	2	1.966	0.51875	2	0, 1	1
yx	Dynamic first	2	1.751	0.21566	2	0, 1	1
yx	Dynamic full	2	1.829	0.32596	2	0, 1	1
yx	ODG	2	1.599	0.00000	1	0	1
yx	ACGP	3	1.490	0.26682	3	0, 1, 2	1
yx	CGP	3	1.508	0.29336	3	0, 1, 2	1
yx	Dynamic first	3	1.477	0.14548	3	0, 1, 2	1
yx	Dynamic full	3	1.551	0.27331	3	0, 1, 2	1
yx	ODG	3	1.392	0.00000	1	0	1
yx	ACGP	4	1.283	0.23276	4	0, 1, 2, 3	1
yx	CGP	4	1.270	0.18828	4	0, 1, 2, 3	1
yx	Dynamic first	4	1.354	0.11515	4	0, 1, 2, 3	1
yx	Dynamic full	4	1.411	0.22795	4	0, 1, 2, 3	1
yx	ODG	4	1.344	0.00000	1	0	1
yx	ACGP	6	1.043	0.21952	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	1.035	0.22315	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	1.221	0.07662	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	1.239	0.12461	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	1.335	0.00000	1	0	1
yx	ACGP	8	0.91224	0.24404	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	0.92378	0.24645	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	1.159	0.08665	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	1.164	0.13646	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	1.335	0.00000	1	0	1
yx	ACGP	16	0.69075	0.24953	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	0.69202	0.24957	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	1.043	0.12107	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic full	16	0.98160	0.15307	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ODG	16	1.335	0.00000	1	0	1
yx	ACGP	32	0.57733	0.21141	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	0.57788	0.21006	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.99120	0.09904	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.78151	0.22307	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	1.335	0.00000	1	0	1

Median request latency



This plot asks how median request latency changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `mesh__request_latency_median_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	1.733	0.38428	6	0, 1	3
max rel.	CGP	2	1.733	0.38428	6	0, 1	3
max rel.	Dynamic first	2	1.508	0.12813	6	0, 1	3
max rel.	Dynamic full	2	1.600	0.22136	6	0, 1	3
max rel.	ODG	2	1.400	7.217e-06	3	0	3
max rel.	ACGP	3	1.333	0.26339	9	0, 1, 2	3
max rel.	CGP	3	1.355	0.29543	9	0, 1, 2	3
max rel.	Dynamic first	3	1.200	2.759e-07	9	0, 1, 2	3
max rel.	Dynamic full	3	1.311	0.18503	9	0, 1, 2	3
max rel.	ODG	3	1.200	0.00000	3	0	3
max rel.	ACGP	4	1.072	0.22402	12	0, 1, 2, 3	3
max rel.	CGP	4	1.075	0.23979	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	1.058	0.06685	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	1.142	0.12762	12	0, 1, 2, 3	3
max rel.	ODG	4	1.133	0.07637	3	0	3
max rel.	ACGP	6	0.75470	0.22174	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	0.77501	0.21438	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	0.93613	0.10263	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.92501	0.11913	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	1.000	3.608e-06	3	0	3
max rel.	ACGP	8	0.65834	0.19764	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	0.66251	0.19905	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	0.83960	0.14370	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.78752	0.13043	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	1.000	3.608e-06	3	0	3
max rel.	ACGP	16	0.57709	0.15470	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	0.57709	0.15228	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	0.75001	0.13409	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.64063	0.16200	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	1.000	3.608e-06	3	0	3
max rel.	ACGP	32	0.53698	0.11104	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	0.53802	0.11233	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.70835	0.10850	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.57032	0.13409	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	1.000	3.608e-06	3	0	3
shortest rel.	ACGP	2	1.533	0.33267	6	0, 1	3
shortest rel.	CGP	2	1.533	0.33267	6	0, 1	3
shortest rel.	Dynamic first	2	1.367	0.17224	6	0, 1	3
shortest rel.	Dynamic full	2	1.458	0.24983	6	0, 1	3
shortest rel.	ODG	2	1.233	0.05774	3	0	3
shortest rel.	ACGP	3	1.228	0.21376	9	0, 1, 2	3
shortest rel.	CGP	3	1.217	0.18371	9	0, 1, 2	3
shortest rel.	Dynamic first	3	1.167	0.05000	9	0, 1, 2	3
shortest rel.	Dynamic full	3	1.233	0.10607	9	0, 1, 2	3
shortest rel.	ODG	3	1.200	0.00000	3	0	3
shortest rel.	ACGP	4	0.93335	0.20263	12	0, 1, 2, 3	3
shortest rel.	CGP	4	0.92085	0.22204	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	1.017	0.03892	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	1.058	0.09962	12	0, 1, 2, 3	3
shortest rel.	ODG	4	1.033	0.05773	3	0	3
shortest rel.	ACGP	6	0.70834	0.20165	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	0.71112	0.20620	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	0.88891	0.12783	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.85835	0.13201	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	1.000	3.608e-06	3	0	3
shortest rel.	ACGP	8	0.64792	0.18852	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	0.64584	0.18646	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	Dynamic first	8	0.80627	0.14319	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.77710	0.14817	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ODG	8	1.000	0.00000	3	0	3
shortest rel.	ACGP	16	0.56854	0.14161	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	0.57017	0.14481	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.70210	0.14365	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.63543	0.16209	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	1.000	0.00000	3	0	3
shortest rel.	ACGP	32	0.53490	0.10690	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	0.53222	0.10313	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.65106	0.11332	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.56823	0.13262	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	1.000	0.00000	3	0	3
xy	ACGP	2	1.450	0.35356	2	0, 1	1
xy	CGP	2	1.450	0.35356	2	0, 1	1
xy	Dynamic first	2	1.325	0.17679	2	0, 1	1
xy	Dynamic full	2	1.425	0.31820	2	0, 1	1
xy	ODG	2	1.200	0.00000	1	0	1
xy	ACGP	3	1.200	0.20000	3	0, 1, 2	1
xy	CGP	3	1.167	0.15275	3	0, 1, 2	1
xy	Dynamic first	3	1.200	3.897e-06	3	0, 1, 2	1
xy	Dynamic full	3	1.217	0.07637	3	0, 1, 2	1
xy	ODG	3	1.200	0.00000	1	0	1
xy	ACGP	4	0.88752	0.21747	4	0, 1, 2, 3	1
xy	CGP	4	0.89238	0.22247	4	0, 1, 2, 3	1
xy	Dynamic first	4	1.025	0.05000	4	0, 1, 2, 3	1
xy	Dynamic full	4	1.050	0.05774	4	0, 1, 2, 3	1
xy	ODG	4	1.100	0.00000	1	0	1
xy	ACGP	6	0.70001	0.20977	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	0.70001	0.20977	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	0.94168	0.11144	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.84168	0.16858	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	1.100	0.00000	1	0	1
xy	ACGP	8	0.64376	0.19169	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	0.63751	0.18469	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	0.82502	0.17526	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.76252	0.18274	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	1.100	0.00000	1	0	1
xy	ACGP	16	0.55938	0.13320	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	0.56664	0.14138	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	0.71252	0.16584	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.64063	0.17910	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	1.100	0.00000	1	0	1
xy	ACGP	32	0.52500	0.09504	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	0.52500	0.09504	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.65626	0.12874	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.57032	0.14361	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	1.100	0.00000	1	0	1
yx	ACGP	2	1.500	0.35356	2	0, 1	1
yx	CGP	2	1.500	0.35356	2	0, 1	1
yx	Dynamic first	2	1.325	0.10607	2	0, 1	1
yx	Dynamic full	2	1.375	0.17678	2	0, 1	1
yx	ODG	2	1.250	0.00000	1	0	1
yx	ACGP	3	1.183	0.17559	3	0, 1, 2	1
yx	CGP	3	1.183	0.17559	3	0, 1, 2	1
yx	Dynamic first	3	1.200	3.970e-06	3	0, 1, 2	1
yx	Dynamic full	3	1.200	0.10000	3	0, 1, 2	1
yx	ODG	3	1.200	0.00000	1	0	1
yx	ACGP	4	0.92502	0.26300	4	0, 1, 2, 3	1
yx	CGP	4	0.90002	0.24496	4	0, 1, 2, 3	1
yx	Dynamic first	4	1.063	0.09465	4	0, 1, 2, 3	1
yx	Dynamic full	4	1.100	0.11547	4	0, 1, 2, 3	1
yx	ODG	4	1.200	0.00000	1	0	1
yx	ACGP	6	0.70001	0.20977	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	0.70001	0.20977	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	0.88335	0.14720	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.87502	0.14749	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	1.000	0.00000	1	0	1
yx	ACGP	8	0.63751	0.18469	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	0.63751	0.18469	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	0.79377	0.13743	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.76877	0.14378	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	1.000	0.00000	1	0	1
yx	ACGP	16	0.56875	0.14478	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	0.56563	0.13991	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	0.69064	0.13931	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic full	16	0.64376	0.16009	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ODG	16	1.000	0.00000	1	0	1
yx	ACGP	32	0.53125	0.09980	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	0.53061	0.09874	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.64533	0.10729	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.57344	0.13259	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	1.000	0.00000	1	0	1

95th-percentile request latency



This plot asks how 95th-percentile request latency changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `mesh__request_latency_p95_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	5.592	1.664	6	0, 1	3
max rel.	CGP	2	5.658	1.732	6	0, 1	3
max rel.	Dynamic first	2	4.858	0.77938	6	0, 1	3
max rel.	Dynamic full	2	5.533	1.532	6	0, 1	3
max rel.	ODG	2	4.183	0.24665	3	0	3
max rel.	ACGP	3	4.378	1.444	9	0, 1, 2	3
max rel.	CGP	3	4.400	1.447	9	0, 1, 2	3
max rel.	Dynamic first	3	3.750	0.48735	9	0, 1, 2	3
max rel.	Dynamic full	3	4.411	1.372	9	0, 1, 2	3
max rel.	ODG	3	3.300	0.10001	3	0	3
max rel.	ACGP	4	3.683	0.98797	12	0, 1, 2, 3	3
max rel.	CGP	4	3.693	0.95997	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	3.367	0.30847	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	3.888	1.042	12	0, 1, 2, 3	3
max rel.	ODG	4	3.167	0.05772	3	0	3
max rel.	ACGP	6	2.942	0.68688	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	3.020	0.68539	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	3.067	0.16891	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	3.514	1.027	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	3.167	0.05773	3	0	3
max rel.	ACGP	8	2.498	0.55694	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	2.550	0.58967	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	2.952	0.16049	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	3.204	0.78893	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	3.167	0.05773	3	0	3
max rel.	ACGP	16	1.708	0.71149	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	1.748	0.69750	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	2.777	0.15436	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	2.812	0.66639	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	3.167	0.05773	3	0	3
max rel.	ACGP	32	1.111	0.76925	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	1.137	0.77381	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	2.730	0.12000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	2.303	0.55403	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	3.167	0.05773	3	0	3
shortest rel.	ACGP	2	5.092	1.458	6	0, 1	3
shortest rel.	CGP	2	5.058	1.422	6	0, 1	3
shortest rel.	Dynamic first	2	4.567	0.88583	6	0, 1	3
shortest rel.	Dynamic full	2	4.958	1.320	6	0, 1	3
shortest rel.	ODG	2	3.767	0.02887	3	0	3
shortest rel.	ACGP	3	3.967	1.052	9	0, 1, 2	3
shortest rel.	CGP	3	3.961	1.044	9	0, 1, 2	3
shortest rel.	Dynamic first	3	3.600	0.55171	9	0, 1, 2	3
shortest rel.	Dynamic full	3	4.045	1.081	9	0, 1, 2	3
shortest rel.	ODG	3	3.200	0.00000	3	0	3
shortest rel.	ACGP	4	3.404	0.74909	12	0, 1, 2, 3	3
shortest rel.	CGP	4	3.374	0.77303	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	3.358	0.41388	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	3.663	0.81748	12	0, 1, 2, 3	3
shortest rel.	ODG	4	3.167	0.05773	3	0	3
shortest rel.	ACGP	6	2.722	0.50882	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	2.761	0.54519	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	3.056	0.30385	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	3.261	0.65206	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	3.167	0.05773	3	0	3
shortest rel.	ACGP	8	2.344	0.52469	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	2.358	0.55143	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	Dynamic first	8	2.910	0.28207	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	3.073	0.57673	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ODG	8	3.133	0.05773	3	0	3
shortest rel.	ACGP	16	1.581	0.75740	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	1.578	0.74782	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	2.664	0.21531	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	2.658	0.46806	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	3.133	0.05773	3	0	3
shortest rel.	ACGP	32	1.032	0.75501	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	1.043	0.75503	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	2.520	0.23705	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	2.025	0.61385	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	3.133	0.05773	3	0	3
xy	ACGP	2	4.654	1.632	2	0, 1	1
xy	CGP	2	4.575	1.520	2	0, 1	1
xy	Dynamic first	2	4.275	1.096	2	0, 1	1
xy	Dynamic full	2	4.550	1.485	2	0, 1	1
xy	ODG	2	3.500	0.00000	1	0	1
xy	ACGP	3	3.850	1.169	3	0, 1, 2	1
xy	CGP	3	3.833	1.097	3	0, 1, 2	1
xy	Dynamic first	3	3.633	0.70771	3	0, 1, 2	1
xy	Dynamic full	3	3.967	1.159	3	0, 1, 2	1
xy	ODG	3	3.200	0.00000	1	0	1
xy	ACGP	4	3.200	0.75719	4	0, 1, 2, 3	1
xy	CGP	4	3.200	0.75720	4	0, 1, 2, 3	1
xy	Dynamic first	4	3.388	0.58078	4	0, 1, 2, 3	1
xy	Dynamic full	4	3.588	0.91688	4	0, 1, 2, 3	1
xy	ODG	4	3.100	0.00000	1	0	1
xy	ACGP	6	2.708	0.52194	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	2.683	0.48752	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	3.050	0.27929	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	3.192	0.65607	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	3.000	0.00000	1	0	1
xy	ACGP	8	2.206	0.58215	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	2.231	0.53915	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	2.875	0.18127	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	2.981	0.55029	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	3.000	0.00000	1	0	1
xy	ACGP	16	1.476	0.79291	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	1.469	0.78336	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	2.631	0.21670	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	2.578	0.35776	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	3.000	0.00000	1	0	1
xy	ACGP	32	0.98439	0.75537	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	1.000	0.74975	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	2.516	0.19111	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	1.792	0.77150	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	3.000	0.00000	1	0	1
yx	ACGP	2	4.950	1.768	2	0, 1	1
yx	CGP	2	5.000	1.838	2	0, 1	1
yx	Dynamic first	2	4.450	0.98996	2	0, 1	1
yx	Dynamic full	2	4.650	1.273	2	0, 1	1
yx	ODG	2	3.750	0.00000	1	0	1
yx	ACGP	3	3.767	0.89630	3	0, 1, 2	1
yx	CGP	3	3.833	1.054	3	0, 1, 2	1
yx	Dynamic first	3	3.667	0.64292	3	0, 1, 2	1
yx	Dynamic full	3	3.967	1.159	3	0, 1, 2	1
yx	ODG	3	3.200	0.00000	1	0	1
yx	ACGP	4	3.275	0.80676	4	0, 1, 2, 3	1
yx	CGP	4	3.263	0.68360	4	0, 1, 2, 3	1
yx	Dynamic first	4	3.400	0.53543	4	0, 1, 2, 3	1
yx	Dynamic full	4	3.638	0.91046	4	0, 1, 2, 3	1
yx	ODG	4	3.200	0.00000	1	0	1
yx	ACGP	6	2.683	0.45351	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	2.642	0.47793	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	2.992	0.26537	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	3.167	0.71532	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	3.000	0.00000	1	0	1
yx	ACGP	8	2.331	0.54769	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	2.381	0.58246	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	2.850	0.17929	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	3.013	0.65562	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	3.000	0.00000	1	0	1
yx	ACGP	16	1.519	0.76419	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	1.534	0.77240	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	2.684	0.13130	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic full	16	2.597	0.35893	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ODG	16	3.000	0.00000	1	0	1
yx	ACGP	32	1.019	0.78432	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	1.006	0.74951	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	2.642	0.10089	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	1.958	0.64386	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	3.000	0.00000	1	0	1

Maximum request latency



This plot asks how maximum request latency changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `mesh__request_latency_max_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	14.667	9.110	6	0, 1	3
max rel.	CGP	2	11.275	2.444	6	0, 1	3
max rel.	Dynamic first	2	11.792	3.480	6	0, 1	3
max rel.	Dynamic full	2	13.134	4.573	6	0, 1	3
max rel.	ODG	2	9.200	0.57664	3	0	3
max rel.	ACGP	3	10.169	2.707	9	0, 1, 2	3
max rel.	CGP	3	10.367	2.737	9	0, 1, 2	3
max rel.	Dynamic first	3	10.300	2.377	9	0, 1, 2	3
max rel.	Dynamic full	3	10.739	2.663	9	0, 1, 2	3
max rel.	ODG	3	8.567	1.080	3	0	3
max rel.	ACGP	4	9.051	1.957	12	0, 1, 2, 3	3
max rel.	CGP	4	9.008	1.491	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	9.834	2.512	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	9.629	2.316	12	0, 1, 2, 3	3
max rel.	ODG	4	8.017	1.079	3	0	3
max rel.	ACGP	6	10.481	7.170	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	9.546	6.143	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	8.572	1.852	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	8.972	2.615	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	7.367	0.14434	3	0	3
max rel.	ACGP	8	8.358	4.481	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	7.564	1.201	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	8.242	0.99661	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	8.736	2.059	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	8.017	0.88083	3	0	3
max rel.	ACGP	16	6.981	5.543	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	7.005	4.704	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	7.855	0.71373	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	8.277	1.636	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	7.517	0.35475	3	0	3
max rel.	ACGP	32	4.373	1.837	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	4.611	1.821	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	7.988	0.63260	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	7.773	1.173	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	7.517	0.35475	3	0	3
shortest rel.	ACGP	2	10.142	2.625	6	0, 1	3
shortest rel.	CGP	2	13.740	9.745	6	0, 1	3
shortest rel.	Dynamic first	2	10.734	3.565	6	0, 1	3
shortest rel.	Dynamic full	2	10.967	3.498	6	0, 1	3
shortest rel.	ODG	2	7.800	0.22914	3	0	3
shortest rel.	ACGP	3	10.942	8.085	9	0, 1, 2	3
shortest rel.	CGP	3	11.255	8.425	9	0, 1, 2	3
shortest rel.	Dynamic first	3	9.206	2.714	9	0, 1, 2	3
shortest rel.	Dynamic full	3	9.706	2.872	9	0, 1, 2	3
shortest rel.	ODG	3	7.550	0.36055	3	0	3
shortest rel.	ACGP	4	9.979	7.328	12	0, 1, 2, 3	3
shortest rel.	CGP	4	9.888	7.025	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	8.004	1.110	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	8.471	2.296	12	0, 1, 2, 3	3
shortest rel.	ODG	4	7.084	0.37530	3	0	3
shortest rel.	ACGP	6	8.797	5.389	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	7.392	0.87521	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	7.892	1.358	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	8.331	2.326	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	7.117	0.38189	3	0	3
shortest rel.	ACGP	8	6.608	0.81206	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	7.666	4.862	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	Dynamic first	8	7.817	1.589	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	8.242	2.247	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ODG	8	7.117	0.38189	3	0	3
shortest rel.	ACGP	16	5.354	1.440	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	5.353	1.440	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	7.377	0.81732	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	7.596	1.400	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	7.117	0.38189	3	0	3
shortest rel.	ACGP	32	4.126	1.735	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	4.473	2.987	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	7.198	0.54908	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	6.654	1.050	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	7.117	0.38189	3	0	3
xy	ACGP	2	9.175	2.298	2	0, 1	1
xy	CGP	2	9.250	2.404	2	0, 1	1
xy	Dynamic first	2	9.650	2.970	2	0, 1	1
xy	Dynamic full	2	9.850	3.253	2	0, 1	1
xy	ODG	2	7.550	0.00000	1	0	1
xy	ACGP	3	15.046	14.283	3	0, 1, 2	1
xy	CGP	3	15.079	13.778	3	0, 1, 2	1
xy	Dynamic first	3	9.284	3.215	3	0, 1, 2	1
xy	Dynamic full	3	8.800	2.990	3	0, 1, 2	1
xy	ODG	3	6.950	0.00000	1	0	1
xy	ACGP	4	7.488	1.409	4	0, 1, 2, 3	1
xy	CGP	4	7.697	0.99053	4	0, 1, 2, 3	1
xy	Dynamic first	4	7.850	1.334	4	0, 1, 2, 3	1
xy	Dynamic full	4	8.500	2.142	4	0, 1, 2, 3	1
xy	ODG	4	7.200	0.00000	1	0	1
xy	ACGP	6	7.025	0.72164	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	7.050	0.96333	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	7.425	1.552	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	7.684	1.779	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	6.950	0.00000	1	0	1
xy	ACGP	8	6.250	0.83923	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	6.206	0.83000	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	7.819	2.122	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	7.300	1.628	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	6.950	0.00000	1	0	1
xy	ACGP	16	5.228	1.547	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	5.438	1.356	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	6.897	0.30082	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	7.053	0.85061	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	6.950	0.00000	1	0	1
xy	ACGP	32	3.861	1.447	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	4.119	1.583	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	6.924	0.21099	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	5.755	1.615	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	6.950	0.00000	1	0	1
yx	ACGP	2	20.391	17.948	2	0, 1	1
yx	CGP	2	10.200	3.536	2	0, 1	1
yx	Dynamic first	2	10.350	4.313	2	0, 1	1
yx	Dynamic full	2	10.950	5.162	2	0, 1	1
yx	ODG	2	7.300	0.00000	1	0	1
yx	ACGP	3	8.578	0.92641	3	0, 1, 2	1
yx	CGP	3	8.800	1.516	3	0, 1, 2	1
yx	Dynamic first	3	9.950	2.800	3	0, 1, 2	1
yx	Dynamic full	3	9.500	1.630	3	0, 1, 2	1
yx	ODG	3	7.950	0.00000	1	0	1
yx	ACGP	4	7.640	1.198	4	0, 1, 2, 3	1
yx	CGP	4	8.000	1.411	4	0, 1, 2, 3	1
yx	Dynamic first	4	9.175	2.728	4	0, 1, 2, 3	1
yx	Dynamic full	4	8.625	2.431	4	0, 1, 2, 3	1
yx	ODG	4	7.200	0.00000	1	0	1
yx	ACGP	6	7.117	1.828	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	6.817	1.135	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	8.234	2.823	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	7.800	1.933	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	6.950	0.00000	1	0	1
yx	ACGP	8	6.394	0.64667	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	15.055	11.800	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	7.450	1.205	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	7.694	1.590	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	6.950	0.00000	1	0	1
yx	ACGP	16	5.178	1.488	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	5.447	1.274	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	6.635	0.65973	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic full	16	7.085	1.010	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ODG	16	6.950	0.00000	1	0	1
yx	ACGP	32	4.134	1.770	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	4.114	1.657	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	6.470	0.47023	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	6.133	1.197	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	6.950	0.00000	1	0	1

Circuit makespan



This plot asks how circuit makespan changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Makespan covers the whole circuit execution and is reported in seconds; it is different from per-request latency.

Exact graph/table CSV: `mesh__end_to_end_latency_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	2.601	0.33118	6	0, 1	3
max rel.	CGP	2	2.613	0.34439	6	0, 1	3
max rel.	Dynamic first	2	2.457	0.18333	6	0, 1	3
max rel.	Dynamic full	2	2.551	0.26933	6	0, 1	3
max rel.	ODG	2	2.361	0.15637	3	0	3
max rel.	ACGP	3	2.282	0.23712	9	0, 1, 2	3
max rel.	CGP	3	2.308	0.26058	9	0, 1, 2	3
max rel.	Dynamic first	3	2.229	0.11992	9	0, 1, 2	3
max rel.	Dynamic full	3	2.299	0.21600	9	0, 1, 2	3
max rel.	ODG	3	2.186	0.12265	3	0	3
max rel.	ACGP	4	2.110	0.18162	12	0, 1, 2, 3	3
max rel.	CGP	4	2.118	0.17796	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	2.144	0.10491	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	2.186	0.16395	12	0, 1, 2, 3	3
max rel.	ODG	4	2.149	0.11190	3	0	3
max rel.	ACGP	6	1.924	0.18649	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	1.947	0.17486	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	2.092	0.08885	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	2.090	0.14379	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	2.142	0.10229	3	0	3
max rel.	ACGP	8	1.809	0.19356	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	1.824	0.19361	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	2.063	0.09374	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	2.016	0.11696	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	2.145	0.10498	3	0	3
max rel.	ACGP	16	1.617	0.21419	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	1.626	0.21578	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	2.014	0.09772	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1.869	0.14335	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	2.146	0.10606	3	0	3
max rel.	ACGP	32	1.495	0.19406	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	1.502	0.19757	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	1.995	0.09376	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	1.729	0.16942	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	2.146	0.10606	3	0	3
shortest rel.	ACGP	2	2.214	0.18623	6	0, 1	3
shortest rel.	CGP	2	2.219	0.18858	6	0, 1	3
shortest rel.	Dynamic first	2	2.144	0.10828	6	0, 1	3
shortest rel.	Dynamic full	2	2.189	0.15719	6	0, 1	3
shortest rel.	ODG	2	2.047	0.00739	3	0	3
shortest rel.	ACGP	3	1.996	0.12737	9	0, 1, 2	3
shortest rel.	CGP	3	2.000	0.13055	9	0, 1, 2	3
shortest rel.	Dynamic first	3	1.981	0.05974	9	0, 1, 2	3
shortest rel.	Dynamic full	3	2.030	0.12499	9	0, 1, 2	3
shortest rel.	ODG	3	1.950	0.01133	3	0	3
shortest rel.	ACGP	4	1.875	0.09394	12	0, 1, 2, 3	3
shortest rel.	CGP	4	1.877	0.10413	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	1.932	0.05006	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	1.945	0.08239	12	0, 1, 2, 3	3
shortest rel.	ODG	4	1.936	0.01424	3	0	3
shortest rel.	ACGP	6	1.738	0.12147	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	1.734	0.12597	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	1.886	0.03293	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	1.861	0.06518	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	1.932	0.01699	3	0	3
shortest rel.	ACGP	8	1.641	0.14922	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	1.644	0.14967	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	8	1.859	0.04405	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	1.809	0.06952	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	ODG	8	1.931	0.01390	3	0	3
shortest rel.	ACGP	16	1.492	0.17672	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	1.492	0.17643	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	1.802	0.05464	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1.700	0.10418	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	1.931	0.01390	3	0	3
shortest rel.	ACGP	32	1.395	0.15893	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	1.396	0.15753	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	1.776	0.04742	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	1.570	0.14984	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	1.931	0.01390	3	0	3
xy	ACGP	2	2.154	0.19886	2	0, 1	1
xy	CGP	2	2.137	0.17466	2	0, 1	1
xy	Dynamic first	2	2.110	0.13548	2	0, 1	1
xy	Dynamic full	2	2.142	0.18039	2	0, 1	1
xy	ODG	2	2.014	0.00000	1	0	1
xy	ACGP	3	1.985	0.12714	3	0, 1, 2	1
xy	CGP	3	1.971	0.12266	3	0, 1, 2	1
xy	Dynamic first	3	1.992	0.07759	3	0, 1, 2	1
xy	Dynamic full	3	2.000	0.11504	3	0, 1, 2	1
xy	ODG	3	1.952	0.00000	1	0	1
xy	ACGP	4	1.842	0.10368	4	0, 1, 2, 3	1
xy	CGP	4	1.840	0.09686	4	0, 1, 2, 3	1
xy	Dynamic first	4	1.948	0.07118	4	0, 1, 2, 3	1
xy	Dynamic full	4	1.941	0.07634	4	0, 1, 2, 3	1
xy	ODG	4	1.956	0.00000	1	0	1
xy	ACGP	6	1.719	0.14603	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	1.717	0.14597	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	1.894	0.04581	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	1.858	0.06249	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	1.948	0.00000	1	0	1
xy	ACGP	8	1.623	0.17738	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	1.628	0.17265	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	1.862	0.04760	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	1.799	0.08831	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	1.948	0.00000	1	0	1
xy	ACGP	16	1.478	0.19127	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	1.478	0.18643	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	1.807	0.05696	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1.685	0.12374	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	1.948	0.00000	1	0	1
xy	ACGP	32	1.385	0.16038	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	1.387	0.15958	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	1.784	0.04595	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	1.531	0.17921	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	1.948	0.00000	1	0	1
yx	ACGP	2	2.179	0.20530	2	0, 1	1
yx	CGP	2	2.190	0.22184	2	0, 1	1
yx	Dynamic first	2	2.115	0.11989	2	0, 1	1
yx	Dynamic full	2	2.133	0.14620	2	0, 1	1
yx	ODG	2	2.030	0.00000	1	0	1
yx	ACGP	3	1.956	0.08739	3	0, 1, 2	1
yx	CGP	3	1.963	0.10202	3	0, 1, 2	1
yx	Dynamic first	3	1.996	0.07052	3	0, 1, 2	1
yx	Dynamic full	3	2.012	0.12236	3	0, 1, 2	1
yx	ODG	3	1.964	0.00000	1	0	1
yx	ACGP	4	1.850	0.10249	4	0, 1, 2, 3	1
yx	CGP	4	1.842	0.09517	4	0, 1, 2, 3	1
yx	Dynamic first	4	1.947	0.06326	4	0, 1, 2, 3	1
yx	Dynamic full	4	1.946	0.09955	4	0, 1, 2, 3	1
yx	ODG	4	1.949	0.00000	1	0	1
yx	ACGP	6	1.716	0.14354	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	1.709	0.14727	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	1.880	0.04414	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	1.852	0.05925	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	1.949	0.00000	1	0	1
yx	ACGP	8	1.637	0.16537	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	1.654	0.16208	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	1.855	0.04639	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	1.800	0.08704	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	1.949	0.00000	1	0	1
yx	ACGP	16	1.480	0.18719	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	1.480	0.18435	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	1.808	0.05518	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1.684	0.11773	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
yx	ODG	16	1.949	0.00000	1	0	1
yx	ACGP	32	1.389	0.16258	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	1.388	0.15915	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	1.783	0.04587	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	1.552	0.15959	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	1.949	0.00000	1	0	1

Mean admission wait



This plot asks how mean admission wait changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `mesh__average_admission_wait_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	1.027	0.64119	6	0, 1	3
max rel.	CGP	2	1.037	0.65468	6	0, 1	3
max rel.	Dynamic first	2	0.66317	0.24381	6	0, 1	3
max rel.	Dynamic full	2	0.88469	0.48396	6	0, 1	3
max rel.	ODG	2	0.45659	0.10126	3	0	3
max rel.	ACGP	3	0.61577	0.57198	9	0, 1, 2	3
max rel.	CGP	3	0.62828	0.58865	9	0, 1, 2	3
max rel.	Dynamic first	3	0.27760	0.15488	9	0, 1, 2	3
max rel.	Dynamic full	3	0.50356	0.43934	9	0, 1, 2	3
max rel.	ODG	3	0.12324	0.04095	3	0	3
max rel.	ACGP	4	0.40096	0.46530	12	0, 1, 2, 3	3
max rel.	CGP	4	0.39836	0.46244	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	0.13912	0.11355	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	0.32407	0.35792	12	0, 1, 2, 3	3
max rel.	ODG	4	0.03105	0.01149	3	0	3
max rel.	ACGP	6	0.21472	0.33625	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	0.22150	0.35261	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	0.05209	0.07189	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.19799	0.30622	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	0.00144	0.00111	3	0	3
max rel.	ACGP	8	0.13272	0.24925	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	0.13534	0.26082	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	0.02638	0.04606	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.12902	0.23200	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	3.263e-05	5.651e-05	3	0	3
max rel.	ACGP	16	0.05216	0.15216	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	0.05133	0.15044	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	2.769e-04	5.534e-04	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.05275	0.13811	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	0.00000	0.00000	3	0	3
max rel.	ACGP	32	0.02445	0.10496	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	0.02353	0.10095	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.01702	0.06712	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	0.00000	0.00000	3	0	3
shortest rel.	ACGP	2	0.81755	0.56833	6	0, 1	3
shortest rel.	CGP	2	0.82102	0.57217	6	0, 1	3
shortest rel.	Dynamic first	2	0.54112	0.26642	6	0, 1	3
shortest rel.	Dynamic full	2	0.67017	0.40570	6	0, 1	3
shortest rel.	ODG	2	0.30180	0.02192	3	0	3
shortest rel.	ACGP	3	0.46421	0.47374	9	0, 1, 2	3
shortest rel.	CGP	3	0.45951	0.46934	9	0, 1, 2	3
shortest rel.	Dynamic first	3	0.22235	0.17418	9	0, 1, 2	3
shortest rel.	Dynamic full	3	0.38241	0.37413	9	0, 1, 2	3
shortest rel.	ODG	3	0.06470	0.00833	3	0	3
shortest rel.	ACGP	4	0.29667	0.38333	12	0, 1, 2, 3	3
shortest rel.	CGP	4	0.28956	0.37363	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	0.13019	0.14736	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	0.24606	0.29831	12	0, 1, 2, 3	3
shortest rel.	ODG	4	0.01211	0.00263	3	0	3
shortest rel.	ACGP	6	0.15069	0.25995	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	0.15267	0.26813	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	0.06058	0.09254	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.13484	0.22039	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	3.839e-04	2.726e-04	3	0	3
shortest rel.	ACGP	8	0.09399	0.19185	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	0.09715	0.19981	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	Dynamic first	8	0.03657	0.06944	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.09160	0.17877	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ODG	8	0.00000	0.00000	3	0	3
shortest rel.	ACGP	16	0.03742	0.11571	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	0.03892	0.12253	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.00154	0.00385	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.03351	0.09903	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	0.00000	0.00000	3	0	3
shortest rel.	ACGP	32	0.01828	0.08262	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	0.01766	0.07958	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.00322	0.01530	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	0.00000	0.00000	3	0	3
xy	ACGP	2	0.68018	0.64097	2	0, 1	1
xy	CGP	2	0.66102	0.61386	2	0, 1	1
xy	Dynamic first	2	0.46233	0.33480	2	0, 1	1
xy	Dynamic full	2	0.56461	0.47944	2	0, 1	1
xy	ODG	2	0.22559	0.00000	1	0	1
xy	ACGP	3	0.40142	0.51162	3	0, 1, 2	1
xy	CGP	3	0.38882	0.48900	3	0, 1, 2	1
xy	Dynamic first	3	0.20638	0.21287	3	0, 1, 2	1
xy	Dynamic full	3	0.33055	0.40393	3	0, 1, 2	1
xy	ODG	3	0.03914	0.00000	1	0	1
xy	ACGP	4	0.23690	0.35580	4	0, 1, 2, 3	1
xy	CGP	4	0.23626	0.35732	4	0, 1, 2, 3	1
xy	Dynamic first	4	0.13602	0.19172	4	0, 1, 2, 3	1
xy	Dynamic full	4	0.21314	0.31419	4	0, 1, 2, 3	1
xy	ODG	4	0.00646	0.00000	1	0	1
xy	ACGP	6	0.12790	0.24578	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	0.12596	0.24453	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	0.05967	0.10382	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.12045	0.21474	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	0.00000	0.00000	1	0	1
xy	ACGP	8	0.07881	0.17760	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	0.07702	0.17322	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	0.02995	0.06245	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.07723	0.16659	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	0.00000	0.00000	1	0	1
xy	ACGP	16	0.03058	0.09908	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	0.03053	0.10036	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	2.230e-04	4.442e-04	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.02385	0.07244	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	0.00000	0.00000	1	0	1
xy	ACGP	32	0.01417	0.06548	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	0.01483	0.06963	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	1.735e-04	5.028e-04	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	0.00000	0.00000	1	0	1
yx	ACGP	2	0.74259	0.66436	2	0, 1	1
yx	CGP	2	0.75392	0.68038	2	0, 1	1
yx	Dynamic first	2	0.48111	0.29652	2	0, 1	1
yx	Dynamic full	2	0.58556	0.44424	2	0, 1	1
yx	ODG	2	0.27144	0.00000	1	0	1
yx	ACGP	3	0.39186	0.45601	3	0, 1, 2	1
yx	CGP	3	0.40929	0.48486	3	0, 1, 2	1
yx	Dynamic first	3	0.23299	0.21862	3	0, 1, 2	1
yx	Dynamic full	3	0.35165	0.39619	3	0, 1, 2	1
yx	ODG	3	0.05827	0.00000	1	0	1
yx	ACGP	4	0.26346	0.38520	4	0, 1, 2, 3	1
yx	CGP	4	0.25031	0.35259	4	0, 1, 2, 3	1
yx	Dynamic first	4	0.13530	0.17938	4	0, 1, 2, 3	1
yx	Dynamic full	4	0.23065	0.32440	4	0, 1, 2, 3	1
yx	ODG	4	0.01014	0.00000	1	0	1
yx	ACGP	6	0.13921	0.25809	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	0.13682	0.25322	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	0.05627	0.09981	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.12541	0.22458	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	2.832e-04	0.00000	1	0	1
yx	ACGP	8	0.08670	0.19062	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	0.08823	0.19636	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	0.03051	0.05525	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.09331	0.19523	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	0.00000	0.00000	1	0	1
yx	ACGP	16	0.03301	0.10403	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	0.03477	0.11060	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	6.739e-04	0.00151	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic full	16	0.02689	0.08051	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ODG	16	0.00000	0.00000	1	0	1
yx	ACGP	32	0.01693	0.07737	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	0.01660	0.07546	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.00254	0.01144	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	0.00000	0.00000	1	0	1

Maximum admission wait



This plot asks how maximum admission wait changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `mesh__max_admission_wait_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	9.342	3.451	6	0, 1	3
max rel.	CGP	2	9.042	3.196	6	0, 1	3
max rel.	Dynamic first	2	9.684	4.074	6	0, 1	3
max rel.	Dynamic full	2	10.850	5.126	6	0, 1	3
max rel.	ODG	2	6.317	0.23629	3	0	3
max rel.	ACGP	3	6.980	4.012	9	0, 1, 2	3
max rel.	CGP	3	6.967	4.064	9	0, 1, 2	3
max rel.	Dynamic first	3	6.733	3.714	9	0, 1, 2	3
max rel.	Dynamic full	3	7.572	4.129	9	0, 1, 2	3
max rel.	ODG	3	3.483	0.41634	3	0	3
max rel.	ACGP	4	5.270	3.326	12	0, 1, 2, 3	3
max rel.	CGP	4	5.316	3.182	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	5.671	4.035	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	5.488	3.581	12	0, 1, 2, 3	3
max rel.	ODG	4	1.933	0.30138	3	0	3
max rel.	ACGP	6	3.203	2.961	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	3.431	3.421	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	3.375	3.425	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	4.200	4.151	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	0.71669	0.12582	3	0	3
max rel.	ACGP	8	2.030	2.377	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	2.123	2.457	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	2.010	2.373	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	3.236	3.996	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	0.08334	0.14434	3	0	3
max rel.	ACGP	16	0.64480	1.170	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	0.66613	1.336	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	0.15313	0.22957	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1.570	3.168	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	0.00000	0.00000	3	0	3
max rel.	ACGP	32	0.26186	0.76651	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	0.26875	0.75823	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.69168	2.066	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	0.00000	0.00000	3	0	3
shortest rel.	ACGP	2	8.175	3.420	6	0, 1	3
shortest rel.	CGP	2	8.434	3.698	6	0, 1	3
shortest rel.	Dynamic first	2	8.484	3.873	6	0, 1	3
shortest rel.	Dynamic full	2	8.692	3.961	6	0, 1	3
shortest rel.	ODG	2	5.100	0.62451	3	0	3
shortest rel.	ACGP	3	5.950	3.585	9	0, 1, 2	3
shortest rel.	CGP	3	8.079	9.238	9	0, 1, 2	3
shortest rel.	Dynamic first	3	6.011	3.606	9	0, 1, 2	3
shortest rel.	Dynamic full	3	6.511	4.341	9	0, 1, 2	3
shortest rel.	ODG	3	2.700	0.13230	3	0	3
shortest rel.	ACGP	4	4.692	3.658	12	0, 1, 2, 3	3
shortest rel.	CGP	4	4.450	3.516	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	4.046	2.606	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	4.900	3.835	12	0, 1, 2, 3	3
shortest rel.	ODG	4	1.517	0.43110	3	0	3
shortest rel.	ACGP	6	2.742	2.862	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	2.504	2.535	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	2.975	3.004	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	3.450	3.574	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	0.55001	0.18028	3	0	3
shortest rel.	ACGP	8	1.548	1.992	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	1.792	2.416	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	Dynamic first	8	2.306	3.205	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	2.677	3.794	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ODG	8	0.00000	0.00000	3	0	3
shortest rel.	ACGP	16	0.51776	1.057	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	0.51089	1.116	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.32917	0.57101	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1.326	2.861	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	0.00000	0.00000	3	0	3
shortest rel.	ACGP	32	0.20156	0.58891	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	0.20469	0.60979	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.38334	1.228	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	0.00000	0.00000	3	0	3
xy	ACGP	2	6.900	4.101	2	0, 1	1
xy	CGP	2	7.050	4.313	2	0, 1	1
xy	Dynamic first	2	7.200	4.526	2	0, 1	1
xy	Dynamic full	2	7.225	4.561	2	0, 1	1
xy	ODG	2	4.000	0.00000	1	0	1
xy	ACGP	3	11.948	14.887	3	0, 1, 2	1
xy	CGP	3	11.651	14.540	3	0, 1, 2	1
xy	Dynamic first	3	5.717	4.196	3	0, 1, 2	1
xy	Dynamic full	3	5.683	4.470	3	0, 1, 2	1
xy	ODG	3	2.300	0.00000	1	0	1
xy	ACGP	4	3.663	3.049	4	0, 1, 2, 3	1
xy	CGP	4	3.422	2.862	4	0, 1, 2, 3	1
xy	Dynamic first	4	4.000	3.430	4	0, 1, 2, 3	1
xy	Dynamic full	4	4.288	3.909	4	0, 1, 2, 3	1
xy	ODG	4	1.200	0.00000	1	0	1
xy	ACGP	6	2.300	2.588	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	1.975	2.443	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	2.625	3.032	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	2.900	3.681	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	0.00000	0.00000	1	0	1
xy	ACGP	8	1.275	1.852	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	1.456	2.309	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	2.150	3.389	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	2.281	3.648	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	0.00000	0.00000	1	0	1
xy	ACGP	16	0.44375	0.94850	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	0.40000	0.83527	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	0.11563	0.21112	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1.094	2.413	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	0.00000	0.00000	1	0	1
xy	ACGP	32	0.15781	0.51855	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	0.14844	0.51673	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.05625	0.14355	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	0.00000	0.00000	1	0	1
yx	ACGP	2	15.897	14.844	2	0, 1	1
yx	CGP	2	8.300	4.101	2	0, 1	1
yx	Dynamic first	2	8.400	3.960	2	0, 1	1
yx	Dynamic full	2	9.375	5.339	2	0, 1	1
yx	ODG	2	5.600	0.00000	1	0	1
yx	ACGP	3	5.211	3.119	3	0, 1, 2	1
yx	CGP	3	5.300	3.270	3	0, 1, 2	1
yx	Dynamic first	3	6.450	4.962	3	0, 1, 2	1
yx	Dynamic full	3	6.017	3.897	3	0, 1, 2	1
yx	ODG	3	2.800	0.00000	1	0	1
yx	ACGP	4	3.963	3.122	4	0, 1, 2, 3	1
yx	CGP	4	4.250	3.183	4	0, 1, 2, 3	1
yx	Dynamic first	4	4.738	4.513	4	0, 1, 2, 3	1
yx	Dynamic full	4	5.050	4.313	4	0, 1, 2, 3	1
yx	ODG	4	1.500	0.00000	1	0	1
yx	ACGP	6	2.775	3.502	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	2.518	2.588	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	3.375	4.493	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	3.042	3.557	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	0.60001	0.00000	1	0	1
yx	ACGP	8	1.650	2.429	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	1.581	2.348	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	2.219	2.921	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	2.288	3.162	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	0.00000	0.00000	1	0	1
yx	ACGP	16	0.45938	0.96666	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	0.59689	1.320	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	0.27500	0.46512	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic full	16	1.041	2.255	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ODG	16	0.00000	0.00000	1	0	1
yx	ACGP	32	0.20781	0.63882	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	0.20572	0.59527	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.21250	0.68015	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	0.00000	0.00000	1	0	1

Requests that waited



This plot asks how requests that waited changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. The fraction ranges from zero to one and counts requests whose admission wait crossed the study threshold.

Exact graph/table CSV: `mesh__requests_that_waited_fraction.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	0.48267	0.16137	6	0, 1	3
max rel.	CGP	2	0.48463	0.16342	6	0, 1	3
max rel.	Dynamic first	2	0.41641	0.09072	6	0, 1	3
max rel.	Dynamic full	2	0.45094	0.12743	6	0, 1	3
max rel.	ODG	2	0.33789	0.04368	3	0	3
max rel.	ACGP	3	0.36644	0.20896	9	0, 1, 2	3
max rel.	CGP	3	0.36652	0.21131	9	0, 1, 2	3
max rel.	Dynamic first	3	0.24874	0.09234	9	0, 1, 2	3
max rel.	Dynamic full	3	0.31787	0.16662	9	0, 1, 2	3
max rel.	ODG	3	0.14973	0.04333	3	0	3
max rel.	ACGP	4	0.28656	0.22752	12	0, 1, 2, 3	3
max rel.	CGP	4	0.28471	0.22677	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	0.14711	0.08530	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	0.23231	0.17410	12	0, 1, 2, 3	3
max rel.	ODG	4	0.05387	0.02035	3	0	3
max rel.	ACGP	6	0.19300	0.22359	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	0.18994	0.22230	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	0.06008	0.06407	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.14402	0.16081	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	0.00417	0.00321	3	0	3
max rel.	ACGP	8	0.14145	0.20736	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	0.13880	0.20441	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	0.02955	0.04111	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.10008	0.13672	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	1.398e-04	2.422e-04	3	0	3
max rel.	ACGP	16	0.06729	0.15582	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	0.06625	0.15426	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	6.494e-04	0.00125	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.03566	0.07142	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	0.00000	0.00000	3	0	3
max rel.	ACGP	32	0.03273	0.11156	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	0.03169	0.10883	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.01058	0.02974	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	0.00000	0.00000	3	0	3
shortest rel.	ACGP	2	0.42778	0.18490	6	0, 1	3
shortest rel.	CGP	2	0.42664	0.18375	6	0, 1	3
shortest rel.	Dynamic first	2	0.36156	0.11365	6	0, 1	3
shortest rel.	Dynamic full	2	0.39140	0.14563	6	0, 1	3
shortest rel.	ODG	2	0.25925	0.01750	3	0	3
shortest rel.	ACGP	3	0.30933	0.21955	9	0, 1, 2	3
shortest rel.	CGP	3	0.30925	0.21926	9	0, 1, 2	3
shortest rel.	Dynamic first	3	0.20470	0.10976	9	0, 1, 2	3
shortest rel.	Dynamic full	3	0.26229	0.17465	9	0, 1, 2	3
shortest rel.	ODG	3	0.08787	0.00921	3	0	3
shortest rel.	ACGP	4	0.23323	0.22656	12	0, 1, 2, 3	3
shortest rel.	CGP	4	0.23184	0.22469	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	0.12882	0.10920	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	0.18791	0.17334	12	0, 1, 2, 3	3
shortest rel.	ODG	4	0.02241	0.00422	3	0	3
shortest rel.	ACGP	6	0.15433	0.21054	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	0.15253	0.21009	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	0.06152	0.07902	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.11010	0.14325	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	0.00107	8.923e-04	3	0	3
shortest rel.	ACGP	8	0.11210	0.18805	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	0.11200	0.18787	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	8	0.03519	0.05431	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.07447	0.11742	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	ODG	8	0.00000	0.00000	3	0	3
shortest rel.	ACGP	16	0.05318	0.13878	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	0.05344	0.14074	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.00249	0.00527	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.02277	0.05429	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	0.00000	0.00000	3	0	3
shortest rel.	ACGP	32	0.02622	0.10049	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	0.02557	0.09759	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.00283	0.01007	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	0.00000	0.00000	3	0	3
xy	ACGP	2	0.38746	0.23739	2	0, 1	1
xy	CGP	2	0.38491	0.23379	2	0, 1	1
xy	Dynamic first	2	0.32232	0.14633	2	0, 1	1
xy	Dynamic full	2	0.35876	0.19787	2	0, 1	1
xy	ODG	2	0.21884	0.00000	1	0	1
xy	ACGP	3	0.27461	0.25314	3	0, 1, 2	1
xy	CGP	3	0.27184	0.24707	3	0, 1, 2	1
xy	Dynamic first	3	0.17869	0.13035	3	0, 1, 2	1
xy	Dynamic full	3	0.23508	0.20820	3	0, 1, 2	1
xy	ODG	3	0.05816	0.00000	1	0	1
xy	ACGP	4	0.20133	0.23627	4	0, 1, 2, 3	1
xy	CGP	4	0.20317	0.23941	4	0, 1, 2, 3	1
xy	Dynamic first	4	0.11858	0.12953	4	0, 1, 2, 3	1
xy	Dynamic full	4	0.16191	0.18454	4	0, 1, 2, 3	1
xy	ODG	4	0.01095	0.00000	1	0	1
xy	ACGP	6	0.13384	0.21019	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	0.13123	0.20875	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	0.05709	0.08249	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.09885	0.14517	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	0.00000	0.00000	1	0	1
xy	ACGP	8	0.09882	0.18669	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	0.09696	0.18327	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	0.02941	0.04975	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.06340	0.11342	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	0.00000	0.00000	1	0	1
xy	ACGP	16	0.04762	0.13345	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	0.04695	0.13284	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	5.901e-04	0.00114	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.01795	0.04638	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	0.00000	0.00000	1	0	1
xy	ACGP	32	0.02237	0.08941	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	0.02252	0.09111	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	4.071e-04	0.00112	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	0.00000	0.00000	1	0	1
yx	ACGP	2	0.39974	0.22591	2	0, 1	1
yx	CGP	2	0.40096	0.22765	2	0, 1	1
yx	Dynamic first	2	0.33780	0.13859	2	0, 1	1
yx	Dynamic full	2	0.36499	0.17704	2	0, 1	1
yx	ODG	2	0.23980	0.00000	1	0	1
yx	ACGP	3	0.28298	0.24206	3	0, 1, 2	1
yx	CGP	3	0.28644	0.24385	3	0, 1, 2	1
yx	Dynamic first	3	0.19965	0.13422	3	0, 1, 2	1
yx	Dynamic full	3	0.24585	0.19444	3	0, 1, 2	1
yx	ODG	3	0.07591	0.00000	1	0	1
yx	ACGP	4	0.21431	0.24171	4	0, 1, 2, 3	1
yx	CGP	4	0.21025	0.23376	4	0, 1, 2, 3	1
yx	Dynamic first	4	0.12269	0.12079	4	0, 1, 2, 3	1
yx	Dynamic full	4	0.17291	0.17958	4	0, 1, 2, 3	1
yx	ODG	4	0.01850	0.00000	1	0	1
yx	ACGP	6	0.14297	0.21287	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	0.14146	0.21209	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	0.05558	0.07783	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.10357	0.14789	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	7.553e-04	0.00000	1	0	1
yx	ACGP	8	0.10286	0.18429	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	0.10206	0.18393	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	0.03170	0.04953	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.07156	0.12019	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	0.00000	0.00000	1	0	1
yx	ACGP	16	0.04939	0.13328	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	0.04990	0.13476	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	0.00120	0.00214	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	0.02130	0.05241	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	ODG	16	0.00000	0.00000	1	0	1
yx	ACGP	32	0.02462	0.09602	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	0.02449	0.09492	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.00211	0.00750	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	0.00000	0.00000	1	0	1

Latency decomposition

Mean reservation setup time



This plot asks how mean reservation setup time changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `mesh__avg_reservation_setup_time_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	0.00000	0.00000	6	0, 1	3
max rel.	CGP	2	0.00000	0.00000	6	0, 1	3
max rel.	Dynamic first	2	0.00000	0.00000	6	0, 1	3
max rel.	Dynamic full	2	0.00000	0.00000	6	0, 1	3
max rel.	ODG	2	0.00000	0.00000	3	0	3
max rel.	ACGP	3	0.00000	0.00000	9	0, 1, 2	3
max rel.	CGP	3	0.00000	0.00000	9	0, 1, 2	3
max rel.	Dynamic first	3	0.00000	0.00000	9	0, 1, 2	3
max rel.	Dynamic full	3	0.00000	0.00000	9	0, 1, 2	3
max rel.	ODG	3	0.00000	0.00000	3	0	3
max rel.	ACGP	4	0.00000	0.00000	12	0, 1, 2, 3	3
max rel.	CGP	4	0.00000	0.00000	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	0.00000	0.00000	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	0.00000	0.00000	12	0, 1, 2, 3	3
max rel.	ODG	4	0.00000	0.00000	3	0	3
max rel.	ACGP	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	0.00000	0.00000	3	0	3
max rel.	ACGP	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	0.00000	0.00000	3	0	3
max rel.	ACGP	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	0.00000	0.00000	3	0	3
max rel.	ACGP	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	0.00000	0.00000	3	0	3
shortest rel.	ACGP	2	0.00000	0.00000	6	0, 1	3
shortest rel.	CGP	2	0.00000	0.00000	6	0, 1	3
shortest rel.	Dynamic first	2	0.00000	0.00000	6	0, 1	3
shortest rel.	Dynamic full	2	0.00000	0.00000	6	0, 1	3
shortest rel.	ODG	2	0.00000	0.00000	3	0	3
shortest rel.	ACGP	3	0.00000	0.00000	9	0, 1, 2	3
shortest rel.	CGP	3	0.00000	0.00000	9	0, 1, 2	3
shortest rel.	Dynamic first	3	0.00000	0.00000	9	0, 1, 2	3
shortest rel.	Dynamic full	3	0.00000	0.00000	9	0, 1, 2	3
shortest rel.	ODG	3	0.00000	0.00000	3	0	3
shortest rel.	ACGP	4	0.00000	0.00000	12	0, 1, 2, 3	3
shortest rel.	CGP	4	0.00000	0.00000	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	0.00000	0.00000	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	0.00000	0.00000	12	0, 1, 2, 3	3
shortest rel.	ODG	4	0.00000	0.00000	3	0	3
shortest rel.	ACGP	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	0.00000	0.00000	3	0	3
shortest rel.	ACGP	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	ODG	8	0.00000	0.00000	3	0	3
shortest rel.	ACGP	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	0.00000	0.00000	3	0	3
shortest rel.	ACGP	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	0.00000	0.00000	3	0	3
xy	ACGP	2	0.00000	0.00000	2	0, 1	1
xy	CGP	2	0.00000	0.00000	2	0, 1	1
xy	Dynamic first	2	0.00000	0.00000	2	0, 1	1
xy	Dynamic full	2	0.00000	0.00000	2	0, 1	1
xy	ODG	2	0.00000	0.00000	1	0	1
xy	ACGP	3	0.00000	0.00000	3	0, 1, 2	1
xy	CGP	3	0.00000	0.00000	3	0, 1, 2	1
xy	Dynamic first	3	0.00000	0.00000	3	0, 1, 2	1
xy	Dynamic full	3	0.00000	0.00000	3	0, 1, 2	1
xy	ODG	3	0.00000	0.00000	1	0	1
xy	ACGP	4	0.00000	0.00000	4	0, 1, 2, 3	1
xy	CGP	4	0.00000	0.00000	4	0, 1, 2, 3	1
xy	Dynamic first	4	0.00000	0.00000	4	0, 1, 2, 3	1
xy	Dynamic full	4	0.00000	0.00000	4	0, 1, 2, 3	1
xy	ODG	4	0.00000	0.00000	1	0	1
xy	ACGP	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	0.00000	0.00000	1	0	1
xy	ACGP	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	0.00000	0.00000	1	0	1
xy	ACGP	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	0.00000	0.00000	1	0	1
xy	ACGP	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	0.00000	0.00000	1	0	1
yx	ACGP	2	0.00000	0.00000	2	0, 1	1
yx	CGP	2	0.00000	0.00000	2	0, 1	1
yx	Dynamic first	2	0.00000	0.00000	2	0, 1	1
yx	Dynamic full	2	0.00000	0.00000	2	0, 1	1
yx	ODG	2	0.00000	0.00000	1	0	1
yx	ACGP	3	0.00000	0.00000	3	0, 1, 2	1
yx	CGP	3	0.00000	0.00000	3	0, 1, 2	1
yx	Dynamic first	3	0.00000	0.00000	3	0, 1, 2	1
yx	Dynamic full	3	0.00000	0.00000	3	0, 1, 2	1
yx	ODG	3	0.00000	0.00000	1	0	1
yx	ACGP	4	0.00000	0.00000	4	0, 1, 2, 3	1
yx	CGP	4	0.00000	0.00000	4	0, 1, 2, 3	1
yx	Dynamic first	4	0.00000	0.00000	4	0, 1, 2, 3	1
yx	Dynamic full	4	0.00000	0.00000	4	0, 1, 2, 3	1
yx	ODG	4	0.00000	0.00000	1	0	1
yx	ACGP	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	0.00000	0.00000	1	0	1
yx	ACGP	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	0.00000	0.00000	1	0	1
yx	ACGP	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	ODG	16	0.00000	0.00000	1	0	1
yx	ACGP	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	0.00000	0.00000	1	0	1

Mean entanglement-generation time



This plot asks how mean entanglement-generation time changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `mesh__avg_entanglement_generation_time_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	0.99671	0.12649	6	0, 1	3
max rel.	CGP	2	1.002	0.12054	6	0, 1	3
max rel.	Dynamic first	2	1.068	0.04842	6	0, 1	3
max rel.	Dynamic full	2	1.047	0.07142	6	0, 1	3
max rel.	ODG	2	1.112	0.00717	3	0	3
max rel.	ACGP	3	0.89466	0.19043	9	0, 1, 2	3
max rel.	CGP	3	0.91560	0.17261	9	0, 1, 2	3
max rel.	Dynamic first	3	1.050	0.06110	9	0, 1, 2	3
max rel.	Dynamic full	3	1.001	0.10589	9	0, 1, 2	3
max rel.	ODG	3	1.121	0.00601	3	0	3
max rel.	ACGP	4	0.82578	0.22354	12	0, 1, 2, 3	3
max rel.	CGP	4	0.83057	0.21911	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	1.027	0.07600	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	0.96903	0.12017	12	0, 1, 2, 3	3
max rel.	ODG	4	1.128	0.00573	3	0	3
max rel.	ACGP	6	0.71737	0.25431	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	0.73782	0.24400	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	0.99135	0.08900	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.92061	0.14103	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	1.131	0.00674	3	0	3
max rel.	ACGP	8	0.63980	0.26089	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	0.65284	0.25662	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	0.95675	0.10049	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.87700	0.15606	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	1.130	0.00860	3	0	3
max rel.	ACGP	16	0.48212	0.24502	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	0.49155	0.24489	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	0.88534	0.10381	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.75813	0.17705	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	1.130	0.00891	3	0	3
max rel.	ACGP	32	0.37530	0.20465	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	0.38131	0.20660	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.84262	0.08746	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.61883	0.19385	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	1.130	0.00891	3	0	3
shortest rel.	ACGP	2	0.99468	0.13092	6	0, 1	3
shortest rel.	CGP	2	0.98968	0.13608	6	0, 1	3
shortest rel.	Dynamic first	2	1.062	0.05615	6	0, 1	3
shortest rel.	Dynamic full	2	1.040	0.08043	6	0, 1	3
shortest rel.	ODG	2	1.114	0.00427	3	0	3
shortest rel.	ACGP	3	0.90170	0.18694	9	0, 1, 2	3
shortest rel.	CGP	3	0.90235	0.18528	9	0, 1, 2	3
shortest rel.	Dynamic first	3	1.033	0.07798	9	0, 1, 2	3
shortest rel.	Dynamic full	3	0.99936	0.10941	9	0, 1, 2	3
shortest rel.	ODG	3	1.124	0.00699	3	0	3
shortest rel.	ACGP	4	0.82236	0.22773	12	0, 1, 2, 3	3
shortest rel.	CGP	4	0.82413	0.22214	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	1.009	0.09041	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	0.96456	0.13108	12	0, 1, 2, 3	3
shortest rel.	ODG	4	1.127	0.00326	3	0	3
shortest rel.	ACGP	6	0.71301	0.25296	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	0.70917	0.25297	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	0.96336	0.10554	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.91173	0.14943	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	1.128	0.00466	3	0	3
shortest rel.	ACGP	8	0.62560	0.26366	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	0.62674	0.26235	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	8	0.92834	0.11330	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.87393	0.15958	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	ODG	8	1.128	0.00532	3	0	3
shortest rel.	ACGP	16	0.46773	0.24715	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	0.46641	0.24678	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.83798	0.12229	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.74803	0.17550	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	1.128	0.00532	3	0	3
shortest rel.	ACGP	32	0.36486	0.20328	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	0.36682	0.20249	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.78212	0.10289	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.58733	0.21255	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	1.128	0.00532	3	0	3
xy	ACGP	2	0.99976	0.17166	2	0, 1	1
xy	CGP	2	0.99528	0.17800	2	0, 1	1
xy	Dynamic first	2	1.074	0.06652	2	0, 1	1
xy	Dynamic full	2	1.047	0.10491	2	0, 1	1
xy	ODG	2	1.121	0.00000	1	0	1
xy	ACGP	3	0.91147	0.21379	3	0, 1, 2	1
xy	CGP	3	0.90445	0.21950	3	0, 1, 2	1
xy	Dynamic first	3	1.052	0.07703	3	0, 1, 2	1
xy	Dynamic full	3	1.005	0.13444	3	0, 1, 2	1
xy	ODG	3	1.131	0.00000	1	0	1
xy	ACGP	4	0.82231	0.25597	4	0, 1, 2, 3	1
xy	CGP	4	0.81711	0.25851	4	0, 1, 2, 3	1
xy	Dynamic first	4	1.023	0.09557	4	0, 1, 2, 3	1
xy	Dynamic full	4	0.97336	0.14729	4	0, 1, 2, 3	1
xy	ODG	4	1.136	0.00000	1	0	1
xy	ACGP	6	0.70899	0.27277	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	0.70739	0.27450	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	0.97519	0.11631	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.92093	0.15917	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	1.136	0.00000	1	0	1
xy	ACGP	8	0.61143	0.28822	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	0.61787	0.28020	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	0.93662	0.12403	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.86846	0.17615	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	1.136	0.00000	1	0	1
xy	ACGP	16	0.45580	0.25911	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	0.45616	0.25623	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	0.84164	0.13081	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.74573	0.19194	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	1.136	0.00000	1	0	1
xy	ACGP	32	0.35853	0.20535	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	0.36059	0.20434	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.78734	0.10641	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.54995	0.24443	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	1.136	0.00000	1	0	1
yx	ACGP	2	1.003	0.17394	2	0, 1	1
yx	CGP	2	1.011	0.16267	2	0, 1	1
yx	Dynamic first	2	1.069	0.08200	2	0, 1	1
yx	Dynamic full	2	1.043	0.11871	2	0, 1	1
yx	ODG	2	1.127	0.00000	1	0	1
yx	ACGP	3	0.89591	0.22956	3	0, 1, 2	1
yx	CGP	3	0.89788	0.22846	3	0, 1, 2	1
yx	Dynamic first	3	1.044	0.08413	3	0, 1, 2	1
yx	Dynamic full	3	0.99896	0.13559	3	0, 1, 2	1
yx	ODG	3	1.134	0.00000	1	0	1
yx	ACGP	4	0.81868	0.24927	4	0, 1, 2, 3	1
yx	CGP	4	0.81920	0.25498	4	0, 1, 2, 3	1
yx	Dynamic first	4	1.018	0.08902	4	0, 1, 2, 3	1
yx	Dynamic full	4	0.97943	0.12499	4	0, 1, 2, 3	1
yx	ODG	4	1.133	0.00000	1	0	1
yx	ACGP	6	0.70274	0.27764	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	0.69770	0.27712	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	0.96397	0.10837	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.91295	0.16349	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	1.135	0.00000	1	0	1
yx	ACGP	8	0.62507	0.27799	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	0.63054	0.27577	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	0.92848	0.11657	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.87042	0.16399	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	1.135	0.00000	1	0	1
yx	ACGP	16	0.45764	0.25502	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	0.45716	0.25324	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	0.84184	0.12166	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	0.75419	0.18158	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	ODG	16	1.135	0.00000	1	0	1
yx	ACGP	32	0.36037	0.20580	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	0.36124	0.20500	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.79120	0.09904	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.57895	0.22587	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	1.135	0.00000	1	0	1

Mean retry-wait time



This plot asks how mean retry-wait time changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `mesh__avg_retry_wait_time_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	1.030	0.64454	6	0, 1	3
max rel.	CGP	2	1.038	0.65563	6	0, 1	3
max rel.	Dynamic first	2	0.66332	0.24395	6	0, 1	3
max rel.	Dynamic full	2	0.88487	0.48417	6	0, 1	3
max rel.	ODG	2	0.45659	0.10126	3	0	3
max rel.	ACGP	3	0.61759	0.57417	9	0, 1, 2	3
max rel.	CGP	3	0.62941	0.58994	9	0, 1, 2	3
max rel.	Dynamic first	3	0.27802	0.15524	9	0, 1, 2	3
max rel.	Dynamic full	3	0.50480	0.44081	9	0, 1, 2	3
max rel.	ODG	3	0.12324	0.04095	3	0	3
max rel.	ACGP	4	0.40250	0.46652	12	0, 1, 2, 3	3
max rel.	CGP	4	0.39954	0.46345	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	0.13974	0.11421	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	0.32566	0.36028	12	0, 1, 2, 3	3
max rel.	ODG	4	0.03105	0.01149	3	0	3
max rel.	ACGP	6	0.21647	0.33822	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	0.22308	0.35328	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	0.05256	0.07254	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.19956	0.30901	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	0.00144	0.00111	3	0	3
max rel.	ACGP	8	0.13360	0.24976	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	0.13583	0.26139	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	0.02680	0.04683	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.13051	0.23467	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	3.263e-05	5.651e-05	3	0	3
max rel.	ACGP	16	0.05284	0.15238	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	0.05186	0.15059	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	2.855e-04	5.816e-04	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.05353	0.14012	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	0.00000	0.00000	3	0	3
max rel.	ACGP	32	0.02450	0.10510	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	0.02359	0.10110	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.01718	0.06762	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	0.00000	0.00000	3	0	3
shortest rel.	ACGP	2	0.81841	0.56926	6	0, 1	3
shortest rel.	CGP	2	0.82352	0.57463	6	0, 1	3
shortest rel.	Dynamic first	2	0.54133	0.26666	6	0, 1	3
shortest rel.	Dynamic full	2	0.67049	0.40604	6	0, 1	3
shortest rel.	ODG	2	0.30180	0.02192	3	0	3
shortest rel.	ACGP	3	0.46676	0.47656	9	0, 1, 2	3
shortest rel.	CGP	3	0.46155	0.47204	9	0, 1, 2	3
shortest rel.	Dynamic first	3	0.22290	0.17474	9	0, 1, 2	3
shortest rel.	Dynamic full	3	0.38359	0.37573	9	0, 1, 2	3
shortest rel.	ODG	3	0.06470	0.00833	3	0	3
shortest rel.	ACGP	4	0.29851	0.38556	12	0, 1, 2, 3	3
shortest rel.	CGP	4	0.29181	0.37731	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	0.13078	0.14821	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	0.24714	0.29991	12	0, 1, 2, 3	3
shortest rel.	ODG	4	0.01211	0.00263	3	0	3
shortest rel.	ACGP	6	0.15183	0.26159	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	0.15306	0.26850	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	0.06109	0.09347	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.13590	0.22224	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	3.839e-04	2.726e-04	3	0	3
shortest rel.	ACGP	8	0.09438	0.19242	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	0.09786	0.20112	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	Dynamic first	8	0.03699	0.07028	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.09270	0.18099	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ODG	8	0.00000	0.00000	3	0	3
shortest rel.	ACGP	16	0.03751	0.11592	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	0.03904	0.12273	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.00156	0.00388	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.03395	0.10039	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	0.00000	0.00000	3	0	3
shortest rel.	ACGP	32	0.01832	0.08271	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	0.01778	0.07963	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.00332	0.01568	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	0.00000	0.00000	3	0	3
xy	ACGP	2	0.68084	0.64190	2	0, 1	1
xy	CGP	2	0.66173	0.61486	2	0, 1	1
xy	Dynamic first	2	0.46258	0.33516	2	0, 1	1
xy	Dynamic full	2	0.56472	0.47960	2	0, 1	1
xy	ODG	2	0.22559	0.00000	1	0	1
xy	ACGP	3	0.40569	0.51804	3	0, 1, 2	1
xy	CGP	3	0.39289	0.49516	3	0, 1, 2	1
xy	Dynamic first	3	0.20677	0.21317	3	0, 1, 2	1
xy	Dynamic full	3	0.33152	0.40556	3	0, 1, 2	1
xy	ODG	3	0.03914	0.00000	1	0	1
xy	ACGP	4	0.23761	0.35625	4	0, 1, 2, 3	1
xy	CGP	4	0.23657	0.35738	4	0, 1, 2, 3	1
xy	Dynamic first	4	0.13664	0.19260	4	0, 1, 2, 3	1
xy	Dynamic full	4	0.21394	0.31559	4	0, 1, 2, 3	1
xy	ODG	4	0.00646	0.00000	1	0	1
xy	ACGP	6	0.12842	0.24649	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	0.12631	0.24479	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	0.06013	0.10478	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.12172	0.21745	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	0.00000	0.00000	1	0	1
xy	ACGP	8	0.07925	0.17793	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	0.07735	0.17371	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	0.03023	0.06313	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.07851	0.16906	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	0.00000	0.00000	1	0	1
xy	ACGP	16	0.03068	0.09920	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	0.03060	0.10055	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	2.230e-04	4.442e-04	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.02413	0.07318	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	0.00000	0.00000	1	0	1
xy	ACGP	32	0.01419	0.06555	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	0.01487	0.06977	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	1.900e-04	5.668e-04	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	0.00000	0.00000	1	0	1
yx	ACGP	2	0.74882	0.67317	2	0, 1	1
yx	CGP	2	0.75465	0.68142	2	0, 1	1
yx	Dynamic first	2	0.48191	0.29766	2	0, 1	1
yx	Dynamic full	2	0.58587	0.44468	2	0, 1	1
yx	ODG	2	0.27144	0.00000	1	0	1
yx	ACGP	3	0.39361	0.45805	3	0, 1, 2	1
yx	CGP	3	0.41015	0.48531	3	0, 1, 2	1
yx	Dynamic first	3	0.23323	0.21866	3	0, 1, 2	1
yx	Dynamic full	3	0.35232	0.39733	3	0, 1, 2	1
yx	ODG	3	0.05827	0.00000	1	0	1
yx	ACGP	4	0.26469	0.38634	4	0, 1, 2, 3	1
yx	CGP	4	0.25107	0.35310	4	0, 1, 2, 3	1
yx	Dynamic first	4	0.13571	0.18002	4	0, 1, 2, 3	1
yx	Dynamic full	4	0.23149	0.32602	4	0, 1, 2, 3	1
yx	ODG	4	0.01014	0.00000	1	0	1
yx	ACGP	6	0.13986	0.25865	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	0.13742	0.25376	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	0.05667	0.10055	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.12644	0.22643	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	2.832e-04	0.00000	1	0	1
yx	ACGP	8	0.08717	0.19125	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	0.09324	0.20292	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	0.03085	0.05567	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.09397	0.19675	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	0.00000	0.00000	1	0	1
yx	ACGP	16	0.03311	0.10425	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	0.03486	0.11094	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	6.880e-04	0.00157	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic full	16	0.02741	0.08190	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ODG	16	0.00000	0.00000	1	0	1
yx	ACGP	32	0.01696	0.07746	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	0.01664	0.07552	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.00256	0.01153	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	0.00000	0.00000	1	0	1

Delivered quality

Mean delivered EPR fidelity



This plot asks how mean delivered epr fidelity changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Higher fidelity is desirable, but its tradeoff with latency, retries, and storage time must be read from the neighbouring figures.

Exact graph/table CSV: `mesh__average_delivered_epr_fidelity.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	0.94614	0.00405	6	0, 1	3
max rel.	CGP	2	0.94622	0.00398	6	0, 1	3
max rel.	Dynamic first	2	0.94940	4.550e-04	6	0, 1	3
max rel.	Dynamic full	2	0.94885	0.00106	6	0, 1	3
max rel.	ODG	2	0.94981	6.410e-17	3	0	3
max rel.	ACGP	3	0.94349	0.00563	9	0, 1, 2	3
max rel.	CGP	3	0.94388	0.00540	9	0, 1, 2	3
max rel.	Dynamic first	3	0.94917	5.775e-04	9	0, 1, 2	3
max rel.	Dynamic full	3	0.94824	0.00151	9	0, 1, 2	3
max rel.	ODG	3	0.94981	6.410e-17	3	0	3
max rel.	ACGP	4	0.94179	0.00650	12	0, 1, 2, 3	3
max rel.	CGP	4	0.94206	0.00621	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	0.94896	6.749e-04	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	0.94792	0.00157	12	0, 1, 2, 3	3
max rel.	ODG	4	0.94981	6.410e-17	3	0	3
max rel.	ACGP	6	0.93919	0.00706	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	0.93958	0.00680	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	0.94865	7.636e-04	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.94749	0.00174	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	0.94981	6.410e-17	3	0	3
max rel.	ACGP	8	0.93723	0.00726	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	0.93754	0.00718	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	0.94837	8.273e-04	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.94713	0.00178	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	0.94981	6.410e-17	3	0	3
max rel.	ACGP	16	0.93223	0.00741	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	0.93250	0.00731	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	0.94778	8.455e-04	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.94617	0.00175	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	0.94981	6.410e-17	3	0	3
max rel.	ACGP	32	0.92827	0.00672	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	0.92852	0.00671	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.94742	7.096e-04	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.94511	0.00169	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	0.94981	6.410e-17	3	0	3
shortest rel.	ACGP	2	0.94547	0.00475	6	0, 1	3
shortest rel.	CGP	2	0.94537	0.00486	6	0, 1	3
shortest rel.	Dynamic first	2	0.94935	5.094e-04	6	0, 1	3
shortest rel.	Dynamic full	2	0.94891	9.880e-04	6	0, 1	3
shortest rel.	ODG	2	0.94981	0.00000	3	0	3
shortest rel.	ACGP	3	0.94271	0.00635	9	0, 1, 2	3
shortest rel.	CGP	3	0.94258	0.00643	9	0, 1, 2	3
shortest rel.	Dynamic first	3	0.94908	6.610e-04	9	0, 1, 2	3
shortest rel.	Dynamic full	3	0.94845	0.00127	9	0, 1, 2	3
shortest rel.	ODG	3	0.94981	0.00000	3	0	3
shortest rel.	ACGP	4	0.94050	0.00735	12	0, 1, 2, 3	3
shortest rel.	CGP	4	0.94044	0.00742	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	0.94887	7.436e-04	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	0.94817	0.00143	12	0, 1, 2, 3	3
shortest rel.	ODG	4	0.94981	0.00000	3	0	3
shortest rel.	ACGP	6	0.93708	0.00813	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	0.93698	0.00824	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	0.94849	8.560e-04	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.94773	0.00152	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	0.94981	0.00000	3	0	3
shortest rel.	ACGP	8	0.93445	0.00849	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	0.93436	0.00863	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	Dynamic first	8	0.94823	8.988e-04	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.94745	0.00153	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ODG	8	0.94981	0.00000	3	0	3
shortest rel.	ACGP	16	0.92836	0.00870	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	0.92831	0.00869	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.94756	9.352e-04	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.94651	0.00149	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	0.94981	0.00000	3	0	3
shortest rel.	ACGP	32	0.92411	0.00750	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	0.92421	0.00743	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.94713	7.881e-04	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.94536	0.00162	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	0.94981	0.00000	3	0	3
xy	ACGP	2	0.94542	0.00622	2	0, 1	1
xy	CGP	2	0.94541	0.00623	2	0, 1	1
xy	Dynamic first	2	0.94942	5.594e-04	2	0, 1	1
xy	Dynamic full	2	0.94895	0.00122	2	0, 1	1
xy	ODG	2	0.94981	0.00000	1	0	1
xy	ACGP	3	0.94232	0.00774	3	0, 1, 2	1
xy	CGP	3	0.94237	0.00766	3	0, 1, 2	1
xy	Dynamic first	3	0.94919	6.306e-04	3	0, 1, 2	1
xy	Dynamic full	3	0.94846	0.00156	3	0, 1, 2	1
xy	ODG	3	0.94981	0.00000	1	0	1
xy	ACGP	4	0.94001	0.00849	4	0, 1, 2, 3	1
xy	CGP	4	0.93990	0.00847	4	0, 1, 2, 3	1
xy	Dynamic first	4	0.94895	7.560e-04	4	0, 1, 2, 3	1
xy	Dynamic full	4	0.94821	0.00153	4	0, 1, 2, 3	1
xy	ODG	4	0.94981	0.00000	1	0	1
xy	ACGP	6	0.93608	0.00931	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	0.93627	0.00925	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	0.94861	8.905e-04	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.94785	0.00153	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	0.94981	0.00000	1	0	1
xy	ACGP	8	0.93308	0.00996	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	0.93313	0.00971	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	0.94830	9.603e-04	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.94741	0.00162	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	0.94981	0.00000	1	0	1
xy	ACGP	16	0.92620	0.00991	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	0.92615	0.00986	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	0.94757	0.00101	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.94651	0.00158	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	0.94981	0.00000	1	0	1
xy	ACGP	32	0.92168	0.00835	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	0.92180	0.00829	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.94714	8.280e-04	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.94509	0.00185	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	0.94981	0.00000	1	0	1
yx	ACGP	2	0.94538	0.00627	2	0, 1	1
yx	CGP	2	0.94527	0.00643	2	0, 1	1
yx	Dynamic first	2	0.94934	6.731e-04	2	0, 1	1
yx	Dynamic full	2	0.94885	0.00137	2	0, 1	1
yx	ODG	2	0.94981	0.00000	1	0	1
yx	ACGP	3	0.94240	0.00749	3	0, 1, 2	1
yx	CGP	3	0.94228	0.00771	3	0, 1, 2	1
yx	Dynamic first	3	0.94910	6.960e-04	3	0, 1, 2	1
yx	Dynamic full	3	0.94836	0.00161	3	0, 1, 2	1
yx	ODG	3	0.94981	0.00000	1	0	1
yx	ACGP	4	0.93986	0.00849	4	0, 1, 2, 3	1
yx	CGP	4	0.93997	0.00836	4	0, 1, 2, 3	1
yx	Dynamic first	4	0.94886	7.353e-04	4	0, 1, 2, 3	1
yx	Dynamic full	4	0.94824	0.00138	4	0, 1, 2, 3	1
yx	ODG	4	0.94981	0.00000	1	0	1
yx	ACGP	6	0.93582	0.00960	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	0.93613	0.00919	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	0.94842	8.876e-04	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.94779	0.00156	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	0.94981	0.00000	1	0	1
yx	ACGP	8	0.93311	0.00968	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	0.93289	0.00974	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	0.94817	9.214e-04	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.94746	0.00149	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	0.94981	0.00000	1	0	1
yx	ACGP	16	0.92614	0.00981	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	0.92604	0.00986	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	0.94748	9.611e-04	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic full	16	0.94659	0.00151	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ODG	16	0.94981	0.00000	1	0	1
yx	ACGP	32	0.92175	0.00816	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	0.92182	0.00820	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.94706	7.890e-04	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.94529	0.00173	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	0.94981	0.00000	1	0	1

Retries and robustness

Total retries



This plot asks how total retries changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `mesh__total_retries.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	13.000	17.332	6	0, 1	3
max rel.	CGP	2	7.000	8.438	6	0, 1	3
max rel.	Dynamic first	2	0.50000	0.54772	6	0, 1	3
max rel.	Dynamic full	2	1.083	1.497	6	0, 1	3
max rel.	ODG	2	0.00000	0.00000	3	0	3
max rel.	ACGP	3	11.611	13.145	9	0, 1, 2	3
max rel.	CGP	3	9.778	10.417	9	0, 1, 2	3
max rel.	Dynamic first	3	1.333	1.436	9	0, 1, 2	3
max rel.	Dynamic full	3	4.722	5.403	9	0, 1, 2	3
max rel.	ODG	3	0.00000	0.00000	3	0	3
max rel.	ACGP	4	11.125	10.890	12	0, 1, 2, 3	3
max rel.	CGP	4	7.875	8.353	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	1.875	2.524	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	5.667	8.457	12	0, 1, 2, 3	3
max rel.	ODG	4	0.00000	0.00000	3	0	3
max rel.	ACGP	6	5.667	6.787	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	5.194	5.056	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	1.750	2.896	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	5.667	9.584	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	0.00000	0.00000	3	0	3
max rel.	ACGP	8	4.354	6.392	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	3.667	5.895	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	1.646	3.279	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	6.229	11.068	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	0.00000	0.00000	3	0	3
max rel.	ACGP	16	1.250	2.935	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	1.042	2.136	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	0.02083	0.10097	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	3.167	8.063	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	0.00000	0.00000	3	0	3
max rel.	ACGP	32	0.28125	1.093	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	0.41146	1.588	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.57812	1.884	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	0.00000	0.00000	3	0	3
shortest rel.	ACGP	2	5.917	6.484	6	0, 1	3
shortest rel.	CGP	2	4.000	4.785	6	0, 1	3
shortest rel.	Dynamic first	2	0.33333	0.51640	6	0, 1	3
shortest rel.	Dynamic full	2	0.91667	1.201	6	0, 1	3
shortest rel.	ODG	2	0.00000	0.00000	3	0	3
shortest rel.	ACGP	3	9.389	9.778	9	0, 1, 2	3
shortest rel.	CGP	3	6.611	7.110	9	0, 1, 2	3
shortest rel.	Dynamic first	3	1.278	1.679	9	0, 1, 2	3
shortest rel.	Dynamic full	3	3.556	4.779	9	0, 1, 2	3
shortest rel.	ODG	3	0.00000	0.00000	3	0	3
shortest rel.	ACGP	4	5.917	5.608	12	0, 1, 2, 3	3
shortest rel.	CGP	4	4.042	4.025	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	1.208	1.982	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	3.375	5.227	12	0, 1, 2, 3	3
shortest rel.	ODG	4	0.00000	0.00000	3	0	3
shortest rel.	ACGP	6	3.722	5.148	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	2.444	3.510	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	1.333	2.509	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	3.194	5.421	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	0.00000	0.00000	3	0	3
shortest rel.	ACGP	8	2.500	4.067	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	1.771	2.870	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	8	1.104	2.418	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	3.396	6.873	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ODG	8	0.00000	0.00000	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	ACGP	16	0.61458	1.769	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	0.63542	1.563	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.07292	0.20602	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1.125	3.297	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	0.00000	0.00000	3	0	3
shortest rel.	ACGP	32	0.21354	0.87883	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	0.17188	0.71388	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.28125	1.187	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	0.00000	0.00000	3	0	3
xy	ACGP	2	5.000	7.071	2	0, 1	1
xy	CGP	2	5.000	7.071	2	0, 1	1
xy	Dynamic first	2	0.25000	0.35355	2	0, 1	1
xy	Dynamic full	2	0.25000	0.35355	2	0, 1	1
xy	ODG	2	0.00000	0.00000	1	0	1
xy	ACGP	3	5.500	6.062	3	0, 1, 2	1
xy	CGP	3	6.667	7.320	3	0, 1, 2	1
xy	Dynamic first	3	1.167	1.041	3	0, 1, 2	1
xy	Dynamic full	3	2.500	3.905	3	0, 1, 2	1
xy	ODG	3	0.00000	0.00000	1	0	1
xy	ACGP	4	4.125	4.768	4	0, 1, 2, 3	1
xy	CGP	4	2.125	2.658	4	0, 1, 2, 3	1
xy	Dynamic first	4	1.375	1.797	4	0, 1, 2, 3	1
xy	Dynamic full	4	2.750	4.856	4	0, 1, 2, 3	1
xy	ODG	4	0.00000	0.00000	1	0	1
xy	ACGP	6	2.750	4.084	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	2.250	2.877	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	1.250	2.603	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	3.417	7.432	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	0.00000	0.00000	1	0	1
xy	ACGP	8	2.062	3.530	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	1.625	3.193	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	0.81250	1.926	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	3.062	5.500	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	0.00000	0.00000	1	0	1
xy	ACGP	16	0.53125	1.297	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	0.50000	1.472	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1.000	2.972	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	0.00000	0.00000	1	0	1
xy	ACGP	32	0.15625	0.71208	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	0.25000	1.016	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.04688	0.19508	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	0.00000	0.00000	1	0	1
yx	ACGP	2	12.000	16.971	2	0, 1	1
yx	CGP	2	4.250	6.010	2	0, 1	1
yx	Dynamic first	2	1.750	2.475	2	0, 1	1
yx	Dynamic full	2	0.75000	1.061	2	0, 1	1
yx	ODG	2	0.00000	0.00000	1	0	1
yx	ACGP	3	8.000	10.966	3	0, 1, 2	1
yx	CGP	3	5.833	6.007	3	0, 1, 2	1
yx	Dynamic first	3	0.66667	0.57735	3	0, 1, 2	1
yx	Dynamic full	3	2.667	4.619	3	0, 1, 2	1
yx	ODG	3	0.00000	0.00000	1	0	1
yx	ACGP	4	7.625	9.630	4	0, 1, 2, 3	1
yx	CGP	4	5.125	5.662	4	0, 1, 2, 3	1
yx	Dynamic first	4	1.250	1.893	4	0, 1, 2, 3	1
yx	Dynamic full	4	2.875	5.422	4	0, 1, 2, 3	1
yx	ODG	4	0.00000	0.00000	1	0	1
yx	ACGP	6	3.250	3.738	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	3.250	4.741	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	1.333	2.422	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	3.083	5.463	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	0.00000	0.00000	1	0	1
yx	ACGP	8	2.125	3.691	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	1.812	3.139	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	1.062	1.678	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	2.250	4.862	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	0.00000	0.00000	1	0	1
yx	ACGP	16	0.62500	1.936	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	0.62500	2.370	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	0.03125	0.12500	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1.406	3.734	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ODG	16	0.00000	0.00000	1	0	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	ACGP	32	0.12500	0.50800	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	0.14062	0.44422	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.06250	0.27679	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	0.00000	0.00000	1	0	1

Requests with retries



This plot asks how requests with retries changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `mesh__requests_with_retries.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	11.500	15.349	6	0, 1	3
max rel.	CGP	2	6.417	7.877	6	0, 1	3
max rel.	Dynamic first	2	0.50000	0.54772	6	0, 1	3
max rel.	Dynamic full	2	1.000	1.378	6	0, 1	3
max rel.	ODG	2	0.00000	0.00000	3	0	3
max rel.	ACGP	3	10.167	11.399	9	0, 1, 2	3
max rel.	CGP	3	9.000	9.562	9	0, 1, 2	3
max rel.	Dynamic first	3	1.333	1.436	9	0, 1, 2	3
max rel.	Dynamic full	3	4.611	5.355	9	0, 1, 2	3
max rel.	ODG	3	0.00000	0.00000	3	0	3
max rel.	ACGP	4	9.833	9.776	12	0, 1, 2, 3	3
max rel.	CGP	4	7.125	7.453	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	1.875	2.524	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	5.667	8.457	12	0, 1, 2, 3	3
max rel.	ODG	4	0.00000	0.00000	3	0	3
max rel.	ACGP	6	5.306	6.371	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	5.000	4.796	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	1.722	2.814	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	5.583	9.359	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	0.00000	0.00000	3	0	3
max rel.	ACGP	8	3.958	5.729	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	3.500	5.542	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	1.625	3.214	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	6.021	10.758	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	0.00000	0.00000	3	0	3
max rel.	ACGP	16	1.146	2.634	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	1.000	2.063	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	0.02083	0.10097	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	3.052	7.699	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	0.00000	0.00000	3	0	3
max rel.	ACGP	32	0.27083	1.033	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	0.38021	1.443	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.57812	1.884	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	0.00000	0.00000	3	0	3
shortest rel.	ACGP	2	5.417	5.936	6	0, 1	3
shortest rel.	CGP	2	3.750	4.536	6	0, 1	3
shortest rel.	Dynamic first	2	0.33333	0.51640	6	0, 1	3
shortest rel.	Dynamic full	2	0.75000	0.88034	6	0, 1	3
shortest rel.	ODG	2	0.00000	0.00000	3	0	3
shortest rel.	ACGP	3	8.222	8.768	9	0, 1, 2	3
shortest rel.	CGP	3	5.889	6.189	9	0, 1, 2	3
shortest rel.	Dynamic first	3	1.278	1.679	9	0, 1, 2	3
shortest rel.	Dynamic full	3	3.389	4.649	9	0, 1, 2	3
shortest rel.	ODG	3	0.00000	0.00000	3	0	3
shortest rel.	ACGP	4	5.250	5.038	12	0, 1, 2, 3	3
shortest rel.	CGP	4	3.750	3.714	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	1.208	1.982	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	3.292	5.065	12	0, 1, 2, 3	3
shortest rel.	ODG	4	0.00000	0.00000	3	0	3
shortest rel.	ACGP	6	3.333	4.528	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	2.333	3.348	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	1.306	2.462	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	3.167	5.344	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	0.00000	0.00000	3	0	3
shortest rel.	ACGP	8	2.333	3.821	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	1.625	2.626	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	8	1.083	2.385	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	3.312	6.684	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ODG	8	0.00000	0.00000	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	ACGP	16	0.60417	1.735	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	0.58333	1.453	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.07292	0.20602	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1.094	3.269	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	0.00000	0.00000	3	0	3
shortest rel.	ACGP	32	0.21354	0.87883	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	0.16146	0.63864	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.27083	1.126	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	0.00000	0.00000	3	0	3
xy	ACGP	2	5.000	7.071	2	0, 1	1
xy	CGP	2	5.000	7.071	2	0, 1	1
xy	Dynamic first	2	0.25000	0.35355	2	0, 1	1
xy	Dynamic full	2	0.25000	0.35355	2	0, 1	1
xy	ODG	2	0.00000	0.00000	1	0	1
xy	ACGP	3	5.000	5.268	3	0, 1, 2	1
xy	CGP	3	5.667	6.331	3	0, 1, 2	1
xy	Dynamic first	3	1.167	1.041	3	0, 1, 2	1
xy	Dynamic full	3	2.500	3.905	3	0, 1, 2	1
xy	ODG	3	0.00000	0.00000	1	0	1
xy	ACGP	4	3.750	4.173	4	0, 1, 2, 3	1
xy	CGP	4	2.125	2.658	4	0, 1, 2, 3	1
xy	Dynamic first	4	1.375	1.797	4	0, 1, 2, 3	1
xy	Dynamic full	4	2.625	4.608	4	0, 1, 2, 3	1
xy	ODG	4	0.00000	0.00000	1	0	1
xy	ACGP	6	2.500	3.847	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	2.000	2.470	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	1.250	2.603	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	3.417	7.432	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	0.00000	0.00000	1	0	1
xy	ACGP	8	1.750	2.952	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	1.562	3.041	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	0.81250	1.926	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	3.062	5.500	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	0.00000	0.00000	1	0	1
xy	ACGP	16	0.50000	1.183	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	0.46875	1.360	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1.000	2.972	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	0.00000	0.00000	1	0	1
xy	ACGP	32	0.14062	0.62520	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	0.21875	0.87009	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.04688	0.19508	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	0.00000	0.00000	1	0	1
yx	ACGP	2	9.000	12.728	2	0, 1	1
yx	CGP	2	3.750	5.303	2	0, 1	1
yx	Dynamic first	2	1.250	1.768	2	0, 1	1
yx	Dynamic full	2	0.75000	1.061	2	0, 1	1
yx	ODG	2	0.00000	0.00000	1	0	1
yx	ACGP	3	6.833	8.977	3	0, 1, 2	1
yx	CGP	3	5.333	5.252	3	0, 1, 2	1
yx	Dynamic first	3	0.66667	0.57735	3	0, 1, 2	1
yx	Dynamic full	3	2.500	4.330	3	0, 1, 2	1
yx	ODG	3	0.00000	0.00000	1	0	1
yx	ACGP	4	6.750	8.539	4	0, 1, 2, 3	1
yx	CGP	4	5.125	5.662	4	0, 1, 2, 3	1
yx	Dynamic first	4	1.250	1.893	4	0, 1, 2, 3	1
yx	Dynamic full	4	2.625	4.922	4	0, 1, 2, 3	1
yx	ODG	4	0.00000	0.00000	1	0	1
yx	ACGP	6	3.000	3.493	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	3.000	4.231	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	1.333	2.422	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	3.083	5.463	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	0.00000	0.00000	1	0	1
yx	ACGP	8	2.000	3.474	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	1.625	2.774	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	1.062	1.678	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	2.250	4.862	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	0.00000	0.00000	1	0	1
yx	ACGP	16	0.50000	1.472	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	0.50000	1.871	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	0.03125	0.12500	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1.375	3.690	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ODG	16	0.00000	0.00000	1	0	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	ACGP	32	0.12500	0.50800	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	0.14062	0.44422	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.06250	0.27679	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	0.00000	0.00000	1	0	1

Protocol pair accounting

Protocol-generated pairs



This plot asks how protocol-generated pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `mesh__protocol_generated_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	937.833	1034.713	6	0, 1	3
max rel.	CGP	2	913.833	1004.219	6	0, 1	3
max rel.	Dynamic first	2	308.667	340.488	6	0, 1	3
max rel.	Dynamic full	2	468.000	515.266	6	0, 1	3
max rel.	ODG	2	0.00000	0.00000	3	0	3
max rel.	ACGP	3	1817.556	1547.896	9	0, 1, 2	3
max rel.	CGP	3	1689.889	1443.791	9	0, 1, 2	3
max rel.	Dynamic first	3	501.444	436.320	9	0, 1, 2	3
max rel.	Dynamic full	3	848.111	752.090	9	0, 1, 2	3
max rel.	ODG	3	0.00000	0.00000	3	0	3
max rel.	ACGP	4	2446.417	1847.921	12	0, 1, 2, 3	3
max rel.	CGP	4	2390.917	1793.464	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	695.417	529.608	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	1128.583	854.583	12	0, 1, 2, 3	3
max rel.	ODG	4	0.00000	0.00000	3	0	3
max rel.	ACGP	6	3383.056	2129.327	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	3246.778	2056.609	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	990.389	630.568	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	1521.556	1017.034	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	0.00000	0.00000	3	0	3
max rel.	ACGP	8	4086.708	2243.213	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	4002.208	2200.021	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	1244.083	705.575	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	1874.375	1156.259	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	0.00000	0.00000	3	0	3
max rel.	ACGP	16	5679.521	2337.943	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	5613.854	2328.346	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	1783.604	738.384	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	2808.938	1359.811	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	0.00000	0.00000	3	0	3
max rel.	ACGP	32	7295.500	2405.602	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	7256.406	2428.603	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	2098.500	608.229	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	3876.375	1507.936	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	0.00000	0.00000	3	0	3
shortest rel.	ACGP	2	800.167	879.315	6	0, 1	3
shortest rel.	CGP	2	813.667	892.649	6	0, 1	3
shortest rel.	Dynamic first	2	305.333	334.542	6	0, 1	3
shortest rel.	Dynamic full	2	434.667	476.286	6	0, 1	3
shortest rel.	ODG	2	0.00000	0.00000	3	0	3
shortest rel.	ACGP	3	1478.556	1251.348	9	0, 1, 2	3
shortest rel.	CGP	3	1475.222	1246.923	9	0, 1, 2	3
shortest rel.	Dynamic first	3	518.000	453.988	9	0, 1, 2	3
shortest rel.	Dynamic full	3	726.111	641.612	9	0, 1, 2	3
shortest rel.	ODG	3	0.00000	0.00000	3	0	3
shortest rel.	ACGP	4	2020.750	1511.771	12	0, 1, 2, 3	3
shortest rel.	CGP	4	2014.750	1491.093	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	684.083	527.760	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	959.417	777.708	12	0, 1, 2, 3	3
shortest rel.	ODG	4	0.00000	0.00000	3	0	3
shortest rel.	ACGP	6	2826.500	1736.846	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	2839.056	1735.416	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	991.833	636.635	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	1318.778	908.152	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	0.00000	0.00000	3	0	3
shortest rel.	ACGP	8	3466.292	1862.690	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	3459.500	1847.688	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	8	1202.042	679.853	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	1570.500	977.636	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	ODG	8	0.00000	0.00000	3	0	3
shortest rel.	ACGP	16	4819.958	1931.485	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	4814.062	1924.343	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	1741.729	729.418	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	2366.854	1089.433	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	0.00000	0.00000	3	0	3
shortest rel.	ACGP	32	6274.802	2046.542	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	6264.458	2043.720	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	2077.417	614.072	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	3391.448	1337.567	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	0.00000	0.00000	3	0	3
xy	ACGP	2	813.500	1150.463	2	0, 1	1
xy	CGP	2	814.000	1151.170	2	0, 1	1
xy	Dynamic first	2	267.000	377.595	2	0, 1	1
xy	Dynamic full	2	437.000	618.011	2	0, 1	1
xy	ODG	2	0.00000	0.00000	1	0	1
xy	ACGP	3	1439.667	1399.407	3	0, 1, 2	1
xy	CGP	3	1491.333	1467.605	3	0, 1, 2	1
xy	Dynamic first	3	448.000	440.218	3	0, 1, 2	1
xy	Dynamic full	3	747.000	797.577	3	0, 1, 2	1
xy	ODG	3	0.00000	0.00000	1	0	1
xy	ACGP	4	2074.750	1679.349	4	0, 1, 2, 3	1
xy	CGP	4	2088.750	1684.072	4	0, 1, 2, 3	1
xy	Dynamic first	4	638.250	546.323	4	0, 1, 2, 3	1
xy	Dynamic full	4	959.000	864.636	4	0, 1, 2, 3	1
xy	ODG	4	0.00000	0.00000	1	0	1
xy	ACGP	6	2867.000	1856.445	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	2857.167	1850.651	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	920.167	661.563	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	1280.833	956.860	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	0.00000	0.00000	1	0	1
xy	ACGP	8	3556.875	2016.281	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	3522.875	1952.057	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	1174.250	738.775	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	1623.750	1062.177	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	0.00000	0.00000	1	0	1
xy	ACGP	16	4890.000	1987.241	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	4884.562	1970.733	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	1757.625	789.456	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	2435.875	1201.194	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	0.00000	0.00000	1	0	1
xy	ACGP	32	6315.156	2049.209	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	6300.125	2047.354	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	2085.812	642.456	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	3644.812	1512.624	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	0.00000	0.00000	1	0	1
yx	ACGP	2	815.500	1153.291	2	0, 1	1
yx	CGP	2	794.500	1123.593	2	0, 1	1
yx	Dynamic first	2	326.000	461.034	2	0, 1	1
yx	Dynamic full	2	480.500	679.530	2	0, 1	1
yx	ODG	2	0.00000	0.00000	1	0	1
yx	ACGP	3	1543.667	1489.794	3	0, 1, 2	1
yx	CGP	3	1531.667	1504.291	3	0, 1, 2	1
yx	Dynamic first	3	500.000	476.970	3	0, 1, 2	1
yx	Dynamic full	3	769.333	798.991	3	0, 1, 2	1
yx	ODG	3	0.00000	0.00000	1	0	1
yx	ACGP	4	2098.000	1683.542	4	0, 1, 2, 3	1
yx	CGP	4	2079.250	1679.772	4	0, 1, 2, 3	1
yx	Dynamic first	4	690.750	527.696	4	0, 1, 2, 3	1
yx	Dynamic full	4	913.750	748.602	4	0, 1, 2, 3	1
yx	ODG	4	0.00000	0.00000	1	0	1
yx	ACGP	6	2914.333	1894.246	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	2912.667	1866.708	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	1034.833	659.786	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	1320.333	985.620	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	0.00000	0.00000	1	0	1
yx	ACGP	8	3497.000	1958.059	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	3484.500	1938.932	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	1242.375	698.038	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	1584.000	986.125	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	0.00000	0.00000	1	0	1
yx	ACGP	16	4874.250	1965.455	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	4877.000	1957.882	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	1785.938	741.562	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	2347.500	1128.996	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	ODG	16	0.00000	0.00000	1	0	1
yx	ACGP	32	6317.938	2046.275	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	6303.281	2045.673	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	2100.094	606.596	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	3452.031	1414.052	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	0.00000	0.00000	1	0	1

Protocol-used pairs



This plot asks how protocol-used pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `mesh__protocol_used_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	837.500	924.618	6	0, 1	3
max rel.	CGP	2	811.667	892.293	6	0, 1	3
max rel.	Dynamic first	2	304.333	335.908	6	0, 1	3
max rel.	Dynamic full	2	463.500	510.420	6	0, 1	3
max rel.	ODG	2	0.00000	0.00000	3	0	3
max rel.	ACGP	3	1639.778	1386.794	9	0, 1, 2	3
max rel.	CGP	3	1512.556	1281.717	9	0, 1, 2	3
max rel.	Dynamic first	3	493.444	430.415	9	0, 1, 2	3
max rel.	Dynamic full	3	837.556	742.700	9	0, 1, 2	3
max rel.	ODG	3	0.00000	0.00000	3	0	3
max rel.	ACGP	4	2204.500	1651.220	12	0, 1, 2, 3	3
max rel.	CGP	4	2149.167	1594.597	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	683.750	521.006	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	1111.250	840.025	12	0, 1, 2, 3	3
max rel.	ODG	4	0.00000	0.00000	3	0	3
max rel.	ACGP	6	3026.833	1875.963	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	2884.056	1794.602	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	971.611	618.694	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	1489.333	993.399	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	0.00000	0.00000	3	0	3
max rel.	ACGP	8	3625.875	1941.964	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	3536.208	1893.791	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	1219.458	691.580	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	1830.667	1128.449	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	0.00000	0.00000	3	0	3
max rel.	ACGP	16	4784.292	1843.547	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	4718.479	1832.741	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	1746.812	722.730	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	2730.417	1319.835	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	0.00000	0.00000	3	0	3
max rel.	ACGP	32	5565.052	1569.929	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	5519.177	1577.973	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	2055.510	595.601	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	3761.917	1462.293	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	0.00000	0.00000	3	0	3
shortest rel.	ACGP	2	715.333	786.792	6	0, 1	3
shortest rel.	CGP	2	726.333	797.456	6	0, 1	3
shortest rel.	Dynamic first	2	301.333	330.161	6	0, 1	3
shortest rel.	Dynamic full	2	430.500	471.732	6	0, 1	3
shortest rel.	ODG	2	0.00000	0.00000	3	0	3
shortest rel.	ACGP	3	1327.889	1115.830	9	0, 1, 2	3
shortest rel.	CGP	3	1326.000	1113.305	9	0, 1, 2	3
shortest rel.	Dynamic first	3	510.222	447.939	9	0, 1, 2	3
shortest rel.	Dynamic full	3	714.444	630.847	9	0, 1, 2	3
shortest rel.	ODG	3	0.00000	0.00000	3	0	3
shortest rel.	ACGP	4	1813.583	1344.031	12	0, 1, 2, 3	3
shortest rel.	CGP	4	1807.250	1321.115	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	670.917	517.931	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	939.583	762.520	12	0, 1, 2, 3	3
shortest rel.	ODG	4	0.00000	0.00000	3	0	3
shortest rel.	ACGP	6	2505.444	1512.646	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	2520.444	1512.198	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	970.111	622.015	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	1285.778	885.355	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	0.00000	0.00000	3	0	3
shortest rel.	ACGP	8	3044.083	1588.018	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	3037.333	1573.758	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	8	1172.333	661.924	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	1523.458	947.825	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ODG	8	0.00000	0.00000	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	ACGP	16	4002.875	1488.833	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	4004.771	1484.596	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	1695.354	708.512	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	2281.500	1043.399	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	0.00000	0.00000	3	0	3
shortest rel.	ACGP	32	4615.958	1222.820	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	4605.240	1217.404	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	2020.969	596.228	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	3256.906	1278.177	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	0.00000	0.00000	3	0	3
xy	ACGP	2	728.000	1029.547	2	0, 1	1
xy	CGP	2	731.000	1033.790	2	0, 1	1
xy	Dynamic first	2	262.000	370.524	2	0, 1	1
xy	Dynamic full	2	432.500	611.647	2	0, 1	1
xy	ODG	2	0.00000	0.00000	1	0	1
xy	ACGP	3	1293.333	1247.811	3	0, 1, 2	1
xy	CGP	3	1343.667	1316.872	3	0, 1, 2	1
xy	Dynamic first	3	439.000	431.695	3	0, 1, 2	1
xy	Dynamic full	3	735.333	785.580	3	0, 1, 2	1
xy	ODG	3	0.00000	0.00000	1	0	1
xy	ACGP	4	1871.250	1500.948	4	0, 1, 2, 3	1
xy	CGP	4	1884.500	1505.810	4	0, 1, 2, 3	1
xy	Dynamic first	4	623.250	533.146	4	0, 1, 2, 3	1
xy	Dynamic full	4	937.500	846.044	4	0, 1, 2, 3	1
xy	ODG	4	0.00000	0.00000	1	0	1
xy	ACGP	6	2564.167	1636.270	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	2555.167	1631.829	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	896.500	645.502	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	1242.167	928.631	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	0.00000	0.00000	1	0	1
xy	ACGP	8	3135.750	1734.007	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	3110.125	1677.613	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	1142.500	718.963	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	1573.875	1029.374	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	0.00000	0.00000	1	0	1
xy	ACGP	16	4083.312	1540.811	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	4075.438	1524.969	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	1712.875	770.598	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	2340.062	1150.404	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	0.00000	0.00000	1	0	1
xy	ACGP	32	4663.594	1224.867	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	4647.562	1222.120	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	2034.938	628.015	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	3513.094	1463.150	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	0.00000	0.00000	1	0	1
yx	ACGP	2	730.500	1033.083	2	0, 1	1
yx	CGP	2	712.500	1007.627	2	0, 1	1
yx	Dynamic first	2	322.500	456.084	2	0, 1	1
yx	Dynamic full	2	476.500	673.873	2	0, 1	1
yx	ODG	2	0.00000	0.00000	1	0	1
yx	ACGP	3	1397.000	1341.464	3	0, 1, 2	1
yx	CGP	3	1383.000	1348.442	3	0, 1, 2	1
yx	Dynamic first	3	491.667	468.532	3	0, 1, 2	1
yx	Dynamic full	3	757.000	785.394	3	0, 1, 2	1
yx	ODG	3	0.00000	0.00000	1	0	1
yx	ACGP	4	1894.250	1501.596	4	0, 1, 2, 3	1
yx	CGP	4	1884.250	1504.493	4	0, 1, 2, 3	1
yx	Dynamic first	4	677.250	515.146	4	0, 1, 2, 3	1
yx	Dynamic full	4	892.250	727.676	4	0, 1, 2, 3	1
yx	ODG	4	0.00000	0.00000	1	0	1
yx	ACGP	6	2611.833	1666.912	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	2609.667	1640.534	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	1013.667	643.731	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	1281.833	955.518	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	0.00000	0.00000	1	0	1
yx	ACGP	8	3077.375	1676.040	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	3062.375	1658.156	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	1214.125	680.095	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	1532.125	948.002	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	0.00000	0.00000	1	0	1
yx	ACGP	16	4069.062	1523.403	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	4069.438	1514.508	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	1741.062	720.475	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	2249.812	1075.386	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ODG	16	0.00000	0.00000	1	0	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	ACGP	32	4657.062	1223.578	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	4646.938	1222.954	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	2046.719	589.576	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	3308.781	1354.774	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	0.00000	0.00000	1	0	1

Protocol-unused pairs



This plot asks how protocol-unused pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate less unused or expired work, subject to the paired latency and hit-rate results.

Exact graph/table CSV: `mesh__protocol_unused_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	98.833	108.993	6	0, 1	3
max rel.	CGP	2	101.500	111.964	6	0, 1	3
max rel.	Dynamic first	2	0.00000	0.00000	6	0, 1	3
max rel.	Dynamic full	2	0.00000	0.00000	6	0, 1	3
max rel.	ODG	2	0.00000	0.00000	3	0	3
max rel.	ACGP	3	169.667	159.671	9	0, 1, 2	3
max rel.	CGP	3	170.333	159.233	9	0, 1, 2	3
max rel.	Dynamic first	3	0.00000	0.00000	9	0, 1, 2	3
max rel.	Dynamic full	3	0.00000	0.00000	9	0, 1, 2	3
max rel.	ODG	3	0.00000	0.00000	3	0	3
max rel.	ACGP	4	232.500	194.735	12	0, 1, 2, 3	3
max rel.	CGP	4	231.667	194.974	12	0, 1, 2, 3	3
max rel.	Dynamic first	4	0.00000	0.00000	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	0.00000	0.00000	12	0, 1, 2, 3	3
max rel.	ODG	4	0.00000	0.00000	3	0	3
max rel.	ACGP	6	338.222	256.784	18	0, 1, 2, 3, 4, 5	3
max rel.	CGP	6	342.778	257.775	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
max rel.	ODG	6	0.00000	0.00000	3	0	3
max rel.	ACGP	8	432.250	295.866	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	435.083	302.321	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	ODG	8	0.00000	0.00000	3	0	3
max rel.	ACGP	16	812.562	511.058	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	816.604	511.410	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ODG	16	0.00000	0.00000	3	0	3
max rel.	ACGP	32	1542.417	911.582	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	1554.646	920.800	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	ODG	32	0.00000	0.00000	3	0	3
shortest rel.	ACGP	2	83.667	91.901	6	0, 1	3
shortest rel.	CGP	2	84.000	92.130	6	0, 1	3
shortest rel.	Dynamic first	2	0.00000	0.00000	6	0, 1	3
shortest rel.	Dynamic full	2	0.00000	0.00000	6	0, 1	3
shortest rel.	ODG	2	0.00000	0.00000	3	0	3
shortest rel.	ACGP	3	143.667	130.176	9	0, 1, 2	3
shortest rel.	CGP	3	143.667	130.218	9	0, 1, 2	3
shortest rel.	Dynamic first	3	0.00000	0.00000	9	0, 1, 2	3
shortest rel.	Dynamic full	3	0.00000	0.00000	9	0, 1, 2	3
shortest rel.	ODG	3	0.00000	0.00000	3	0	3
shortest rel.	ACGP	4	195.667	161.545	12	0, 1, 2, 3	3
shortest rel.	CGP	4	196.583	163.995	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	4	0.00000	0.00000	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	0.00000	0.00000	12	0, 1, 2, 3	3
shortest rel.	ODG	4	0.00000	0.00000	3	0	3
shortest rel.	ACGP	6	298.000	213.449	18	0, 1, 2, 3, 4, 5	3
shortest rel.	CGP	6	294.389	213.648	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
shortest rel.	ODG	6	0.00000	0.00000	3	0	3
shortest rel.	ACGP	8	386.542	262.431	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	389.167	264.895	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	ODG	8	0.00000	0.00000	3	0	3
shortest rel.	ACGP	16	731.688	436.489	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	724.646	436.686	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ODG	16	0.00000	0.00000	3	0	3
shortest rel.	ACGP	32	1450.990	862.352	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	CGP	32	1450.188	860.777	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ODG	32	0.00000	0.00000	3	0	3
xy	ACGP	2	80.000	113.137	2	0, 1	1
xy	CGP	2	80.000	113.137	2	0, 1	1
xy	Dynamic first	2	0.00000	0.00000	2	0, 1	1
xy	Dynamic full	2	0.00000	0.00000	2	0, 1	1
xy	ODG	2	0.00000	0.00000	1	0	1
xy	ACGP	3	142.333	150.587	3	0, 1, 2	1
xy	CGP	3	141.667	147.846	3	0, 1, 2	1
xy	Dynamic first	3	0.00000	0.00000	3	0, 1, 2	1
xy	Dynamic full	3	0.00000	0.00000	3	0, 1, 2	1
xy	ODG	3	0.00000	0.00000	1	0	1
xy	ACGP	4	191.500	170.945	4	0, 1, 2, 3	1
xy	CGP	4	192.000	172.627	4	0, 1, 2, 3	1
xy	Dynamic first	4	0.00000	0.00000	4	0, 1, 2, 3	1
xy	Dynamic full	4	0.00000	0.00000	4	0, 1, 2, 3	1
xy	ODG	4	0.00000	0.00000	1	0	1
xy	ACGP	6	282.333	213.364	6	0, 1, 2, 3, 4, 5	1
xy	CGP	6	280.833	213.174	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
xy	ODG	6	0.00000	0.00000	1	0	1
xy	ACGP	8	384.875	267.250	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	382.625	266.637	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	ODG	8	0.00000	0.00000	1	0	1
xy	ACGP	16	719.250	446.579	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	722.125	447.166	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ODG	16	0.00000	0.00000	1	0	1
xy	ACGP	32	1443.688	875.599	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	1444.719	873.172	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	ODG	32	0.00000	0.00000	1	0	1
yx	ACGP	2	79.500	112.430	2	0, 1	1
yx	CGP	2	80.000	113.137	2	0, 1	1
yx	Dynamic first	2	0.00000	0.00000	2	0, 1	1
yx	Dynamic full	2	0.00000	0.00000	2	0, 1	1
yx	ODG	2	0.00000	0.00000	1	0	1
yx	ACGP	3	140.333	144.140	3	0, 1, 2	1
yx	CGP	3	141.667	147.846	3	0, 1, 2	1
yx	Dynamic first	3	0.00000	0.00000	3	0, 1, 2	1
yx	Dynamic full	3	0.00000	0.00000	3	0, 1, 2	1
yx	ODG	3	0.00000	0.00000	1	0	1
yx	ACGP	4	191.500	172.570	4	0, 1, 2, 3	1
yx	CGP	4	187.750	171.834	4	0, 1, 2, 3	1
yx	Dynamic first	4	0.00000	0.00000	4	0, 1, 2, 3	1
yx	Dynamic full	4	0.00000	0.00000	4	0, 1, 2, 3	1
yx	ODG	4	0.00000	0.00000	1	0	1
yx	ACGP	6	280.167	214.490	6	0, 1, 2, 3, 4, 5	1
yx	CGP	6	282.000	218.223	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.00000	0.00000	6	0, 1, 2, 3, 4, 5	1
yx	ODG	6	0.00000	0.00000	1	0	1
yx	ACGP	8	384.375	273.597	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	391.000	276.600	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.00000	0.00000	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	ODG	8	0.00000	0.00000	1	0	1
yx	ACGP	16	719.312	440.931	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	724.500	443.500	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	0.00000	0.00000	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	ODG	16	0.00000	0.00000	1	0	1
yx	ACGP	32	1451.406	873.390	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	1451.812	870.677	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.00000	0.00000	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ODG	32	0.00000	0.00000	1	0	1

Protocol waste



This plot asks how protocol waste changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate less unused or expired work, subject to the paired latency and hit-rate results.

Exact graph/table CSV: `mesh__protocol_waste_percentage.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	ACGP	2	10.576	0.88113	3	1	3
max rel.	CGP	2	11.144	1.125	3	1	3
max rel.	Dynamic first	2	0.00000	0.00000	3	1	3
max rel.	Dynamic full	2	0.00000	0.00000	3	1	3
max rel.	ACGP	3	8.996	1.899	6	1, 2	3
max rel.	CGP	3	9.720	1.685	6	1, 2	3
max rel.	Dynamic first	3	0.00000	0.00000	6	1, 2	3
max rel.	Dynamic full	3	0.00000	0.00000	6	1, 2	3
max rel.	ACGP	4	9.153	1.548	9	1, 2, 3	3
max rel.	CGP	4	9.285	1.536	9	1, 2, 3	3
max rel.	Dynamic first	4	0.00000	0.00000	9	1, 2, 3	3
max rel.	Dynamic full	4	0.00000	0.00000	9	1, 2, 3	3
max rel.	ACGP	6	9.556	2.070	15	1, 2, 3, 4, 5	3
max rel.	CGP	6	10.030	1.889	15	1, 2, 3, 4, 5	3
max rel.	Dynamic first	6	0.00000	0.00000	15	1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.00000	0.00000	15	1, 2, 3, 4, 5	3
max rel.	ACGP	8	10.018	2.170	21	1, 2, 3, 4, 5, 6, 7	3
max rel.	CGP	8	10.263	2.237	21	1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	8	0.00000	0.00000	21	1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.00000	0.00000	21	1, 2, 3, 4, 5, 6, 7	3
max rel.	ACGP	16	13.249	4.282	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	CGP	16	13.480	4.209	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	16	0.00000	0.00000	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.00000	0.00000	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	ACGP	32	19.445	7.381	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	CGP	32	19.672	7.353	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic first	32	0.00000	0.00000	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.00000	0.00000	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	ACGP	2	10.515	1.159	3	1	3
shortest rel.	CGP	2	10.371	0.92403	3	1	3
shortest rel.	Dynamic first	2	0.00000	0.00000	3	1	3
shortest rel.	Dynamic full	2	0.00000	0.00000	3	1	3
shortest rel.	ACGP	3	9.434	1.110	6	1, 2	3
shortest rel.	CGP	3	9.459	1.136	6	1, 2	3
shortest rel.	Dynamic first	3	0.00000	0.00000	6	1, 2	3
shortest rel.	Dynamic full	3	0.00000	0.00000	6	1, 2	3
shortest rel.	ACGP	4	9.385	1.179	9	1, 2, 3	3
shortest rel.	CGP	4	9.364	1.398	9	1, 2, 3	3
shortest rel.	Dynamic first	4	0.00000	0.00000	9	1, 2, 3	3
shortest rel.	Dynamic full	4	0.00000	0.00000	9	1, 2, 3	3
shortest rel.	ACGP	6	10.072	1.590	15	1, 2, 3, 4, 5	3
shortest rel.	CGP	6	9.863	1.751	15	1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	6	0.00000	0.00000	15	1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.00000	0.00000	15	1, 2, 3, 4, 5	3
shortest rel.	ACGP	8	10.496	2.239	21	1, 2, 3, 4, 5, 6, 7	3
shortest rel.	CGP	8	10.552	2.340	21	1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	8	0.00000	0.00000	21	1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.00000	0.00000	21	1, 2, 3, 4, 5, 6, 7	3
shortest rel.	ACGP	16	14.083	4.212	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	CGP	16	13.962	4.250	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	16	0.00000	0.00000	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.00000	0.00000	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	ACGP	32	21.147	8.030	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
shortest rel.	CGP	32	21.158	8.039	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	32	0.00000	0.00000	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.00000	0.00000	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	ACGP	2	9.834	0.00000	1	1	1
xy	CGP	2	9.828	0.00000	1	1	1
xy	Dynamic first	2	0.00000	0.00000	1	1	1
xy	Dynamic full	2	0.00000	0.00000	1	1	1
xy	ACGP	3	9.533	1.698	2	1, 2	1
xy	CGP	3	9.256	1.152	2	1, 2	1
xy	Dynamic first	3	0.00000	0.00000	2	1, 2	1
xy	Dynamic full	3	0.00000	0.00000	2	1, 2	1
xy	ACGP	4	8.940	1.271	3	1, 2, 3	1
xy	CGP	4	8.854	1.388	3	1, 2, 3	1
xy	Dynamic first	4	0.00000	0.00000	3	1, 2, 3	1
xy	Dynamic full	4	0.00000	0.00000	3	1, 2, 3	1
xy	ACGP	6	9.447	1.609	5	1, 2, 3, 4, 5	1
xy	CGP	6	9.411	1.628	5	1, 2, 3, 4, 5	1
xy	Dynamic first	6	0.00000	0.00000	5	1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.00000	0.00000	5	1, 2, 3, 4, 5	1
xy	ACGP	8	10.259	2.084	7	1, 2, 3, 4, 5, 6, 7	1
xy	CGP	8	10.243	2.286	7	1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	8	0.00000	0.00000	7	1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.00000	0.00000	7	1, 2, 3, 4, 5, 6, 7	1
xy	ACGP	16	13.640	4.363	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	CGP	16	13.699	4.429	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	16	0.00000	0.00000	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.00000	0.00000	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	ACGP	32	20.883	8.341	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	CGP	32	20.963	8.269	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic first	32	0.00000	0.00000	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.00000	0.00000	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	ACGP	2	9.752	0.00000	1	1	1
yx	CGP	2	10.074	0.00000	1	1	1
yx	Dynamic first	2	0.00000	0.00000	1	1	1
yx	Dynamic full	2	0.00000	0.00000	1	1	1
yx	ACGP	3	8.854	1.177	2	1, 2	1
yx	CGP	3	9.009	1.153	2	1, 2	1
yx	Dynamic first	3	0.00000	0.00000	2	1, 2	1
yx	Dynamic full	3	0.00000	0.00000	2	1, 2	1
yx	ACGP	4	8.748	1.410	3	1, 2, 3	1
yx	CGP	4	8.619	1.502	3	1, 2, 3	1
yx	Dynamic first	4	0.00000	0.00000	3	1, 2, 3	1
yx	Dynamic full	4	0.00000	0.00000	3	1, 2, 3	1
yx	ACGP	6	9.176	1.598	5	1, 2, 3, 4, 5	1
yx	CGP	6	9.164	1.908	5	1, 2, 3, 4, 5	1
yx	Dynamic first	6	0.00000	0.00000	5	1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.00000	0.00000	5	1, 2, 3, 4, 5	1
yx	ACGP	8	10.368	2.377	7	1, 2, 3, 4, 5, 6, 7	1
yx	CGP	8	10.561	2.468	7	1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	8	0.00000	0.00000	7	1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.00000	0.00000	7	1, 2, 3, 4, 5, 6, 7	1
yx	ACGP	16	13.700	4.323	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	CGP	16	13.761	4.453	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	16	0.00000	0.00000	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	0.00000	0.00000	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	ACGP	32	21.017	8.266	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	CGP	32	21.070	8.241	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	32	0.00000	0.00000	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.00000	0.00000	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Dynamic compiler-planner and cache accounting

Scheduled compiler preparations



This plot asks how scheduled compiler preparations changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__scheduled_preparations.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	235.500	258.008	6	0, 1	3
max rel.	Dynamic full	2	371.167	407.107	6	0, 1	3
max rel.	Dynamic first	3	370.333	287.294	9	0, 1, 2	3
max rel.	Dynamic full	3	713.889	607.446	9	0, 1, 2	3
max rel.	Dynamic first	4	488.750	325.582	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	1004.000	738.208	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	653.056	356.166	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	1465.000	901.594	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	764.375	364.594	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	1797.792	976.765	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	974.688	332.452	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	2466.833	976.308	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	1090.698	261.306	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	2847.771	809.462	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	257.333	281.901	6	0, 1	3
shortest rel.	Dynamic full	2	367.167	402.341	6	0, 1	3
shortest rel.	Dynamic first	3	408.778	318.259	9	0, 1, 2	3
shortest rel.	Dynamic full	3	708.667	603.333	9	0, 1, 2	3
shortest rel.	Dynamic first	4	537.917	358.144	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	988.667	722.286	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	714.556	386.974	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	1408.722	845.717	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	826.458	387.246	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	1684.875	876.234	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	1015.042	331.237	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	2159.938	778.699	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	1111.021	252.172	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	2403.969	600.144	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	261.500	369.817	2	0, 1	1
xy	Dynamic full	2	384.000	543.058	2	0, 1	1
xy	Dynamic first	3	405.667	361.572	3	0, 1, 2	1
xy	Dynamic full	3	743.667	731.803	3	0, 1, 2	1
xy	Dynamic first	4	542.500	402.554	4	0, 1, 2, 3	1
xy	Dynamic full	4	1039.500	840.889	4	0, 1, 2, 3	1
xy	Dynamic first	6	726.667	423.563	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	1477.500	942.553	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	841.000	415.926	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	1753.375	946.411	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	1023.875	341.180	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	2198.938	793.578	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	1115.438	254.909	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	2423.469	597.299	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	262.000	370.524	2	0, 1	1
yx	Dynamic full	2	383.500	542.351	2	0, 1	1
yx	Dynamic first	3	415.667	373.476	3	0, 1, 2	1
yx	Dynamic full	3	740.667	727.857	3	0, 1, 2	1
yx	Dynamic first	4	545.000	399.872	4	0, 1, 2, 3	1
yx	Dynamic full	4	1032.250	832.627	4	0, 1, 2, 3	1
yx	Dynamic first	6	721.500	414.121	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	1462.500	929.434	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	835.000	408.293	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	1737.000	935.731	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	1019.812	337.988	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	2189.062	791.607	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	1113.406	253.609	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	2418.531	597.970	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Planner-blocked preparations



This plot asks how planner-blocked preparations changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__planner_blocked_preparations.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	2858.167	498.123	6	0, 1	3
max rel.	Dynamic full	2	2858.167	498.123	6	0, 1	3
max rel.	Dynamic first	3	2515.444	664.863	9	0, 1, 2	3
max rel.	Dynamic full	3	2515.444	664.863	9	0, 1, 2	3
max rel.	Dynamic first	4	2225.333	781.846	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	2225.333	781.846	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	1764.333	930.625	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	1764.333	930.625	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	1431.542	997.031	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	1431.542	997.031	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	762.500	974.095	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	762.500	974.095	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	381.562	784.907	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	381.562	784.907	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	2280.833	402.341	6	0, 1	3
shortest rel.	Dynamic full	2	2280.833	402.341	6	0, 1	3
shortest rel.	Dynamic first	3	1939.333	603.333	9	0, 1, 2	3
shortest rel.	Dynamic full	3	1939.333	603.333	9	0, 1, 2	3
shortest rel.	Dynamic first	4	1659.333	722.286	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	1659.333	722.286	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	1239.278	845.717	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	1239.278	845.717	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	963.125	876.234	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	963.125	876.234	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	488.062	778.699	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	488.062	778.699	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	244.031	600.144	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	244.031	600.144	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	2264.000	543.058	2	0, 1	1
xy	Dynamic full	2	2264.000	543.058	2	0, 1	1
xy	Dynamic first	3	1904.333	731.803	3	0, 1, 2	1
xy	Dynamic full	3	1904.333	731.803	3	0, 1, 2	1
xy	Dynamic first	4	1608.500	840.889	4	0, 1, 2, 3	1
xy	Dynamic full	4	1608.500	840.889	4	0, 1, 2, 3	1
xy	Dynamic first	6	1170.500	942.553	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	1170.500	942.553	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	894.625	946.411	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	894.625	946.411	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	449.062	793.578	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	449.062	793.578	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	224.531	597.299	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	224.531	597.299	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	2264.500	542.351	2	0, 1	1
yx	Dynamic full	2	2264.500	542.351	2	0, 1	1
yx	Dynamic first	3	1907.333	727.857	3	0, 1, 2	1
yx	Dynamic full	3	1907.333	727.857	3	0, 1, 2	1
yx	Dynamic first	4	1615.750	832.627	4	0, 1, 2, 3	1
yx	Dynamic full	4	1615.750	832.627	4	0, 1, 2, 3	1
yx	Dynamic first	6	1185.500	929.434	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	1185.500	929.434	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	911.000	935.731	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	911.000	935.731	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	458.938	791.607	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	458.938	791.607	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	229.469	597.970	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	229.469	597.970	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Peak compiler memory/core



This plot asks how peak compiler memory/core changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__planner_peak_compiler_memory_per_core.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	0.50000	0.54772	6	0, 1	3
max rel.	Dynamic full	2	0.50000	0.54772	6	0, 1	3
max rel.	Dynamic first	3	1.000	0.86603	9	0, 1, 2	3
max rel.	Dynamic full	3	1.000	0.86603	9	0, 1, 2	3
max rel.	Dynamic first	4	1.500	1.168	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	1.500	1.168	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	2.500	1.757	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	2.500	1.757	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	3.500	2.341	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	3.500	2.341	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	7.500	4.659	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	7.500	4.659	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	12.615	6.199	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	12.615	6.199	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	0.50000	0.54772	6	0, 1	3
shortest rel.	Dynamic full	2	0.50000	0.54772	6	0, 1	3
shortest rel.	Dynamic first	3	1.000	0.86603	9	0, 1, 2	3
shortest rel.	Dynamic full	3	1.000	0.86603	9	0, 1, 2	3
shortest rel.	Dynamic first	4	1.500	1.168	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	1.500	1.168	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	2.500	1.757	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	2.500	1.757	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	3.500	2.341	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	3.500	2.341	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	7.396	4.504	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	7.396	4.504	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	10.531	4.481	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	10.531	4.481	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	0.50000	0.70711	2	0, 1	1
xy	Dynamic full	2	0.50000	0.70711	2	0, 1	1
xy	Dynamic first	3	1.000	1.000	3	0, 1, 2	1
xy	Dynamic full	3	1.000	1.000	3	0, 1, 2	1
xy	Dynamic first	4	1.500	1.291	4	0, 1, 2, 3	1
xy	Dynamic full	4	1.500	1.291	4	0, 1, 2, 3	1
xy	Dynamic first	6	2.500	1.871	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	2.500	1.871	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	3.500	2.449	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	3.500	2.449	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	7.125	4.241	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	7.125	4.241	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	9.562	3.852	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	9.562	3.852	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	0.50000	0.70711	2	0, 1	1
yx	Dynamic full	2	0.50000	0.70711	2	0, 1	1
yx	Dynamic first	3	1.000	1.000	3	0, 1, 2	1
yx	Dynamic full	3	1.000	1.000	3	0, 1, 2	1
yx	Dynamic first	4	1.500	1.291	4	0, 1, 2, 3	1
yx	Dynamic full	4	1.500	1.291	4	0, 1, 2, 3	1
yx	Dynamic first	6	2.500	1.871	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic full	6	2.500	1.871	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic first	8	3.500	2.449	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	3.500	2.449	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	7.312	4.483	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	7.312	4.483	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	10.156	4.251	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	10.156	4.251	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Runtime admission attempts



This plot asks how runtime admission attempts changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__runtime_admission_attempts.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	737.167	818.045	6	0, 1	3
max rel.	Dynamic full	2	1599.750	1753.365	6	0, 1	3
max rel.	Dynamic first	3	1012.611	770.176	9	0, 1, 2	3
max rel.	Dynamic full	3	2926.111	2577.445	9	0, 1, 2	3
max rel.	Dynamic first	4	1207.000	743.221	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	4156.750	3256.507	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	1418.472	688.234	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	6207.000	4053.592	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	1445.062	614.549	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	7411.146	4126.889	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	1361.021	458.825	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	8944.354	3333.392	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	1283.833	331.923	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	8042.073	2621.367	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	823.417	902.137	6	0, 1	3
shortest rel.	Dynamic full	2	1416.833	1552.146	6	0, 1	3
shortest rel.	Dynamic first	3	1144.500	867.725	9	0, 1, 2	3
shortest rel.	Dynamic full	3	2917.389	2578.631	9	0, 1, 2	3
shortest rel.	Dynamic first	4	1459.708	910.710	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	4094.792	3049.080	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	1702.806	821.794	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	5762.917	3461.861	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	1829.729	768.195	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	6801.438	3480.402	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	1638.365	585.844	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	7441.156	2545.742	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	1423.479	465.154	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	6119.094	2351.100	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	975.750	1379.919	2	0, 1	1
xy	Dynamic full	2	1553.250	2196.627	2	0, 1	1
xy	Dynamic first	3	1307.833	1136.573	3	0, 1, 2	1
xy	Dynamic full	3	3184.833	3150.578	3	0, 1, 2	1
xy	Dynamic first	4	1630.750	1128.063	4	0, 1, 2, 3	1
xy	Dynamic full	4	4513.625	3691.232	4	0, 1, 2, 3	1
xy	Dynamic first	6	1960.667	993.029	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	6339.500	4062.021	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	1970.938	852.027	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	7024.875	3611.717	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	1654.219	677.889	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	7470.344	2637.229	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	1430.609	523.421	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	5574.906	2716.706	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	770.500	1089.652	2	0, 1	1
yx	Dynamic full	2	1358.250	1920.856	2	0, 1	1
yx	Dynamic first	3	1247.667	1098.593	3	0, 1, 2	1
yx	Dynamic full	3	3001.000	3005.761	3	0, 1, 2	1
yx	Dynamic first	4	1522.250	1109.548	4	0, 1, 2, 3	1
yx	Dynamic full	4	4607.375	3982.458	4	0, 1, 2, 3	1
yx	Dynamic first	6	1663.000	901.484	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	6089.750	3837.945	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	1775.000	824.959	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	7068.250	3754.655	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	1570.219	611.864	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	7567.688	2705.295	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	1388.266	463.975	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	5964.219	2593.680	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Runtime-launched preparations



This plot asks how runtime-launched preparations changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__runtime_launched_preparations.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	179.833	197.364	6	0, 1	3
max rel.	Dynamic full	2	279.750	307.916	6	0, 1	3
max rel.	Dynamic first	3	295.167	248.540	9	0, 1, 2	3
max rel.	Dynamic full	3	565.500	515.261	9	0, 1, 2	3
max rel.	Dynamic first	4	408.583	298.500	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	794.125	630.097	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	574.111	347.382	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	1137.639	765.782	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	697.771	372.165	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	1385.000	820.284	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	939.073	356.833	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1931.156	833.921	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	1072.885	284.763	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	2397.833	777.523	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	192.083	210.428	6	0, 1	3
shortest rel.	Dynamic full	2	269.167	295.087	6	0, 1	3
shortest rel.	Dynamic first	3	323.833	270.149	9	0, 1, 2	3
shortest rel.	Dynamic full	3	516.500	465.263	9	0, 1, 2	3
shortest rel.	Dynamic first	4	429.958	311.022	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	711.250	577.855	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	609.444	364.147	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	996.083	664.570	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	720.979	374.509	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	1179.875	686.869	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	951.875	351.650	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1621.240	661.550	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	1079.443	278.606	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	2032.297	629.317	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	170.000	240.416	2	0, 1	1
xy	Dynamic full	2	269.000	380.423	2	0, 1	1
xy	Dynamic first	3	292.667	275.901	3	0, 1, 2	1
xy	Dynamic full	3	513.167	556.986	3	0, 1, 2	1
xy	Dynamic first	4	408.375	335.632	4	0, 1, 2, 3	1
xy	Dynamic full	4	716.375	640.114	4	0, 1, 2, 3	1
xy	Dynamic first	6	574.250	380.947	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	999.417	718.519	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	707.250	406.349	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	1221.562	752.961	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	951.219	374.289	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1677.812	714.364	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	1079.109	290.982	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	2109.828	667.859	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	204.500	289.207	2	0, 1	1
yx	Dynamic full	2	280.250	396.333	2	0, 1	1
yx	Dynamic first	3	319.500	297.851	3	0, 1, 2	1
yx	Dynamic full	3	529.833	560.703	3	0, 1, 2	1
yx	Dynamic first	4	429.125	325.343	4	0, 1, 2, 3	1
yx	Dynamic full	4	700.250	601.727	4	0, 1, 2, 3	1
yx	Dynamic first	6	614.083	377.432	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	1019.000	742.237	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	733.688	389.146	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	1163.312	711.534	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	963.906	356.856	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1617.031	696.496	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	1085.453	277.253	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	2036.000	654.856	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Runtime-accepted preparations



This plot asks how runtime-accepted preparations changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__runtime_accepted_preparations.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	154.333	170.244	6	0, 1	3
max rel.	Dynamic full	2	234.000	257.633	6	0, 1	3
max rel.	Dynamic first	3	250.722	218.160	9	0, 1, 2	3
max rel.	Dynamic full	3	424.056	376.045	9	0, 1, 2	3
max rel.	Dynamic first	4	347.708	264.804	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	564.292	427.291	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	495.194	315.284	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	760.778	508.517	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	622.042	352.787	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	937.188	578.130	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	891.802	369.192	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1404.469	679.905	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	1049.250	304.115	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	1938.188	753.968	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	152.667	167.271	6	0, 1	3
shortest rel.	Dynamic full	2	217.333	238.143	6	0, 1	3
shortest rel.	Dynamic first	3	259.000	226.994	9	0, 1, 2	3
shortest rel.	Dynamic full	3	363.056	320.806	9	0, 1, 2	3
shortest rel.	Dynamic first	4	342.042	263.880	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	479.708	388.854	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	495.917	318.318	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	659.389	454.076	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	601.021	339.927	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	785.250	488.818	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	870.865	364.709	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1183.427	544.716	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	1038.708	307.036	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	1695.724	668.783	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	133.500	188.798	2	0, 1	1
xy	Dynamic full	2	218.500	309.006	2	0, 1	1
xy	Dynamic first	3	224.000	220.109	3	0, 1, 2	1
xy	Dynamic full	3	373.500	398.788	3	0, 1, 2	1
xy	Dynamic first	4	319.125	273.162	4	0, 1, 2, 3	1
xy	Dynamic full	4	479.500	432.318	4	0, 1, 2, 3	1
xy	Dynamic first	6	460.083	330.782	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	640.417	478.430	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	587.125	369.387	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	811.875	531.088	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	878.812	394.728	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1217.938	600.597	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	1042.906	321.228	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	1822.406	756.312	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	163.000	230.517	2	0, 1	1
yx	Dynamic full	2	240.250	339.765	2	0, 1	1
yx	Dynamic first	3	250.000	238.485	3	0, 1, 2	1
yx	Dynamic full	3	384.667	399.495	3	0, 1, 2	1
yx	Dynamic first	4	345.375	263.848	4	0, 1, 2, 3	1
yx	Dynamic full	4	456.875	374.301	4	0, 1, 2, 3	1
yx	Dynamic first	6	517.417	329.893	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	660.167	492.810	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	621.188	349.019	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	792.000	493.062	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	892.969	370.781	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1173.750	564.498	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	1050.047	303.298	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	1726.016	707.026	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Runtime-rejected preparations



This plot asks how runtime-rejected preparations changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__runtime_rejected_preparations.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	88.833	99.664	6	0, 1	3
max rel.	Dynamic full	2	151.750	166.625	6	0, 1	3
max rel.	Dynamic first	3	133.333	105.707	9	0, 1, 2	3
max rel.	Dynamic full	3	339.333	281.681	9	0, 1, 2	3
max rel.	Dynamic first	4	158.542	98.518	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	509.708	377.987	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	177.806	94.844	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	809.944	500.478	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	162.854	92.565	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	984.062	532.228	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	95.135	100.927	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1197.344	456.135	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	47.568	85.592	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	1014.068	420.818	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	112.333	123.069	6	0, 1	3
shortest rel.	Dynamic full	2	164.333	180.485	6	0, 1	3
shortest rel.	Dynamic first	3	165.000	126.829	9	0, 1, 2	3
shortest rel.	Dynamic full	3	382.722	323.149	9	0, 1, 2	3
shortest rel.	Dynamic first	4	214.500	133.680	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	565.750	403.282	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	242.694	122.927	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	823.472	480.361	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	247.292	119.111	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	988.021	501.233	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	158.812	131.027	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1066.875	388.543	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	79.734	121.706	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	779.042	445.388	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	132.250	187.030	2	0, 1	1
xy	Dynamic full	2	178.000	251.730	2	0, 1	1
xy	Dynamic first	3	192.833	167.447	3	0, 1, 2	1
xy	Dynamic full	3	406.833	381.668	3	0, 1, 2	1
xy	Dynamic first	4	241.000	161.668	4	0, 1, 2, 3	1
xy	Dynamic full	4	623.625	486.710	4	0, 1, 2, 3	1
xy	Dynamic first	6	286.417	146.724	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	923.667	578.609	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	272.938	135.969	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	1039.062	534.233	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	157.156	158.093	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1093.781	425.740	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	78.578	135.894	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	670.312	543.678	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	109.000	154.149	2	0, 1	1
yx	Dynamic full	2	160.500	226.981	2	0, 1	1
yx	Dynamic first	3	181.167	157.198	3	0, 1, 2	1
yx	Dynamic full	3	393.167	375.260	3	0, 1, 2	1
yx	Dynamic first	4	218.625	153.633	4	0, 1, 2, 3	1
yx	Dynamic full	4	624.125	508.725	4	0, 1, 2, 3	1
yx	Dynamic first	6	228.917	125.901	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	893.083	553.030	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	236.438	126.323	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	1028.000	539.949	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	141.406	136.417	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1113.312	431.527	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	70.641	119.045	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	757.656	499.834	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Pregenerated hits



This plot asks how pregenerated hits changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__pregenerated_hits.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	150.083	165.690	6	0, 1	3
max rel.	Dynamic full	2	229.500	252.617	6	0, 1	3
max rel.	Dynamic first	3	241.167	209.710	9	0, 1, 2	3
max rel.	Dynamic full	3	412.000	365.738	9	0, 1, 2	3
max rel.	Dynamic first	4	332.208	252.432	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	544.542	410.909	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	470.833	298.752	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	722.861	480.236	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	589.292	332.661	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	885.208	543.862	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	842.708	347.826	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1310.552	631.340	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	991.307	286.772	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	1802.547	699.968	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	146.833	160.886	6	0, 1	3
shortest rel.	Dynamic full	2	211.500	231.773	6	0, 1	3
shortest rel.	Dynamic first	3	248.667	218.234	9	0, 1, 2	3
shortest rel.	Dynamic full	3	347.444	306.433	9	0, 1, 2	3
shortest rel.	Dynamic first	4	323.625	249.684	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	455.292	369.245	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	465.417	297.326	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	618.361	425.730	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	560.542	315.375	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	728.167	450.504	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	808.688	337.224	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1077.865	487.852	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	964.818	284.427	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	1530.844	596.428	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	129.500	183.141	2	0, 1	1
xy	Dynamic full	2	212.750	300.874	2	0, 1	1
xy	Dynamic first	3	211.667	209.534	3	0, 1, 2	1
xy	Dynamic full	3	359.500	385.157	3	0, 1, 2	1
xy	Dynamic first	4	301.125	258.468	4	0, 1, 2, 3	1
xy	Dynamic full	4	454.500	410.061	4	0, 1, 2, 3	1
xy	Dynamic first	6	430.333	309.870	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	596.833	442.561	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	547.562	344.636	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	750.500	489.071	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	823.188	371.471	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1096.656	531.963	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	979.594	303.351	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	1648.453	685.524	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	157.500	222.739	2	0, 1	1
yx	Dynamic full	2	234.000	330.926	2	0, 1	1
yx	Dynamic first	3	239.167	227.148	3	0, 1, 2	1
yx	Dynamic full	3	369.167	381.824	3	0, 1, 2	1
yx	Dynamic first	4	328.000	249.580	4	0, 1, 2, 3	1
yx	Dynamic full	4	434.250	353.407	4	0, 1, 2, 3	1
yx	Dynamic first	6	485.333	308.671	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	613.000	452.740	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	583.312	327.404	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	731.500	451.397	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	833.594	344.538	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1057.750	501.461	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	979.875	282.002	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	1556.281	635.153	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Pregeneration success rate



This plot asks how pregeneration success rate changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__pregenerated_success_rate.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	0.04660	0.05137	6	0, 1	3
max rel.	Dynamic full	2	0.07119	0.07807	6	0, 1	3
max rel.	Dynamic first	3	0.07515	0.06599	9	0, 1, 2	3
max rel.	Dynamic full	3	0.12803	0.11385	9	0, 1, 2	3
max rel.	Dynamic first	4	0.10375	0.08010	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	0.16909	0.12700	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	0.14677	0.09445	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.22496	0.15012	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	0.18375	0.10550	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.27438	0.16679	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	0.26257	0.11053	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.40608	0.19174	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	0.30897	0.09288	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.55833	0.21072	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	0.05545	0.06076	6	0, 1	3
shortest rel.	Dynamic full	2	0.07987	0.08753	6	0, 1	3
shortest rel.	Dynamic first	3	0.09391	0.08241	9	0, 1, 2	3
shortest rel.	Dynamic full	3	0.13121	0.11572	9	0, 1, 2	3
shortest rel.	Dynamic first	4	0.12221	0.09429	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	0.17194	0.13944	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	0.17576	0.11228	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.23352	0.16077	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	0.21168	0.11910	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.27499	0.17013	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	0.30540	0.12735	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.40705	0.18423	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	0.36436	0.10741	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.57811	0.22524	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	0.04890	0.06916	2	0, 1	1
xy	Dynamic full	2	0.08034	0.11362	2	0, 1	1
xy	Dynamic first	3	0.07993	0.07913	3	0, 1, 2	1
xy	Dynamic full	3	0.13576	0.14545	3	0, 1, 2	1
xy	Dynamic first	4	0.11372	0.09761	4	0, 1, 2, 3	1
xy	Dynamic full	4	0.17164	0.15486	4	0, 1, 2, 3	1
xy	Dynamic first	6	0.16251	0.11702	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.22539	0.16713	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	0.20678	0.13015	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.28342	0.18469	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	0.31087	0.14028	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.41415	0.20089	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	0.36994	0.11456	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.62253	0.25888	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	0.05948	0.08412	2	0, 1	1
yx	Dynamic full	2	0.08837	0.12497	2	0, 1	1
yx	Dynamic first	3	0.09032	0.08578	3	0, 1, 2	1
yx	Dynamic full	3	0.13941	0.14419	3	0, 1, 2	1
yx	Dynamic first	4	0.12387	0.09425	4	0, 1, 2, 3	1
yx	Dynamic full	4	0.16399	0.13346	4	0, 1, 2, 3	1
yx	Dynamic first	6	0.18328	0.11657	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.23150	0.17097	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	0.22028	0.12364	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.27625	0.17047	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	0.31480	0.13011	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	0.39945	0.18937	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	0.37004	0.10650	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.58772	0.23986	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Intended-request hits



This plot asks how intended-request hits changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__intended_request_hits.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	152.167	167.954	6	0, 1	3
max rel.	Dynamic full	2	231.750	255.210	6	0, 1	3
max rel.	Dynamic first	3	246.722	215.207	9	0, 1, 2	3
max rel.	Dynamic full	3	418.778	371.350	9	0, 1, 2	3
max rel.	Dynamic first	4	341.875	260.503	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	555.625	420.013	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	485.806	309.347	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	744.667	496.699	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	609.729	345.790	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	915.333	564.225	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	873.406	361.365	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1365.208	659.918	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	1027.755	297.801	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	1880.958	731.147	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	150.667	165.080	6	0, 1	3
shortest rel.	Dynamic full	2	215.250	235.866	6	0, 1	3
shortest rel.	Dynamic first	3	255.111	223.969	9	0, 1, 2	3
shortest rel.	Dynamic full	3	357.222	315.424	9	0, 1, 2	3
shortest rel.	Dynamic first	4	335.458	258.965	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	469.792	381.260	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	485.056	311.007	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	642.889	442.677	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	586.167	330.962	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	761.729	473.913	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	847.677	354.256	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1140.750	521.699	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	1010.484	298.114	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	1628.453	639.089	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	131.000	185.262	2	0, 1	1
xy	Dynamic full	2	216.250	305.824	2	0, 1	1
xy	Dynamic first	3	219.500	215.848	3	0, 1, 2	1
xy	Dynamic full	3	367.667	392.790	3	0, 1, 2	1
xy	Dynamic first	4	311.625	266.573	4	0, 1, 2, 3	1
xy	Dynamic full	4	468.750	423.022	4	0, 1, 2, 3	1
xy	Dynamic first	6	448.250	322.751	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	621.083	464.315	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	571.250	359.482	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	786.938	514.687	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	856.438	385.299	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1170.031	575.202	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	1017.469	314.008	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	1756.547	731.575	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	161.250	228.042	2	0, 1	1
yx	Dynamic full	2	238.250	336.936	2	0, 1	1
yx	Dynamic first	3	245.833	234.266	3	0, 1, 2	1
yx	Dynamic full	3	378.500	392.697	3	0, 1, 2	1
yx	Dynamic first	4	338.625	257.573	4	0, 1, 2, 3	1
yx	Dynamic full	4	446.125	363.838	4	0, 1, 2, 3	1
yx	Dynamic first	6	506.833	321.866	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	640.917	477.759	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	607.062	340.048	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	766.062	474.001	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	870.531	360.237	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1124.906	537.693	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	1023.359	294.788	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	1654.391	677.387	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Intended-request hit rate



This plot asks how intended-request hit rate changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__intended_request_hit_rate.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	0.04723	0.05204	6	0, 1	3
max rel.	Dynamic full	2	0.07187	0.07880	6	0, 1	3
max rel.	Dynamic first	3	0.07687	0.06769	9	0, 1, 2	3
max rel.	Dynamic full	3	0.13015	0.11567	9	0, 1, 2	3
max rel.	Dynamic first	4	0.10676	0.08264	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	0.17251	0.12974	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	0.15145	0.09781	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.23175	0.15533	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	0.19015	0.10978	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.28372	0.17303	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	0.27216	0.11497	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.42305	0.20051	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	0.32036	0.09665	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.58278	0.22077	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	0.05690	0.06234	6	0, 1	3
shortest rel.	Dynamic full	2	0.08129	0.08907	6	0, 1	3
shortest rel.	Dynamic first	3	0.09634	0.08458	9	0, 1, 2	3
shortest rel.	Dynamic full	3	0.13490	0.11912	9	0, 1, 2	3
shortest rel.	Dynamic first	4	0.12668	0.09780	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	0.17741	0.14398	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	0.18318	0.11745	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.24278	0.16717	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	0.22136	0.12499	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.28766	0.17897	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	0.32012	0.13378	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.43080	0.19702	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	0.38160	0.11258	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.61497	0.24135	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	0.04947	0.06996	2	0, 1	1
xy	Dynamic full	2	0.08167	0.11549	2	0, 1	1
xy	Dynamic first	3	0.08289	0.08151	3	0, 1, 2	1
xy	Dynamic full	3	0.13885	0.14833	3	0, 1, 2	1
xy	Dynamic first	4	0.11768	0.10067	4	0, 1, 2, 3	1
xy	Dynamic full	4	0.17702	0.15975	4	0, 1, 2, 3	1
xy	Dynamic first	6	0.16928	0.12188	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.23455	0.17535	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	0.21573	0.13576	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.29718	0.19437	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	0.32343	0.14551	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.44185	0.21722	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	0.38424	0.11858	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.66335	0.27627	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	0.06090	0.08612	2	0, 1	1
yx	Dynamic full	2	0.08997	0.12724	2	0, 1	1
yx	Dynamic first	3	0.09284	0.08847	3	0, 1, 2	1
yx	Dynamic full	3	0.14294	0.14830	3	0, 1, 2	1
yx	Dynamic first	4	0.12788	0.09727	4	0, 1, 2, 3	1
yx	Dynamic full	4	0.16848	0.13740	4	0, 1, 2, 3	1
yx	Dynamic first	6	0.19140	0.12155	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.24204	0.18042	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	0.22925	0.12842	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.28930	0.17900	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	0.32875	0.13604	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	0.42481	0.20306	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	0.38647	0.11132	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.62477	0.25581	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Compiler-not-ready requests



This plot asks how compiler-not-ready requests changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__compiler_not_ready_requests.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	3079.250	333.200	6	0, 1	3
max rel.	Dynamic full	2	2999.833	377.296	6	0, 1	3
max rel.	Dynamic first	3	2988.167	354.880	9	0, 1, 2	3
max rel.	Dynamic full	3	2817.333	453.408	9	0, 1, 2	3
max rel.	Dynamic first	4	2897.125	384.770	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	2684.792	482.042	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	2758.500	408.286	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	2506.472	546.285	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	2640.042	433.585	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	2344.125	580.286	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	2386.625	438.177	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1918.781	646.822	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	2238.026	391.979	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	1426.786	695.242	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	2501.167	160.886	6	0, 1	3
shortest rel.	Dynamic full	2	2436.500	231.773	6	0, 1	3
shortest rel.	Dynamic first	3	2399.333	218.234	9	0, 1, 2	3
shortest rel.	Dynamic full	3	2300.556	306.433	9	0, 1, 2	3
shortest rel.	Dynamic first	4	2324.375	249.684	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	2192.708	369.245	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	2182.583	297.326	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	2029.639	425.730	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	2087.458	315.375	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	1919.833	450.504	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	1839.312	337.224	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1570.135	487.852	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	1683.182	284.427	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	1117.156	596.428	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	2518.500	183.141	2	0, 1	1
xy	Dynamic full	2	2435.250	300.874	2	0, 1	1
xy	Dynamic first	3	2436.333	209.534	3	0, 1, 2	1
xy	Dynamic full	3	2288.500	385.157	3	0, 1, 2	1
xy	Dynamic first	4	2346.875	258.468	4	0, 1, 2, 3	1
xy	Dynamic full	4	2193.500	410.061	4	0, 1, 2, 3	1
xy	Dynamic first	6	2217.667	309.870	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	2051.167	442.561	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	2100.438	344.636	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	1897.500	489.071	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	1824.812	371.471	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1551.344	531.963	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	1668.406	303.351	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	999.547	685.524	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	2490.500	222.739	2	0, 1	1
yx	Dynamic full	2	2414.000	330.926	2	0, 1	1
yx	Dynamic first	3	2408.833	227.148	3	0, 1, 2	1
yx	Dynamic full	3	2278.833	381.824	3	0, 1, 2	1
yx	Dynamic first	4	2320.000	249.580	4	0, 1, 2, 3	1
yx	Dynamic full	4	2213.750	353.407	4	0, 1, 2, 3	1
yx	Dynamic first	6	2162.667	308.671	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	2035.000	452.740	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	2064.688	327.404	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	1916.500	451.397	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	1814.406	344.538	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1590.250	501.461	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	1668.125	282.002	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	1091.719	635.153	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Late compiler-pair uses



This plot asks how late compiler-pair uses changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__late_compiler_pair_uses.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	2.083	2.498	6	0, 1	3
max rel.	Dynamic full	2	2.250	2.859	6	0, 1	3
max rel.	Dynamic first	3	5.556	5.860	9	0, 1, 2	3
max rel.	Dynamic full	3	6.778	5.932	9	0, 1, 2	3
max rel.	Dynamic first	4	9.667	8.508	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	11.083	9.446	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	14.972	11.074	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	21.806	17.198	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	20.438	14.258	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	30.125	21.721	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	30.698	15.256	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	54.656	31.528	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	36.448	13.687	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	78.411	33.536	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	3.833	4.203	6	0, 1	3
shortest rel.	Dynamic full	2	3.750	4.144	6	0, 1	3
shortest rel.	Dynamic first	3	6.444	5.908	9	0, 1, 2	3
shortest rel.	Dynamic full	3	9.778	9.358	9	0, 1, 2	3
shortest rel.	Dynamic first	4	11.833	10.080	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	14.500	12.483	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	19.639	13.888	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	24.528	18.197	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	25.625	15.866	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	33.562	24.831	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	38.990	17.449	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	62.885	34.961	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	45.667	14.102	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	97.609	43.825	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	1.500	2.121	2	0, 1	1
xy	Dynamic full	2	3.500	4.950	2	0, 1	1
xy	Dynamic first	3	7.833	6.825	3	0, 1, 2	1
xy	Dynamic full	3	8.167	7.784	3	0, 1, 2	1
xy	Dynamic first	4	10.500	8.226	4	0, 1, 2, 3	1
xy	Dynamic full	4	14.250	13.093	4	0, 1, 2, 3	1
xy	Dynamic first	6	17.917	13.109	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	24.250	22.160	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	23.688	15.133	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	36.438	26.102	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	33.250	14.166	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	73.375	44.207	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	37.875	10.917	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	108.094	47.163	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	3.750	5.303	2	0, 1	1
yx	Dynamic full	2	4.250	6.010	2	0, 1	1
yx	Dynamic first	3	6.667	7.320	3	0, 1, 2	1
yx	Dynamic full	3	9.333	11.026	3	0, 1, 2	1
yx	Dynamic first	4	10.625	8.097	4	0, 1, 2, 3	1
yx	Dynamic full	4	11.875	10.896	4	0, 1, 2, 3	1
yx	Dynamic first	6	21.500	13.733	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	27.917	25.654	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	23.750	13.112	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	34.562	23.196	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	36.938	16.052	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	67.156	37.068	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	43.484	12.997	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	98.109	42.601	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

On-demand fallbacks



This plot asks how on-demand fallbacks changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__on_demand_fallbacks.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	3077.167	333.803	6	0, 1	3
max rel.	Dynamic full	2	2997.583	378.238	6	0, 1	3
max rel.	Dynamic first	3	2982.611	357.633	9	0, 1, 2	3
max rel.	Dynamic full	3	2810.556	458.124	9	0, 1, 2	3
max rel.	Dynamic first	4	2887.458	389.907	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	2673.708	488.883	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	2743.528	416.286	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	2484.667	560.613	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	2619.604	444.238	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	2314.000	598.391	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	2355.927	449.409	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1864.125	673.311	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	2201.578	400.742	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	1348.375	726.519	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	2497.333	165.080	6	0, 1	3
shortest rel.	Dynamic full	2	2432.750	235.866	6	0, 1	3
shortest rel.	Dynamic first	3	2392.889	223.969	9	0, 1, 2	3
shortest rel.	Dynamic full	3	2290.778	315.424	9	0, 1, 2	3
shortest rel.	Dynamic first	4	2312.542	258.965	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	2178.208	381.260	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	2162.944	311.007	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	2005.111	442.677	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	2061.833	330.962	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	1886.271	473.913	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	1800.323	354.256	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1507.250	521.699	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	1637.516	298.114	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	1019.547	639.089	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	2517.000	185.262	2	0, 1	1
xy	Dynamic full	2	2431.750	305.824	2	0, 1	1
xy	Dynamic first	3	2428.500	215.848	3	0, 1, 2	1
xy	Dynamic full	3	2280.333	392.790	3	0, 1, 2	1
xy	Dynamic first	4	2336.375	266.573	4	0, 1, 2, 3	1
xy	Dynamic full	4	2179.250	423.022	4	0, 1, 2, 3	1
xy	Dynamic first	6	2199.750	322.751	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	2026.917	464.315	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	2076.750	359.482	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	1861.062	514.687	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	1791.562	385.299	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1477.969	575.202	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	1630.531	314.008	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	891.453	731.575	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	2486.750	228.042	2	0, 1	1
yx	Dynamic full	2	2409.750	336.936	2	0, 1	1
yx	Dynamic first	3	2402.167	234.266	3	0, 1, 2	1
yx	Dynamic full	3	2269.500	392.697	3	0, 1, 2	1
yx	Dynamic first	4	2309.375	257.573	4	0, 1, 2, 3	1
yx	Dynamic full	4	2201.875	363.838	4	0, 1, 2, 3	1
yx	Dynamic first	6	2141.167	321.866	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	2007.083	477.759	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	2040.938	340.048	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	1881.938	474.001	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	1777.469	360.237	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1523.094	537.693	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	1624.641	294.788	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	993.609	677.387	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

On-demand fallback rate



This plot asks how on-demand fallback rate changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__on_demand_fallback_rate.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	0.95277	0.05204	6	0, 1	3
max rel.	Dynamic full	2	0.92813	0.07880	6	0, 1	3
max rel.	Dynamic first	3	0.92313	0.06769	9	0, 1, 2	3
max rel.	Dynamic full	3	0.86985	0.11567	9	0, 1, 2	3
max rel.	Dynamic first	4	0.89324	0.08264	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	0.82749	0.12974	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	0.84855	0.09781	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.76825	0.15533	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	0.80985	0.10978	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.71628	0.17303	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	0.72784	0.11497	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.57695	0.20051	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	0.67964	0.09665	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.41722	0.22077	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	0.94310	0.06234	6	0, 1	3
shortest rel.	Dynamic full	2	0.91871	0.08907	6	0, 1	3
shortest rel.	Dynamic first	3	0.90366	0.08458	9	0, 1, 2	3
shortest rel.	Dynamic full	3	0.86510	0.11912	9	0, 1, 2	3
shortest rel.	Dynamic first	4	0.87332	0.09780	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	0.82259	0.14398	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	0.81682	0.11745	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.75722	0.16717	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	0.77864	0.12499	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.71234	0.17897	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	0.67988	0.13378	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.56920	0.19702	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	0.61840	0.11258	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.38503	0.24135	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	0.95053	0.06996	2	0, 1	1
xy	Dynamic full	2	0.91833	0.11549	2	0, 1	1
xy	Dynamic first	3	0.91711	0.08151	3	0, 1, 2	1
xy	Dynamic full	3	0.86115	0.14833	3	0, 1, 2	1
xy	Dynamic first	4	0.88232	0.10067	4	0, 1, 2, 3	1
xy	Dynamic full	4	0.82298	0.15975	4	0, 1, 2, 3	1
xy	Dynamic first	6	0.83072	0.12188	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.76545	0.17535	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	0.78427	0.13576	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.70282	0.19437	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	0.67657	0.14551	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.55815	0.21722	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	0.61576	0.11858	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.33665	0.27627	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	0.93910	0.08612	2	0, 1	1
yx	Dynamic full	2	0.91003	0.12724	2	0, 1	1
yx	Dynamic first	3	0.90716	0.08847	3	0, 1, 2	1
yx	Dynamic full	3	0.85706	0.14830	3	0, 1, 2	1
yx	Dynamic first	4	0.87212	0.09727	4	0, 1, 2, 3	1
yx	Dynamic full	4	0.83152	0.13740	4	0, 1, 2, 3	1
yx	Dynamic first	6	0.80860	0.12155	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.75796	0.18042	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	0.77075	0.12842	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.71070	0.17900	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	0.67125	0.13604	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	0.57519	0.20306	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	0.61353	0.11132	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.37523	0.25581	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Generated compiler pairs



This plot asks how generated compiler pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__generated_compiler_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	154.333	170.244	6	0, 1	3
max rel.	Dynamic full	2	234.000	257.633	6	0, 1	3
max rel.	Dynamic first	3	250.722	218.160	9	0, 1, 2	3
max rel.	Dynamic full	3	424.056	376.045	9	0, 1, 2	3
max rel.	Dynamic first	4	347.708	264.804	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	564.292	427.291	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	495.194	315.284	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	760.778	508.517	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	622.042	352.787	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	937.188	578.130	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	891.802	369.192	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1404.469	679.905	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	1049.250	304.115	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	1938.188	753.968	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	152.667	167.271	6	0, 1	3
shortest rel.	Dynamic full	2	217.333	238.143	6	0, 1	3
shortest rel.	Dynamic first	3	259.000	226.994	9	0, 1, 2	3
shortest rel.	Dynamic full	3	363.056	320.806	9	0, 1, 2	3
shortest rel.	Dynamic first	4	342.042	263.880	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	479.708	388.854	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	495.917	318.318	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	659.389	454.076	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	601.021	339.927	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	785.250	488.818	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	870.865	364.709	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1183.427	544.716	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	1038.708	307.036	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	1695.724	668.783	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	133.500	188.798	2	0, 1	1
xy	Dynamic full	2	218.500	309.006	2	0, 1	1
xy	Dynamic first	3	224.000	220.109	3	0, 1, 2	1
xy	Dynamic full	3	373.500	398.788	3	0, 1, 2	1
xy	Dynamic first	4	319.125	273.162	4	0, 1, 2, 3	1
xy	Dynamic full	4	479.500	432.318	4	0, 1, 2, 3	1
xy	Dynamic first	6	460.083	330.782	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	640.417	478.430	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	587.125	369.387	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	811.875	531.088	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	878.812	394.728	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1217.938	600.597	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	1042.906	321.228	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	1822.406	756.312	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	163.000	230.517	2	0, 1	1
yx	Dynamic full	2	240.250	339.765	2	0, 1	1
yx	Dynamic first	3	250.000	238.485	3	0, 1, 2	1
yx	Dynamic full	3	384.667	399.495	3	0, 1, 2	1
yx	Dynamic first	4	345.375	263.848	4	0, 1, 2, 3	1
yx	Dynamic full	4	456.875	374.301	4	0, 1, 2, 3	1
yx	Dynamic first	6	517.417	329.893	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	660.167	492.810	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	621.188	349.019	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	792.000	493.062	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	892.969	370.781	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1173.750	564.498	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	1050.047	303.298	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	1726.016	707.026	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Utilized compiler pairs



This plot asks how utilized compiler pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__utilized_compiler_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	152.167	167.954	6	0, 1	3
max rel.	Dynamic full	2	231.750	255.210	6	0, 1	3
max rel.	Dynamic first	3	246.722	215.207	9	0, 1, 2	3
max rel.	Dynamic full	3	418.778	371.350	9	0, 1, 2	3
max rel.	Dynamic first	4	341.875	260.503	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	555.625	420.013	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	485.806	309.347	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	744.667	496.699	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	609.729	345.790	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	915.333	564.225	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	873.406	361.365	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1365.208	659.918	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	1027.755	297.801	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	1880.958	731.147	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	150.667	165.080	6	0, 1	3
shortest rel.	Dynamic full	2	215.250	235.866	6	0, 1	3
shortest rel.	Dynamic first	3	255.111	223.969	9	0, 1, 2	3
shortest rel.	Dynamic full	3	357.222	315.424	9	0, 1, 2	3
shortest rel.	Dynamic first	4	335.458	258.965	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	469.792	381.260	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	485.056	311.007	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	642.889	442.677	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	586.167	330.962	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	761.729	473.913	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	847.677	354.256	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	1140.750	521.699	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	1010.484	298.114	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	1628.453	639.089	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	131.000	185.262	2	0, 1	1
xy	Dynamic full	2	216.250	305.824	2	0, 1	1
xy	Dynamic first	3	219.500	215.848	3	0, 1, 2	1
xy	Dynamic full	3	367.667	392.790	3	0, 1, 2	1
xy	Dynamic first	4	311.625	266.573	4	0, 1, 2, 3	1
xy	Dynamic full	4	468.750	423.022	4	0, 1, 2, 3	1
xy	Dynamic first	6	448.250	322.751	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	621.083	464.315	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	571.250	359.482	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	786.938	514.687	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	856.438	385.299	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	1170.031	575.202	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	1017.469	314.008	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	1756.547	731.575	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	161.250	228.042	2	0, 1	1
yx	Dynamic full	2	238.250	336.936	2	0, 1	1
yx	Dynamic first	3	245.833	234.266	3	0, 1, 2	1
yx	Dynamic full	3	378.500	392.697	3	0, 1, 2	1
yx	Dynamic first	4	338.625	257.573	4	0, 1, 2, 3	1
yx	Dynamic full	4	446.125	363.838	4	0, 1, 2, 3	1
yx	Dynamic first	6	506.833	321.866	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	640.917	477.759	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	607.062	340.048	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	766.062	474.001	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	870.531	360.237	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	1124.906	537.693	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	1023.359	294.788	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	1654.391	677.387	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Expired compiler pairs



This plot asks how expired compiler pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__expired_compiler_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	1.833	2.041	6	0, 1	3
max rel.	Dynamic full	2	2.083	2.311	6	0, 1	3
max rel.	Dynamic first	3	3.444	2.778	9	0, 1, 2	3
max rel.	Dynamic full	3	4.556	4.065	9	0, 1, 2	3
max rel.	Dynamic first	4	5.458	4.109	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	7.250	6.085	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	9.056	6.159	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	12.389	9.108	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	11.958	7.486	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	16.938	11.363	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	17.323	7.961	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	31.573	18.173	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	20.167	6.624	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	45.708	20.685	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	1.833	2.017	6	0, 1	3
shortest rel.	Dynamic full	2	1.917	2.108	6	0, 1	3
shortest rel.	Dynamic first	3	3.611	2.987	9	0, 1, 2	3
shortest rel.	Dynamic full	3	4.722	4.445	9	0, 1, 2	3
shortest rel.	Dynamic first	4	6.167	4.812	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	7.625	6.205	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	10.222	7.080	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	13.417	9.581	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	13.958	8.925	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	19.333	12.982	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	21.542	10.108	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	36.625	21.005	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	26.068	8.532	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	35.714	20.267	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	2.500	3.536	2	0, 1	1
xy	Dynamic full	2	2.250	3.182	2	0, 1	1
xy	Dynamic first	3	4.333	4.252	3	0, 1, 2	1
xy	Dynamic full	3	5.500	5.500	3	0, 1, 2	1
xy	Dynamic first	4	7.250	6.461	4	0, 1, 2, 3	1
xy	Dynamic full	4	8.750	7.751	4	0, 1, 2, 3	1
xy	Dynamic first	6	11.417	8.040	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	15.000	11.546	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	15.188	9.483	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	19.938	13.547	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	21.562	9.234	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	37.531	20.699	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	24.531	7.096	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	24.984	19.765	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	1.750	2.475	2	0, 1	1
yx	Dynamic full	2	2.000	2.828	2	0, 1	1
yx	Dynamic first	3	4.167	4.252	3	0, 1, 2	1
yx	Dynamic full	3	4.667	4.509	3	0, 1, 2	1
yx	Dynamic first	4	6.625	6.447	4	0, 1, 2, 3	1
yx	Dynamic full	4	8.375	7.846	4	0, 1, 2, 3	1
yx	Dynamic first	6	9.750	7.581	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	14.333	10.657	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	13.250	8.856	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	20.375	14.109	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	20.406	9.536	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	40.062	22.774	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	23.953	7.549	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	35.500	21.029	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Remaining compiler pairs



This plot asks how remaining compiler pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__remaining_compiler_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	0.33333	0.51640	6	0, 1	3
max rel.	Dynamic full	2	0.16667	0.25820	6	0, 1	3
max rel.	Dynamic first	3	0.55556	0.52705	9	0, 1, 2	3
max rel.	Dynamic full	3	0.72222	0.71200	9	0, 1, 2	3
max rel.	Dynamic first	4	0.37500	0.52764	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	1.417	1.490	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	0.33333	0.51450	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	3.722	3.578	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	0.35417	0.45395	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	4.917	4.061	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	1.073	1.031	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	7.688	4.302	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	1.328	0.84862	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	11.521	11.052	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	0.16667	0.25820	6	0, 1	3
shortest rel.	Dynamic full	2	0.16667	0.25820	6	0, 1	3
shortest rel.	Dynamic first	3	0.27778	0.44096	9	0, 1, 2	3
shortest rel.	Dynamic full	3	1.111	1.193	9	0, 1, 2	3
shortest rel.	Dynamic first	4	0.41667	0.63365	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	2.292	1.900	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	0.63889	0.80084	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	3.083	2.724	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	0.89583	0.96661	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	4.188	2.941	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	1.646	1.176	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	6.052	3.743	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	2.156	1.567	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	31.557	31.755	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	0.00000	0.00000	2	0, 1	1
xy	Dynamic full	2	0.00000	0.00000	2	0, 1	1
xy	Dynamic first	3	0.16667	0.28868	3	0, 1, 2	1
xy	Dynamic full	3	0.33333	0.57735	3	0, 1, 2	1
xy	Dynamic first	4	0.25000	0.28868	4	0, 1, 2, 3	1
xy	Dynamic full	4	2.000	2.121	4	0, 1, 2, 3	1
xy	Dynamic first	6	0.41667	0.37639	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	4.333	3.502	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	0.68750	0.59387	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	5.000	3.464	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	0.81250	0.62915	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	10.375	5.451	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	0.90625	0.44789	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	40.875	31.807	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	0.00000	0.00000	2	0, 1	1
yx	Dynamic full	2	0.00000	0.00000	2	0, 1	1
yx	Dynamic first	3	0.00000	0.00000	3	0, 1, 2	1
yx	Dynamic full	3	1.500	2.598	3	0, 1, 2	1
yx	Dynamic first	4	0.12500	0.25000	4	0, 1, 2, 3	1
yx	Dynamic full	4	2.375	2.955	4	0, 1, 2, 3	1
yx	Dynamic first	6	0.83333	1.125	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	4.917	5.123	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	0.87500	0.79057	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	5.562	6.439	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	2.031	1.408	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	8.781	5.514	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	2.734	1.218	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	36.125	32.474	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Compiler-pair expiry



This plot asks how compiler-pair expiry changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__compiler_expiry_percentage.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	0.60340	0.68561	6	0, 1	3
max rel.	Dynamic full	2	0.45613	0.51441	6	0, 1	3
max rel.	Dynamic first	3	1.040	0.86430	9	0, 1, 2	3
max rel.	Dynamic full	3	0.72181	0.54657	9	0, 1, 2	3
max rel.	Dynamic first	4	1.235	0.79687	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	0.92962	0.61186	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	1.539	0.80382	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	1.301	0.67417	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	1.680	0.81760	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	1.528	0.73278	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	1.816	0.61882	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	1.997	0.72021	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	1.861	0.47050	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	2.222	0.63852	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	0.60094	0.66108	6	0, 1	3
shortest rel.	Dynamic full	2	0.44660	0.49123	6	0, 1	3
shortest rel.	Dynamic first	3	1.018	0.80850	9	0, 1, 2	3
shortest rel.	Dynamic full	3	0.86505	0.66471	9	0, 1, 2	3
shortest rel.	Dynamic first	4	1.387	0.89429	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	1.238	0.83711	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	1.688	0.86757	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	1.668	0.85575	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	1.993	0.92460	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	2.082	0.95406	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	2.274	0.72098	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	2.729	0.96612	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	2.405	0.53402	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	2.230	1.155	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	0.95572	1.352	2	0, 1	1
xy	Dynamic full	2	0.52486	0.74227	2	0, 1	1
xy	Dynamic first	3	1.294	1.120	3	0, 1, 2	1
xy	Dynamic full	3	1.023	0.89797	3	0, 1, 2	1
xy	Dynamic first	4	1.687	1.151	4	0, 1, 2, 3	1
xy	Dynamic full	4	1.393	0.93485	4	0, 1, 2, 3	1
xy	Dynamic first	6	2.098	1.033	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	1.923	1.077	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	2.266	0.92829	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	2.109	0.94849	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	2.333	0.65018	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	2.770	0.88529	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	2.306	0.45311	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	1.666	1.309	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	0.54228	0.76690	2	0, 1	1
yx	Dynamic full	2	0.44200	0.62508	2	0, 1	1
yx	Dynamic first	3	1.082	0.95125	3	0, 1, 2	1
yx	Dynamic full	3	0.88712	0.79385	3	0, 1, 2	1
yx	Dynamic first	4	1.363	1.067	4	0, 1, 2, 3	1
yx	Dynamic full	4	1.323	0.92686	4	0, 1, 2, 3	1
yx	Dynamic first	6	1.493	0.91468	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	1.828	0.98035	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	1.791	0.95431	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	2.165	1.023	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	2.081	0.71634	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	3.027	1.092	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	2.180	0.50822	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	2.254	1.311	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Compiler-pair waste



This plot asks how compiler-pair waste changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__compiler_waste_percentage.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	0.71698	0.84278	6	0, 1	3
max rel.	Dynamic full	2	0.49197	0.55008	6	0, 1	3
max rel.	Dynamic first	3	1.217	1.027	9	0, 1, 2	3
max rel.	Dynamic full	3	0.83456	0.63753	9	0, 1, 2	3
max rel.	Dynamic first	4	1.301	0.83022	12	0, 1, 2, 3	3
max rel.	Dynamic full	4	1.092	0.74829	12	0, 1, 2, 3	3
max rel.	Dynamic first	6	1.596	0.85467	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	1.657	0.93586	18	0, 1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	1.734	0.83787	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	1.944	0.99389	24	0, 1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	1.923	0.66930	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	2.519	0.87538	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	1.981	0.51394	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	2.794	0.71790	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	0.65532	0.71801	6	0, 1	3
shortest rel.	Dynamic full	2	0.48693	0.53570	6	0, 1	3
shortest rel.	Dynamic first	3	1.098	0.87553	9	0, 1, 2	3
shortest rel.	Dynamic full	3	1.072	0.83975	9	0, 1, 2	3
shortest rel.	Dynamic first	4	1.474	0.97063	12	0, 1, 2, 3	3
shortest rel.	Dynamic full	4	1.588	1.070	12	0, 1, 2, 3	3
shortest rel.	Dynamic first	6	1.793	0.90370	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	2.033	1.097	18	0, 1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	2.115	0.96852	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	2.532	1.194	24	0, 1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	2.444	0.77043	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	3.193	1.096	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	2.600	0.58636	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	3.694	0.93478	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	0.95572	1.352	2	0, 1	1
xy	Dynamic full	2	0.52486	0.74227	2	0, 1	1
xy	Dynamic first	3	1.363	1.184	3	0, 1, 2	1
xy	Dynamic full	3	1.065	0.92605	3	0, 1, 2	1
xy	Dynamic first	4	1.755	1.181	4	0, 1, 2, 3	1
xy	Dynamic full	4	1.706	1.196	4	0, 1, 2, 3	1
xy	Dynamic first	6	2.221	1.109	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic full	6	2.447	1.372	6	0, 1, 2, 3, 4, 5	1
xy	Dynamic first	8	2.357	0.96580	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	2.619	1.182	8	0, 1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	2.416	0.67676	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	3.548	1.134	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	2.389	0.47158	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	3.514	0.81486	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	0.54228	0.76690	2	0, 1	1
yx	Dynamic full	2	0.44200	0.62508	2	0, 1	1
yx	Dynamic first	3	1.082	0.95125	3	0, 1, 2	1
yx	Dynamic full	3	1.074	0.93385	3	0, 1, 2	1
yx	Dynamic first	4	1.383	1.092	4	0, 1, 2, 3	1
yx	Dynamic full	4	1.643	1.215	4	0, 1, 2, 3	1
yx	Dynamic first	6	1.615	1.007	6	0, 1, 2, 3, 4, 5	1
yx	Dynamic full	6	2.353	1.320	6	0, 1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	1.907	1.016	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	2.678	1.332	8	0, 1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	2.273	0.78639	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	3.678	1.329	16	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	2.418	0.56652	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	3.924	0.97776	32	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Compiler-pair fidelity at creation



This plot asks how compiler-pair fidelity at creation changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__average_fidelity_at_creation.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	0.94981	0.00000	3	1	3
max rel.	Dynamic full	2	0.94981	0.00000	3	1	3
max rel.	Dynamic first	3	0.94981	0.00000	6	1, 2	3
max rel.	Dynamic full	3	0.94981	0.00000	6	1, 2	3
max rel.	Dynamic first	4	0.94981	3.701e-17	9	1, 2, 3	3
max rel.	Dynamic full	4	0.94981	0.00000	9	1, 2, 3	3
max rel.	Dynamic first	6	0.94981	0.00000	15	1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.94981	2.867e-17	15	1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	0.94981	0.00000	21	1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.94981	0.00000	21	1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	0.94981	3.667e-17	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.94981	0.00000	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	0.94981	6.040e-17	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.94981	2.585e-17	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	0.94981	0.00000	3	1	3
shortest rel.	Dynamic full	2	0.94981	0.00000	3	1	3
shortest rel.	Dynamic first	3	0.94981	0.00000	6	1, 2	3
shortest rel.	Dynamic full	3	0.94981	4.532e-17	6	1, 2	3
shortest rel.	Dynamic first	4	0.94981	0.00000	9	1, 2, 3	3
shortest rel.	Dynamic full	4	0.94981	0.00000	9	1, 2, 3	3
shortest rel.	Dynamic first	6	0.94981	3.906e-17	15	1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.94981	0.00000	15	1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	0.94981	2.423e-17	21	1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.94981	0.00000	21	1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	0.94981	3.529e-17	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.94981	1.655e-17	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	0.94981	5.581e-17	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.94981	1.637e-17	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	0.94981	0.00000	1	1	1
xy	Dynamic full	2	0.94981	0.00000	1	1	1
xy	Dynamic first	3	0.94981	0.00000	2	1, 2	1
xy	Dynamic full	3	0.94981	0.00000	2	1, 2	1
xy	Dynamic first	4	0.94981	0.00000	3	1, 2, 3	1
xy	Dynamic full	4	0.94981	0.00000	3	1, 2, 3	1
xy	Dynamic first	6	0.94981	0.00000	5	1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.94981	0.00000	5	1, 2, 3, 4, 5	1
xy	Dynamic first	8	0.94981	0.00000	7	1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.94981	0.00000	7	1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	0.94981	4.597e-17	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.94981	0.00000	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	0.94981	5.497e-17	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.94981	1.994e-17	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	0.94981	0.00000	1	1	1
yx	Dynamic full	2	0.94981	0.00000	1	1	1
yx	Dynamic first	3	0.94981	0.00000	2	1, 2	1
yx	Dynamic full	3	0.94981	0.00000	2	1, 2	1
yx	Dynamic first	4	0.94981	0.00000	3	1, 2, 3	1
yx	Dynamic full	4	0.94981	0.00000	3	1, 2, 3	1
yx	Dynamic first	6	0.94981	0.00000	5	1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.94981	0.00000	5	1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	0.94981	4.196e-17	7	1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.94981	0.00000	7	1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	0.94981	2.867e-17	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	0.94981	0.00000	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	0.94981	6.306e-17	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.94981	1.994e-17	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Compiler-pair fidelity at utilization



This plot asks how compiler-pair fidelity at utilization changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__average_fidelity_at_utilization.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	0.94123	4.107e-04	3	1	3
max rel.	Dynamic full	2	0.93660	0.00156	3	1	3
max rel.	Dynamic first	3	0.94180	3.493e-04	6	1, 2	3
max rel.	Dynamic full	3	0.93839	0.00166	6	1, 2	3
max rel.	Dynamic first	4	0.94210	2.710e-04	9	1, 2, 3	3
max rel.	Dynamic full	4	0.93939	0.00129	9	1, 2, 3	3
max rel.	Dynamic first	6	0.94232	2.005e-04	15	1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	0.94024	0.00106	15	1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	0.94241	1.796e-04	21	1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	0.94067	7.369e-04	21	1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	0.94251	1.383e-04	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	0.94132	5.936e-04	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	0.94252	1.116e-04	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	0.94179	5.870e-04	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	0.94183	1.651e-04	3	1	3
shortest rel.	Dynamic full	2	0.93891	1.999e-04	3	1	3
shortest rel.	Dynamic first	3	0.94242	2.954e-04	6	1, 2	3
shortest rel.	Dynamic full	3	0.94016	8.971e-04	6	1, 2	3
shortest rel.	Dynamic first	4	0.94264	2.371e-04	9	1, 2, 3	3
shortest rel.	Dynamic full	4	0.94096	6.561e-04	9	1, 2, 3	3
shortest rel.	Dynamic first	6	0.94278	1.071e-04	15	1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	0.94153	4.234e-04	15	1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	0.94286	1.466e-04	21	1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	0.94179	3.626e-04	21	1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	0.94296	1.134e-04	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	0.94224	3.718e-04	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	0.94297	1.034e-04	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	0.94262	4.189e-04	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	0.94202	0.00000	1	1	1
xy	Dynamic full	2	0.93946	0.00000	1	1	1
xy	Dynamic first	3	0.94254	3.904e-04	2	1, 2	1
xy	Dynamic full	3	0.94066	0.00148	2	1, 2	1
xy	Dynamic first	4	0.94276	2.506e-04	3	1, 2, 3	1
xy	Dynamic full	4	0.94120	6.836e-04	3	1, 2, 3	1
xy	Dynamic first	6	0.94290	2.327e-04	5	1, 2, 3, 4, 5	1
xy	Dynamic full	6	0.94168	2.984e-04	5	1, 2, 3, 4, 5	1
xy	Dynamic first	8	0.94298	1.297e-04	7	1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	0.94194	3.211e-04	7	1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	0.94305	8.894e-05	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	0.94241	3.856e-04	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	0.94303	6.180e-05	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	0.94274	3.948e-04	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	0.94219	0.00000	1	1	1
yx	Dynamic full	2	0.93926	0.00000	1	1	1
yx	Dynamic first	3	0.94234	3.347e-04	2	1, 2	1
yx	Dynamic full	3	0.94021	0.00139	2	1, 2	1
yx	Dynamic first	4	0.94256	1.433e-04	3	1, 2, 3	1
yx	Dynamic full	4	0.94085	8.280e-04	3	1, 2, 3	1
yx	Dynamic first	6	0.94275	1.622e-04	5	1, 2, 3, 4, 5	1
yx	Dynamic full	6	0.94168	2.716e-04	5	1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	0.94281	1.123e-04	7	1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	0.94187	3.494e-04	7	1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	0.94287	8.162e-05	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	0.94233	3.606e-04	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	0.94287	5.565e-05	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	0.94263	3.756e-04	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Compiler-pair storage time



This plot asks how compiler-pair storage time changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `mesh__average_storage_time_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
max rel.	Dynamic first	2	4.639	0.22612	3	1	3
max rel.	Dynamic full	2	7.187	0.86506	3	1	3
max rel.	Dynamic first	3	4.325	0.19183	6	1, 2	3
max rel.	Dynamic full	3	6.194	0.91483	6	1, 2	3
max rel.	Dynamic first	4	4.161	0.14837	9	1, 2, 3	3
max rel.	Dynamic full	4	5.642	0.71024	9	1, 2, 3	3
max rel.	Dynamic first	6	4.039	0.10939	15	1, 2, 3, 4, 5	3
max rel.	Dynamic full	6	5.178	0.58331	15	1, 2, 3, 4, 5	3
max rel.	Dynamic first	8	3.994	0.09755	21	1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic full	8	4.938	0.40459	21	1, 2, 3, 4, 5, 6, 7	3
max rel.	Dynamic first	16	3.937	0.07493	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic full	16	4.587	0.32425	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
max rel.	Dynamic first	32	3.930	0.06054	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
max rel.	Dynamic full	32	4.333	0.31934	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic first	2	4.307	0.09088	3	1	3
shortest rel.	Dynamic full	2	5.910	0.11027	3	1	3
shortest rel.	Dynamic first	3	3.987	0.16099	6	1, 2	3
shortest rel.	Dynamic full	3	5.222	0.49197	6	1, 2	3
shortest rel.	Dynamic first	4	3.867	0.12908	9	1, 2, 3	3
shortest rel.	Dynamic full	4	4.783	0.35884	9	1, 2, 3	3
shortest rel.	Dynamic first	6	3.791	0.05824	15	1, 2, 3, 4, 5	3
shortest rel.	Dynamic full	6	4.471	0.23130	15	1, 2, 3, 4, 5	3
shortest rel.	Dynamic first	8	3.746	0.07948	21	1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic full	8	4.329	0.19771	21	1, 2, 3, 4, 5, 6, 7	3
shortest rel.	Dynamic first	16	3.695	0.06131	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic full	16	4.087	0.20175	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
shortest rel.	Dynamic first	32	3.688	0.05595	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
shortest rel.	Dynamic full	32	3.880	0.22700	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
xy	Dynamic first	2	4.202	0.00000	1	1	1
xy	Dynamic full	2	5.602	0.00000	1	1	1
xy	Dynamic first	3	3.919	0.21227	2	1, 2	1
xy	Dynamic full	3	4.946	0.80851	2	1, 2	1
xy	Dynamic first	4	3.803	0.13687	3	1, 2, 3	1
xy	Dynamic full	4	4.653	0.37356	3	1, 2, 3	1
xy	Dynamic first	6	3.726	0.12648	5	1, 2, 3, 4, 5	1
xy	Dynamic full	6	4.390	0.16320	5	1, 2, 3, 4, 5	1
xy	Dynamic first	8	3.682	0.07022	7	1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic full	8	4.250	0.17493	7	1, 2, 3, 4, 5, 6, 7	1
xy	Dynamic first	16	3.647	0.04805	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic full	16	3.996	0.20882	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
xy	Dynamic first	32	3.653	0.03341	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
xy	Dynamic full	32	3.816	0.21404	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic first	2	4.113	0.00000	1	1	1
yx	Dynamic full	2	5.714	0.00000	1	1	1
yx	Dynamic first	3	4.029	0.18297	2	1, 2	1
yx	Dynamic full	3	5.191	0.76098	2	1, 2	1
yx	Dynamic first	4	3.910	0.07801	3	1, 2, 3	1
yx	Dynamic full	4	4.842	0.45391	3	1, 2, 3	1
yx	Dynamic first	6	3.807	0.08807	5	1, 2, 3, 4, 5	1
yx	Dynamic full	6	4.392	0.14882	5	1, 2, 3, 4, 5	1

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
yx	Dynamic first	8	3.773	0.06099	7	1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic full	8	4.287	0.19040	7	1, 2, 3, 4, 5, 6, 7	1
yx	Dynamic first	16	3.741	0.04421	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic full	16	4.038	0.19526	15	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	1
yx	Dynamic first	32	3.739	0.03014	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1
yx	Dynamic full	32	3.872	0.20352	31	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	1

Torus results

The torus section uses the approved Dijkstra route on the 4 by 4 wraparound topology. Compare torus with mesh cautiously because both connectivity and mapped placements can differ.

Latency and waiting

Mean request latency



This plot asks how mean request latency changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `torus__request_latency_mean_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	1.920	0.43257	6	0, 1	3
dijkstra	CGP	2	1.950	0.46464	6	0, 1	3
dijkstra	Dynamic first	2	1.705	0.20898	6	0, 1	3
dijkstra	Dynamic full	2	1.763	0.25833	6	0, 1	3
dijkstra	ODG	2	1.531	0.02650	3	0	3
dijkstra	ACGP	3	1.529	0.30398	9	0, 1, 2	3
dijkstra	CGP	3	1.533	0.30621	9	0, 1, 2	3
dijkstra	Dynamic first	3	1.391	0.08147	9	0, 1, 2	3
dijkstra	Dynamic full	3	1.486	0.21649	9	0, 1, 2	3
dijkstra	ODG	3	1.356	0.01923	3	0	3
dijkstra	ACGP	4	1.317	0.22797	12	0, 1, 2, 3	3
dijkstra	CGP	4	1.325	0.23533	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	1.263	0.07716	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	1.344	0.15540	12	0, 1, 2, 3	3
dijkstra	ODG	4	1.325	0.01032	3	0	3
dijkstra	ACGP	6	1.073	0.21039	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	1.076	0.19788	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	1.129	0.11465	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	1.184	0.11674	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	1.320	0.00951	3	0	3
dijkstra	ACGP	8	0.94298	0.22360	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	0.95725	0.21619	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	1.052	0.15086	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	1.095	0.12694	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	1.320	0.00940	3	0	3
dijkstra	ACGP	16	0.71723	0.24633	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	0.72138	0.24608	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	0.93981	0.15122	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic full	16	0.86797	0.21265	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	1.320	0.00940	3	0	3
dijkstra	ACGP	32	0.58877	0.21471	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	0.59172	0.21518	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.88830	0.11832	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.68479	0.23564	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	1.320	0.00940	3	0	3

Median request latency



This plot asks how median request latency changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `torus__request_latency_median_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	1.508	0.32159	6	0, 1	3
dijkstra	CGP	2	1.550	0.36879	6	0, 1	3
dijkstra	Dynamic first	2	1.317	0.12111	6	0, 1	3
dijkstra	Dynamic full	2	1.367	0.16633	6	0, 1	3
dijkstra	ODG	2	1.217	0.02887	3	0	3
dijkstra	ACGP	3	1.244	0.24930	9	0, 1, 2	3
dijkstra	CGP	3	1.232	0.22340	9	0, 1, 2	3
dijkstra	Dynamic first	3	1.111	0.06509	9	0, 1, 2	3
dijkstra	Dynamic full	3	1.156	0.09825	9	0, 1, 2	3
dijkstra	ODG	3	1.167	0.05773	3	0	3
dijkstra	ACGP	4	0.97085	0.21263	12	0, 1, 2, 3	3
dijkstra	CGP	4	0.98520	0.20964	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	0.98335	0.05366	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	1.013	0.05276	12	0, 1, 2, 3	3
dijkstra	ODG	4	1.033	0.05773	3	0	3
dijkstra	ACGP	6	0.72779	0.21229	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	0.73353	0.20381	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	0.78891	0.15488	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.78613	0.14226	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	1.000	3.608e-06	3	0	3
dijkstra	ACGP	8	0.65626	0.18900	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	0.66876	0.19214	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.72293	0.17320	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.71460	0.16778	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	1.000	3.608e-06	3	0	3
dijkstra	ACGP	16	0.57500	0.14330	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	0.57605	0.14403	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	0.60626	0.16652	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic full	16	0.60522	0.15921	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	1.000	3.608e-06	3	0	3
dijkstra	ACGP	32	0.53226	0.11300	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	0.53334	0.10923	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.55313	0.12873	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.55261	0.12384	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	1.000	3.608e-06	3	0	3

95th-percentile request latency



This plot asks how 95th-percentile request latency changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `torus__request_latency_p95_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	4.700	1.260	6	0, 1	3
dijkstra	CGP	2	4.717	1.262	6	0, 1	3
dijkstra	Dynamic first	2	4.267	0.81835	6	0, 1	3
dijkstra	Dynamic full	2	4.467	0.99433	6	0, 1	3
dijkstra	ODG	2	3.567	0.02886	3	0	3
dijkstra	ACGP	3	3.778	0.90766	9	0, 1, 2	3
dijkstra	CGP	3	3.780	0.90049	9	0, 1, 2	3
dijkstra	Dynamic first	3	3.461	0.41291	9	0, 1, 2	3
dijkstra	Dynamic full	3	3.778	0.89729	9	0, 1, 2	3
dijkstra	ODG	3	3.167	0.05773	3	0	3
dijkstra	ACGP	4	3.258	0.71664	12	0, 1, 2, 3	3
dijkstra	CGP	4	3.298	0.76883	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	3.121	0.32155	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	3.400	0.73949	12	0, 1, 2, 3	3
dijkstra	ODG	4	3.033	0.05774	3	0	3
dijkstra	ACGP	6	2.711	0.47203	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	2.703	0.45487	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	2.800	0.16628	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	3.061	0.57691	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	3.033	0.05773	3	0	3
dijkstra	ACGP	8	2.369	0.48878	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	2.424	0.45720	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	2.652	0.24339	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	2.892	0.44714	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	3.033	0.05773	3	0	3
dijkstra	ACGP	16	1.615	0.74671	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	1.633	0.73097	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	2.404	0.27673	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic full	16	2.262	0.50607	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	3.033	0.05773	3	0	3
dijkstra	ACGP	32	1.049	0.76524	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	1.057	0.76752	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	2.302	0.22004	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	1.515	0.81389	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	3.033	0.05773	3	0	3

Maximum request latency



This plot asks how maximum request latency changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `torus__request_latency_max_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	10.501	2.568	6	0, 1	3
dijkstra	CGP	2	13.800	10.716	6	0, 1	3
dijkstra	Dynamic first	2	9.959	2.088	6	0, 1	3
dijkstra	Dynamic full	2	10.609	2.753	6	0, 1	3
dijkstra	ODG	2	8.300	1.394	3	0	3
dijkstra	ACGP	3	8.489	1.516	9	0, 1, 2	3
dijkstra	CGP	3	10.967	8.574	9	0, 1, 2	3
dijkstra	Dynamic first	3	8.272	1.295	9	0, 1, 2	3
dijkstra	Dynamic full	3	8.917	2.226	9	0, 1, 2	3
dijkstra	ODG	3	7.634	1.025	3	0	3
dijkstra	ACGP	4	9.734	6.190	12	0, 1, 2, 3	3
dijkstra	CGP	4	9.529	6.953	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	7.825	1.207	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	8.450	1.838	12	0, 1, 2, 3	3
dijkstra	ODG	4	7.534	0.94651	3	0	3
dijkstra	ACGP	6	7.159	0.99105	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	6.975	0.79914	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	7.445	0.98579	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	7.764	1.146	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	7.517	0.93589	3	0	3
dijkstra	ACGP	8	6.767	1.177	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	7.636	4.559	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	7.140	0.97504	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	7.559	1.375	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	7.517	0.93589	3	0	3
dijkstra	ACGP	16	5.964	3.475	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	5.454	1.322	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	6.613	0.68118	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic full	16	6.867	0.94203	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	7.517	0.93589	3	0	3
dijkstra	ACGP	32	4.107	1.797	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	4.437	3.024	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	6.490	0.50185	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	5.449	1.574	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	7.517	0.93589	3	0	3

Circuit makespan



This plot asks how circuit makespan changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Makespan covers the whole circuit execution and is reported in seconds; it is different from per-request latency.

Exact graph/table CSV: `torus__end_to_end_latency_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	1.979	0.14705	6	0, 1	3
dijkstra	CGP	2	1.991	0.16050	6	0, 1	3
dijkstra	Dynamic first	2	1.922	0.09481	6	0, 1	3
dijkstra	Dynamic full	2	1.937	0.10007	6	0, 1	3
dijkstra	ODG	2	1.848	0.02542	3	0	3
dijkstra	ACGP	3	1.822	0.08550	9	0, 1, 2	3
dijkstra	CGP	3	1.827	0.09460	9	0, 1, 2	3
dijkstra	Dynamic first	3	1.804	0.03715	9	0, 1, 2	3
dijkstra	Dynamic full	3	1.827	0.07382	9	0, 1, 2	3
dijkstra	ODG	3	1.791	0.01998	3	0	3
dijkstra	ACGP	4	1.741	0.07084	12	0, 1, 2, 3	3
dijkstra	CGP	4	1.749	0.07716	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	1.765	0.03349	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	1.775	0.05053	12	0, 1, 2, 3	3
dijkstra	ODG	4	1.790	0.01050	3	0	3
dijkstra	ACGP	6	1.628	0.09962	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	1.633	0.09493	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	1.715	0.04309	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	1.702	0.05903	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	1.784	0.01193	3	0	3
dijkstra	ACGP	8	1.562	0.11999	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	1.575	0.11533	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	1.685	0.05765	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	1.657	0.07300	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	1.784	0.01187	3	0	3
dijkstra	ACGP	16	1.428	0.15203	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	1.434	0.15116	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	1.639	0.05917	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	1.538	0.12331	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	1.784	0.01187	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	32	1.339	0.13965	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	1.342	0.14100	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	1.618	0.04671	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	1.416	0.15143	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	1.784	0.01187	3	0	3

Mean admission wait



This plot asks how mean admission wait changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `torus__average_admission_wait_ms.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	0.70341	0.53508	6	0, 1	3
dijkstra	CGP	2	0.72672	0.55819	6	0, 1	3
dijkstra	Dynamic first	2	0.45616	0.27111	6	0, 1	3
dijkstra	Dynamic full	2	0.52447	0.33611	6	0, 1	3
dijkstra	ODG	2	0.21905	0.01660	3	0	3
dijkstra	ACGP	3	0.40111	0.44782	9	0, 1, 2	3
dijkstra	CGP	3	0.39742	0.44056	9	0, 1, 2	3
dijkstra	Dynamic first	3	0.18518	0.16525	9	0, 1, 2	3
dijkstra	Dynamic full	3	0.29695	0.31685	9	0, 1, 2	3
dijkstra	ODG	3	0.03823	0.00767	3	0	3
dijkstra	ACGP	4	0.25725	0.36024	12	0, 1, 2, 3	3
dijkstra	CGP	4	0.25600	0.35994	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	0.10009	0.12753	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	0.19647	0.26455	12	0, 1, 2, 3	3
dijkstra	ODG	4	0.00510	0.00188	3	0	3
dijkstra	ACGP	6	0.13627	0.25201	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	0.12917	0.23881	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	0.03592	0.05931	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.10648	0.18599	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	9.944e-05	1.722e-04	3	0	3
dijkstra	ACGP	8	0.08400	0.18597	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	0.08484	0.18784	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.01386	0.03378	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.06764	0.14104	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	0.00000	0.00000	3	0	3
dijkstra	ACGP	16	0.03175	0.10266	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	0.03196	0.10445	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	1.200e-04	4.107e-04	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.01166	0.03827	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ODG	16	0.00000	0.00000	3	0	3
dijkstra	ACGP	32	0.01494	0.06988	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	0.01488	0.06997	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	1.327e-04	7.512e-04	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	0.00000	0.00000	3	0	3

Maximum admission wait



This plot asks how maximum admission wait changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `torus__max_admission_wait_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	7.467	3.801	6	0, 1	3
dijkstra	CGP	2	10.975	11.313	6	0, 1	3
dijkstra	Dynamic first	2	6.525	2.755	6	0, 1	3
dijkstra	Dynamic full	2	7.384	3.779	6	0, 1	3
dijkstra	ODG	2	4.067	0.79741	3	0	3
dijkstra	ACGP	3	4.972	3.189	9	0, 1, 2	3
dijkstra	CGP	3	4.889	3.233	9	0, 1, 2	3
dijkstra	Dynamic first	3	4.495	2.556	9	0, 1, 2	3
dijkstra	Dynamic full	3	5.478	3.718	9	0, 1, 2	3
dijkstra	ODG	3	2.067	0.46189	3	0	3
dijkstra	ACGP	4	3.763	2.834	12	0, 1, 2, 3	3
dijkstra	CGP	4	5.629	7.900	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	3.425	2.486	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	4.250	3.615	12	0, 1, 2, 3	3
dijkstra	ODG	4	1.250	0.35001	3	0	3
dijkstra	ACGP	6	2.290	2.496	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	2.042	2.298	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	1.950	2.164	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	2.600	2.919	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	0.20000	0.34642	3	0	3
dijkstra	ACGP	8	1.441	2.160	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	1.518	2.175	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.97919	1.606	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	1.913	2.946	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	0.00000	0.00000	3	0	3
dijkstra	ACGP	16	0.40938	0.87634	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	0.41146	0.90580	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	0.05521	0.11816	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.78960	1.934	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ODG	16	0.00000	0.00000	3	0	3
dijkstra	ACGP	32	0.16667	0.50553	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	0.17820	0.54422	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.03542	0.16748	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	0.00000	0.00000	3	0	3

Requests that waited



This plot asks how requests that waited changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. The fraction ranges from zero to one and counts requests whose admission wait crossed the study threshold.

Exact graph/table CSV: `torus__requests_that_waited_fraction.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	0.39831	0.19949	6	0, 1	3
dijkstra	CGP	2	0.39961	0.20071	6	0, 1	3
dijkstra	Dynamic first	2	0.33834	0.13484	6	0, 1	3
dijkstra	Dynamic full	2	0.35704	0.15439	6	0, 1	3
dijkstra	ODG	2	0.21646	0.01716	3	0	3
dijkstra	ACGP	3	0.28040	0.23311	9	0, 1, 2	3
dijkstra	CGP	3	0.27791	0.23019	9	0, 1, 2	3
dijkstra	Dynamic first	3	0.18977	0.13293	9	0, 1, 2	3
dijkstra	Dynamic full	3	0.23087	0.18310	9	0, 1, 2	3
dijkstra	ODG	3	0.05507	0.01053	3	0	3
dijkstra	ACGP	4	0.21025	0.23060	12	0, 1, 2, 3	3
dijkstra	CGP	4	0.20623	0.22655	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	0.11806	0.11994	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	0.16259	0.17635	12	0, 1, 2, 3	3
dijkstra	ODG	4	0.00895	0.00318	3	0	3
dijkstra	ACGP	6	0.13705	0.20790	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	0.13417	0.20476	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	0.04838	0.06782	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.09134	0.13028	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	2.295e-04	3.974e-04	3	0	3
dijkstra	ACGP	8	0.10036	0.18574	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	0.09918	0.18478	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.01809	0.03036	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.05851	0.10170	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	0.00000	0.00000	3	0	3
dijkstra	ACGP	16	0.04769	0.13428	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	0.04679	0.13257	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	2.486e-04	8.264e-04	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.01095	0.02935	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	0.00000	0.00000	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	32	0.02294	0.09442	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	0.02262	0.09339	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	2.820e-04	0.00151	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	0.00000	0.00000	3	0	3

Latency decomposition

Mean reservation setup time



This plot asks how mean reservation setup time changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `torus__avg_reservation_setup_time_ms.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	0.00000	0.00000	6	0, 1	3
dijkstra	CGP	2	0.00000	0.00000	6	0, 1	3
dijkstra	Dynamic first	2	0.00000	0.00000	6	0, 1	3
dijkstra	Dynamic full	2	0.00000	0.00000	6	0, 1	3
dijkstra	ODG	2	0.00000	0.00000	3	0	3
dijkstra	ACGP	3	0.00000	0.00000	9	0, 1, 2	3
dijkstra	CGP	3	0.00000	0.00000	9	0, 1, 2	3
dijkstra	Dynamic first	3	0.00000	0.00000	9	0, 1, 2	3
dijkstra	Dynamic full	3	0.00000	0.00000	9	0, 1, 2	3
dijkstra	ODG	3	0.00000	0.00000	3	0	3
dijkstra	ACGP	4	0.00000	0.00000	12	0, 1, 2, 3	3
dijkstra	CGP	4	0.00000	0.00000	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	0.00000	0.00000	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	0.00000	0.00000	12	0, 1, 2, 3	3
dijkstra	ODG	4	0.00000	0.00000	3	0	3
dijkstra	ACGP	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	0.00000	0.00000	3	0	3
dijkstra	ACGP	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	0.00000	0.00000	3	0	3
dijkstra	ACGP	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	0.00000	0.00000	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	0.00000	0.00000	3	0	3

Mean entanglement-generation time



This plot asks how mean entanglement-generation time changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `torus__avg_entanglement_generation_time_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	1.015	0.10550	6	0, 1	3
dijkstra	CGP	2	1.018	0.10280	6	0, 1	3
dijkstra	Dynamic first	2	1.049	0.06924	6	0, 1	3
dijkstra	Dynamic full	2	1.039	0.08026	6	0, 1	3
dijkstra	ODG	2	1.112	0.01068	3	0	3
dijkstra	ACGP	3	0.92650	0.16537	9	0, 1, 2	3
dijkstra	CGP	3	0.93334	0.15781	9	0, 1, 2	3
dijkstra	Dynamic first	3	1.005	0.09843	9	0, 1, 2	3
dijkstra	Dynamic full	3	0.98837	0.11468	9	0, 1, 2	3
dijkstra	ODG	3	1.118	0.01269	3	0	3
dijkstra	ACGP	4	0.85809	0.19656	12	0, 1, 2, 3	3
dijkstra	CGP	4	0.86711	0.19041	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	0.96235	0.12298	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	0.94633	0.13735	12	0, 1, 2, 3	3
dijkstra	ODG	4	1.120	0.00916	3	0	3
dijkstra	ACGP	6	0.73656	0.23781	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	0.74596	0.23355	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	0.89293	0.14890	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.87687	0.16724	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	1.120	0.00947	3	0	3
dijkstra	ACGP	8	0.65854	0.25165	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	0.67164	0.24545	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.83767	0.16226	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.82678	0.17339	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	1.120	0.00940	3	0	3
dijkstra	ACGP	16	0.48514	0.25269	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	0.48929	0.25203	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	0.73967	0.15131	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.65609	0.22403	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	1.120	0.00940	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	32	0.37377	0.21135	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	0.37667	0.21186	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.68830	0.11832	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.48464	0.23577	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	1.120	0.00940	3	0	3

Mean retry-wait time



This plot asks how mean retry-wait time changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate faster service; mean, median, p95, and maximum are kept separate because they describe different parts of the latency distribution.

Exact graph/table CSV: `torus__avg_retry_wait_time_ms.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	0.70451	0.53620	6	0, 1	3
dijkstra	CGP	2	0.73191	0.56444	6	0, 1	3
dijkstra	Dynamic first	2	0.45642	0.27139	6	0, 1	3
dijkstra	Dynamic full	2	0.52473	0.33640	6	0, 1	3
dijkstra	ODG	2	0.21905	0.01660	3	0	3
dijkstra	ACGP	3	0.40260	0.44917	9	0, 1, 2	3
dijkstra	CGP	3	0.39970	0.44354	9	0, 1, 2	3
dijkstra	Dynamic first	3	0.18564	0.16582	9	0, 1, 2	3
dijkstra	Dynamic full	3	0.29791	0.31817	9	0, 1, 2	3
dijkstra	ODG	3	0.03823	0.00767	3	0	3
dijkstra	ACGP	4	0.25899	0.36076	12	0, 1, 2, 3	3
dijkstra	CGP	4	0.25761	0.36219	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	0.10068	0.12819	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	0.19726	0.26587	12	0, 1, 2, 3	3
dijkstra	ODG	4	0.00510	0.00188	3	0	3
dijkstra	ACGP	6	0.13690	0.25262	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	0.12971	0.23944	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	0.03649	0.06041	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.10757	0.18800	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	9.944e-05	1.722e-04	3	0	3
dijkstra	ACGP	8	0.08444	0.18639	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	0.08561	0.18789	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.01413	0.03425	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.06848	0.14274	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	0.00000	0.00000	3	0	3
dijkstra	ACGP	16	0.03209	0.10375	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	0.03209	0.10467	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	1.396e-04	4.880e-04	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic full	16	0.01188	0.03899	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	0.00000	0.00000	3	0	3
dijkstra	ACGP	32	0.01500	0.07005	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	0.01504	0.07010	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	1.494e-04	8.621e-04	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	0.00000	0.00000	3	0	3

Delivered quality

Mean delivered EPR fidelity



This plot asks how mean delivered epr fidelity changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Higher fidelity is desirable, but its tradeoff with latency, retries, and storage time must be read from the neighbouring figures.

Exact graph/table CSV: `torus__average_delivered_epr_fidelity.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	0.94573	0.00448	6	0, 1	3
dijkstra	CGP	2	0.94557	0.00465	6	0, 1	3
dijkstra	Dynamic first	2	0.94924	6.295e-04	6	0, 1	3
dijkstra	Dynamic full	2	0.94903	8.645e-04	6	0, 1	3
dijkstra	ODG	2	0.94981	0.00000	3	0	3
dijkstra	ACGP	3	0.94234	0.00672	9	0, 1, 2	3
dijkstra	CGP	3	0.94235	0.00667	9	0, 1, 2	3
dijkstra	Dynamic first	3	0.94886	8.566e-04	9	0, 1, 2	3
dijkstra	Dynamic full	3	0.94854	0.00119	9	0, 1, 2	3
dijkstra	ODG	3	0.94981	0.00000	3	0	3
dijkstra	ACGP	4	0.93973	0.00778	12	0, 1, 2, 3	3
dijkstra	CGP	4	0.93990	0.00767	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	0.94852	0.00102	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	0.94819	0.00131	12	0, 1, 2, 3	3
dijkstra	ODG	4	0.94981	0.00000	3	0	3
dijkstra	ACGP	6	0.93518	0.00943	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	0.93550	0.00915	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	0.94797	0.00121	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.94762	0.00153	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	0.94981	0.00000	3	0	3
dijkstra	ACGP	8	0.93206	0.01002	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	0.93242	0.00980	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.94755	0.00128	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.94725	0.00150	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	0.94981	0.00000	3	0	3
dijkstra	ACGP	16	0.92458	0.01061	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	0.92458	0.01065	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	0.94678	0.00119	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic full	16	0.94601	0.00174	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	0.94981	0.00000	3	0	3
dijkstra	ACGP	32	0.91917	0.00918	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	0.91939	0.00915	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.94637	9.349e-04	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.94480	0.00174	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	0.94981	0.00000	3	0	3

Retries and robustness

Total retries



This plot asks how total retries changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `torus__total_retries.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	6.750	8.116	6	0, 1	3
dijkstra	CGP	2	5.583	6.256	6	0, 1	3
dijkstra	Dynamic first	2	0.41667	0.49160	6	0, 1	3
dijkstra	Dynamic full	2	0.50000	0.77460	6	0, 1	3
dijkstra	ODG	2	0.00000	0.00000	3	0	3
dijkstra	ACGP	3	5.556	6.391	9	0, 1, 2	3
dijkstra	CGP	3	5.444	6.151	9	0, 1, 2	3
dijkstra	Dynamic first	3	1.000	1.392	9	0, 1, 2	3
dijkstra	Dynamic full	3	1.833	2.716	9	0, 1, 2	3
dijkstra	ODG	3	0.00000	0.00000	3	0	3
dijkstra	ACGP	4	4.667	6.166	12	0, 1, 2, 3	3
dijkstra	CGP	4	4.292	4.495	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	1.417	2.285	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	1.958	3.720	12	0, 1, 2, 3	3
dijkstra	ODG	4	0.00000	0.00000	3	0	3
dijkstra	ACGP	6	3.139	4.069	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	2.500	3.734	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	1.500	3.044	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	2.417	4.701	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	0.00000	0.00000	3	0	3
dijkstra	ACGP	8	2.333	3.878	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	1.417	2.408	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.62500	1.279	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	2.021	4.244	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	0.00000	0.00000	3	0	3
dijkstra	ACGP	16	0.58333	1.680	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	0.70833	1.907	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	0.04167	0.17361	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.55208	2.074	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	0.00000	0.00000	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	32	0.23958	0.91185	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	0.23438	0.97049	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.04167	0.27784	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	0.00000	0.00000	3	0	3

Requests with retries



This plot asks how requests with retries changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `torus__requests_with_retries.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	6.167	7.367	6	0, 1	3
dijkstra	CGP	2	4.917	5.472	6	0, 1	3
dijkstra	Dynamic first	2	0.41667	0.49160	6	0, 1	3
dijkstra	Dynamic full	2	0.50000	0.77460	6	0, 1	3
dijkstra	ODG	2	0.00000	0.00000	3	0	3
dijkstra	ACGP	3	5.000	5.460	9	0, 1, 2	3
dijkstra	CGP	3	4.722	5.191	9	0, 1, 2	3
dijkstra	Dynamic first	3	1.000	1.392	9	0, 1, 2	3
dijkstra	Dynamic full	3	1.833	2.716	9	0, 1, 2	3
dijkstra	ODG	3	0.00000	0.00000	3	0	3
dijkstra	ACGP	4	4.250	5.758	12	0, 1, 2, 3	3
dijkstra	CGP	4	3.708	3.911	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	1.375	2.176	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	1.875	3.530	12	0, 1, 2, 3	3
dijkstra	ODG	4	0.00000	0.00000	3	0	3
dijkstra	ACGP	6	2.778	3.549	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	2.333	3.456	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	1.500	3.044	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	2.389	4.626	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	0.00000	0.00000	3	0	3
dijkstra	ACGP	8	2.042	3.448	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	1.271	2.121	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.62500	1.279	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	2.000	4.178	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	0.00000	0.00000	3	0	3
dijkstra	ACGP	16	0.54167	1.543	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	0.62500	1.674	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	0.04167	0.17361	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.54167	2.008	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	0.00000	0.00000	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	32	0.22396	0.84874	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	0.22396	0.93716	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.04167	0.27784	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	0.00000	0.00000	3	0	3

Protocol pair accounting

Protocol-generated pairs



This plot asks how protocol-generated pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `torus__protocol_generated_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	548.000	600.880	6	0, 1	3
dijkstra	CGP	2	537.333	589.244	6	0, 1	3
dijkstra	Dynamic first	2	315.833	347.434	6	0, 1	3
dijkstra	Dynamic full	2	369.500	407.843	6	0, 1	3
dijkstra	ODG	2	0.00000	0.00000	3	0	3
dijkstra	ACGP	3	1054.333	927.273	9	0, 1, 2	3
dijkstra	CGP	3	1043.556	906.999	9	0, 1, 2	3
dijkstra	Dynamic first	3	558.111	487.572	9	0, 1, 2	3
dijkstra	Dynamic full	3	641.556	570.101	9	0, 1, 2	3
dijkstra	ODG	3	0.00000	0.00000	3	0	3
dijkstra	ACGP	4	1488.917	1124.150	12	0, 1, 2, 3	3
dijkstra	CGP	4	1468.167	1105.978	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	784.833	612.576	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	873.167	681.576	12	0, 1, 2, 3	3
dijkstra	ODG	4	0.00000	0.00000	3	0	3
dijkstra	ACGP	6	2222.778	1407.893	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	2181.944	1375.887	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	1152.278	753.793	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	1248.722	845.376	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	0.00000	0.00000	3	0	3
dijkstra	ACGP	8	2733.833	1530.598	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	2672.250	1506.933	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	1430.333	818.065	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	1519.542	888.185	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	0.00000	0.00000	3	0	3
dijkstra	ACGP	16	4024.042	1737.346	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	4003.333	1733.494	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	1932.188	767.004	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	2408.417	1155.791	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	0.00000	0.00000	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	32	5444.979	1932.537	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	5431.885	1933.521	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	2194.094	600.307	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	3294.510	1216.359	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	0.00000	0.00000	3	0	3

Protocol-used pairs



This plot asks how protocol-used pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend.

Exact graph/table CSV: `torus__protocol_used_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	470.167	515.707	6	0, 1	3
dijkstra	CGP	2	459.000	503.522	6	0, 1	3
dijkstra	Dynamic first	2	311.667	342.923	6	0, 1	3
dijkstra	Dynamic full	2	364.333	402.315	6	0, 1	3
dijkstra	ODG	2	0.00000	0.00000	3	0	3
dijkstra	ACGP	3	913.222	798.402	9	0, 1, 2	3
dijkstra	CGP	3	900.222	777.063	9	0, 1, 2	3
dijkstra	Dynamic first	3	550.000	481.090	9	0, 1, 2	3
dijkstra	Dynamic full	3	630.444	560.188	9	0, 1, 2	3
dijkstra	ODG	3	0.00000	0.00000	3	0	3
dijkstra	ACGP	4	1284.833	959.289	12	0, 1, 2, 3	3
dijkstra	CGP	4	1259.917	938.791	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	772.000	603.597	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	854.333	665.915	12	0, 1, 2, 3	3
dijkstra	ODG	4	0.00000	0.00000	3	0	3
dijkstra	ACGP	6	1912.111	1187.370	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	1866.389	1152.457	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	1133.278	742.300	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	1218.944	825.640	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	0.00000	0.00000	3	0	3
dijkstra	ACGP	8	2312.500	1258.196	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	2244.667	1225.198	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	1407.667	806.576	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	1477.583	861.016	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	0.00000	0.00000	3	0	3
dijkstra	ACGP	16	3190.292	1270.601	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	3170.917	1268.917	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	1901.500	755.742	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	2332.479	1116.513	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	0.00000	0.00000	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	32	3746.219	1056.061	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	3732.104	1056.530	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	2159.417	591.444	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	3182.854	1171.159	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	0.00000	0.00000	3	0	3

Protocol-unused pairs



This plot asks how protocol-unused pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate less unused or expired work, subject to the paired latency and hit-rate results.

Exact graph/table CSV: `torus__protocol_unused_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	73.333	80.346	6	0, 1	3
dijkstra	CGP	2	74.833	81.989	6	0, 1	3
dijkstra	Dynamic first	2	0.00000	0.00000	6	0, 1	3
dijkstra	Dynamic full	2	0.00000	0.00000	6	0, 1	3
dijkstra	ODG	2	0.00000	0.00000	3	0	3
dijkstra	ACGP	3	130.556	119.705	9	0, 1, 2	3
dijkstra	CGP	3	132.778	121.011	9	0, 1, 2	3
dijkstra	Dynamic first	3	0.00000	0.00000	9	0, 1, 2	3
dijkstra	Dynamic full	3	0.00000	0.00000	9	0, 1, 2	3
dijkstra	ODG	3	0.00000	0.00000	3	0	3
dijkstra	ACGP	4	189.500	154.685	12	0, 1, 2, 3	3
dijkstra	CGP	4	190.500	155.352	12	0, 1, 2, 3	3
dijkstra	Dynamic first	4	0.00000	0.00000	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	0.00000	0.00000	12	0, 1, 2, 3	3
dijkstra	ODG	4	0.00000	0.00000	3	0	3
dijkstra	ACGP	6	285.500	208.514	18	0, 1, 2, 3, 4, 5	3
dijkstra	CGP	6	286.611	206.956	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.00000	0.00000	18	0, 1, 2, 3, 4, 5	3
dijkstra	ODG	6	0.00000	0.00000	3	0	3
dijkstra	ACGP	8	379.417	250.983	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	387.250	262.079	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.00000	0.00000	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	ODG	8	0.00000	0.00000	3	0	3
dijkstra	ACGP	16	735.208	449.758	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	734.792	449.312	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.00000	0.00000	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	ODG	16	0.00000	0.00000	3	0	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	32	1480.917	891.722	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	1483.094	890.420	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.00000	0.00000	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	ODG	32	0.00000	0.00000	3	0	3

Protocol waste



This plot asks how protocol waste changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. Lower values indicate less unused or expired work, subject to the paired latency and hit-rate results.

Exact graph/table CSV: `torus__protocol_waste_percentage.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	2	13.417	0.36872	3	1	3
dijkstra	CGP	2	13.947	0.68025	3	1	3
dijkstra	Dynamic first	2	0.00000	0.00000	3	1	3
dijkstra	Dynamic full	2	0.00000	0.00000	3	1	3
dijkstra	ACGP	3	12.162	0.95193	6	1, 2	3
dijkstra	CGP	3	12.439	1.030	6	1, 2	3
dijkstra	Dynamic first	3	0.00000	0.00000	6	1, 2	3
dijkstra	Dynamic full	3	0.00000	0.00000	6	1, 2	3
dijkstra	ACGP	4	12.369	1.283	9	1, 2, 3	3
dijkstra	CGP	4	12.597	1.271	9	1, 2, 3	3
dijkstra	Dynamic first	4	0.00000	0.00000	9	1, 2, 3	3
dijkstra	Dynamic full	4	0.00000	0.00000	9	1, 2, 3	3
dijkstra	ACGP	6	12.346	1.815	15	1, 2, 3, 4, 5	3
dijkstra	CGP	6	12.631	1.764	15	1, 2, 3, 4, 5	3
dijkstra	Dynamic first	6	0.00000	0.00000	15	1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.00000	0.00000	15	1, 2, 3, 4, 5	3
dijkstra	ACGP	8	13.224	2.108	21	1, 2, 3, 4, 5, 6, 7	3
dijkstra	CGP	8	13.750	2.384	21	1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	8	0.00000	0.00000	21	1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.00000	0.00000	21	1, 2, 3, 4, 5, 6, 7	3
dijkstra	ACGP	16	16.977	4.544	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	CGP	16	17.065	4.512	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	16	0.00000	0.00000	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.00000	0.00000	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	ACGP	32	24.737	8.821	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	CGP	32	24.845	8.772	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic first	32	0.00000	0.00000	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.00000	0.00000	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Dynamic compiler-planner and cache accounting

Scheduled compiler preparations



This plot asks how scheduled compiler preparations changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__scheduled_preparations.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	276.000	302.395	6	0, 1	3
dijkstra	Dynamic full	2	353.833	387.820	6	0, 1	3
dijkstra	Dynamic first	3	454.778	359.265	9	0, 1, 2	3
dijkstra	Dynamic full	3	683.000	581.468	9	0, 1, 2	3
dijkstra	Dynamic first	4	598.667	402.079	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	942.500	683.062	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	785.278	422.758	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	1300.889	758.491	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	893.417	410.750	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	1512.708	752.161	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	1060.542	333.299	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	1845.062	624.234	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	1144.271	249.086	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	2012.031	470.059	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Planner-blocked preparations



This plot asks how planner-blocked preparations changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__planner_blocked_preparations.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	1825.167	387.820	6	0, 1	3
dijkstra	Dynamic full	2	1825.167	387.820	6	0, 1	3
dijkstra	Dynamic first	3	1496.000	581.468	9	0, 1, 2	3
dijkstra	Dynamic full	3	1496.000	581.468	9	0, 1, 2	3
dijkstra	Dynamic first	4	1236.500	683.062	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	1236.500	683.062	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	878.111	758.491	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	878.111	758.491	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	666.292	752.161	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	666.292	752.161	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	333.938	624.234	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	333.938	624.234	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	166.969	470.059	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	166.969	470.059	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Peak compiler memory/core



This plot asks how peak compiler memory/core changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__planner_peak_compiler_memory_per_core.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	0.50000	0.54772	6	0, 1	3
dijkstra	Dynamic full	2	0.50000	0.54772	6	0, 1	3
dijkstra	Dynamic first	3	1.000	0.86603	9	0, 1, 2	3
dijkstra	Dynamic full	3	1.000	0.86603	9	0, 1, 2	3
dijkstra	Dynamic first	4	1.500	1.168	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	1.500	1.168	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	2.500	1.757	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	2.500	1.757	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	3.500	2.341	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	3.500	2.341	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	6.792	3.870	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	6.792	3.870	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	8.896	3.637	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	8.896	3.637	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Runtime admission attempts



This plot asks how runtime admission attempts changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__runtime_admission_attempts.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	868.833	952.910	6	0, 1	3
dijkstra	Dynamic full	2	1347.250	1482.701	6	0, 1	3
dijkstra	Dynamic first	3	1285.167	980.133	9	0, 1, 2	3
dijkstra	Dynamic full	3	2670.944	2331.890	9	0, 1, 2	3
dijkstra	Dynamic first	4	1549.250	971.615	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	3628.625	2677.889	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	1707.111	825.586	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	4750.111	2716.294	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	1673.729	736.467	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	5265.521	2558.546	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	1468.792	562.749	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	4879.323	1950.854	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	1348.385	413.917	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	3718.521	1827.771	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Runtime-launched preparations



This plot asks how runtime-launched preparations changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__runtime_launched_preparations.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	196.667	215.649	6	0, 1	3
dijkstra	Dynamic full	2	238.583	261.607	6	0, 1	3
dijkstra	Dynamic first	3	347.222	293.225	9	0, 1, 2	3
dijkstra	Dynamic full	3	480.778	439.394	9	0, 1, 2	3
dijkstra	Dynamic first	4	481.042	356.099	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	662.417	519.519	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	677.528	411.598	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	906.806	586.728	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	802.938	418.809	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	1084.792	597.022	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	1014.062	362.757	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	1504.740	605.059	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	1121.031	276.887	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	1822.036	533.236	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Runtime-accepted preparations



This plot asks how runtime-accepted preparations changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__runtime_accepted_preparations.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	157.917	173.717	6	0, 1	3
dijkstra	Dynamic full	2	184.750	203.921	6	0, 1	3
dijkstra	Dynamic first	3	279.056	243.786	9	0, 1, 2	3
dijkstra	Dynamic full	3	320.778	285.051	9	0, 1, 2	3
dijkstra	Dynamic first	4	392.417	306.288	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	436.583	340.788	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	576.139	376.896	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	624.361	422.688	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	715.167	409.032	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	759.771	444.093	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	966.094	383.502	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	1204.208	577.896	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	1097.047	300.153	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	1647.255	608.180	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Runtime-rejected preparations



This plot asks how runtime-rejected preparations changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__runtime_rejected_preparations.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	129.417	142.047	6	0, 1	3
dijkstra	Dynamic full	2	184.500	203.937	6	0, 1	3
dijkstra	Dynamic first	3	197.333	149.526	9	0, 1, 2	3
dijkstra	Dynamic full	3	396.333	333.677	9	0, 1, 2	3
dijkstra	Dynamic first	4	235.292	147.761	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	559.417	401.769	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	239.028	132.025	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	742.472	421.369	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	204.500	138.470	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	832.188	408.373	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	108.083	140.275	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	708.927	370.903	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	54.031	112.638	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	402.297	412.364	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Pregenerated hits



This plot asks how pregenerated hits changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__pregenerated_hits.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	152.500	167.664	6	0, 1	3
dijkstra	Dynamic full	2	178.583	197.174	6	0, 1	3
dijkstra	Dynamic first	3	269.056	235.389	9	0, 1, 2	3
dijkstra	Dynamic full	3	308.500	274.357	9	0, 1, 2	3
dijkstra	Dynamic first	4	376.625	294.654	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	414.542	321.055	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	551.361	361.532	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	588.500	397.735	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	684.250	392.540	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	707.542	409.684	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	924.167	367.619	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	1112.094	529.543	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	1050.083	287.901	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	1514.938	555.170	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Pregeneration success rate



This plot asks how pregeneration success rate changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__pregenerated_success_rate.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	0.06999	0.07695	6	0, 1	3
dijkstra	Dynamic full	2	0.08196	0.09049	6	0, 1	3
dijkstra	Dynamic first	3	0.12348	0.10803	9	0, 1, 2	3
dijkstra	Dynamic full	3	0.14158	0.12591	9	0, 1, 2	3
dijkstra	Dynamic first	4	0.17284	0.13522	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	0.19024	0.14734	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	0.25303	0.16592	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.27008	0.18253	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	0.31402	0.18015	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.32471	0.18801	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	0.42412	0.16871	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.51037	0.24302	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	0.48191	0.13213	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.69524	0.25478	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Intended-request hits



This plot asks how intended-request hits changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__intended_request_hits.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	155.833	171.462	6	0, 1	3
dijkstra	Dynamic full	2	182.167	201.157	6	0, 1	3
dijkstra	Dynamic first	3	275.000	240.545	9	0, 1, 2	3
dijkstra	Dynamic full	3	315.222	280.094	9	0, 1, 2	3
dijkstra	Dynamic first	4	386.000	301.798	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	427.167	332.957	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	566.639	371.150	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	609.472	412.820	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	703.833	403.288	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	738.792	430.508	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	950.750	377.871	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	1166.240	558.256	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	1079.708	295.722	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	1591.427	585.579	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Intended-request hit rate



This plot asks how intended-request hit rate changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__intended_request_hit_rate.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	0.07152	0.07869	6	0, 1	3
dijkstra	Dynamic full	2	0.08360	0.09232	6	0, 1	3
dijkstra	Dynamic first	3	0.12620	0.11039	9	0, 1, 2	3
dijkstra	Dynamic full	3	0.14466	0.12854	9	0, 1, 2	3
dijkstra	Dynamic first	4	0.17715	0.13850	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	0.19604	0.15280	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	0.26005	0.17033	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.27970	0.18945	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	0.32301	0.18508	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.33905	0.19757	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	0.43632	0.17341	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.53522	0.25620	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	0.49551	0.13571	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.73035	0.26874	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Compiler-not-ready requests



This plot asks how compiler-not-ready requests changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__compiler_not_ready_requests.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	2026.500	167.664	6	0, 1	3
dijkstra	Dynamic full	2	2000.417	197.174	6	0, 1	3
dijkstra	Dynamic first	3	1909.944	235.389	9	0, 1, 2	3
dijkstra	Dynamic full	3	1870.500	274.357	9	0, 1, 2	3
dijkstra	Dynamic first	4	1802.375	294.654	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	1764.458	321.055	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	1627.639	361.532	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	1590.500	397.735	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	1494.750	392.540	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	1471.458	409.684	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	1254.833	367.619	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	1066.906	529.543	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	1128.917	287.901	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	664.062	555.170	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Late compiler-pair uses



This plot asks how late compiler-pair uses changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__late_compiler_pair_uses.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	3.333	4.119	6	0, 1	3
dijkstra	Dynamic full	2	3.583	4.104	6	0, 1	3
dijkstra	Dynamic first	3	5.944	5.604	9	0, 1, 2	3
dijkstra	Dynamic full	3	6.722	6.073	9	0, 1, 2	3
dijkstra	Dynamic first	4	9.375	7.441	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	12.625	12.750	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	15.278	9.929	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	20.972	16.088	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	19.583	11.511	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	31.250	22.025	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	26.583	11.174	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	54.146	29.692	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	29.625	9.263	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	76.490	30.934	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

On-demand fallbacks



This plot asks how on-demand fallbacks changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__on_demand_fallbacks.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	2023.167	171.462	6	0, 1	3
dijkstra	Dynamic full	2	1996.833	201.157	6	0, 1	3
dijkstra	Dynamic first	3	1904.000	240.545	9	0, 1, 2	3
dijkstra	Dynamic full	3	1863.778	280.094	9	0, 1, 2	3
dijkstra	Dynamic first	4	1793.000	301.798	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	1751.833	332.957	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	1612.361	371.150	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	1569.528	412.820	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	1475.167	403.288	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	1440.208	430.508	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	1228.250	377.871	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	1012.760	558.256	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	1099.292	295.722	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	587.573	585.579	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

On-demand fallback rate



This plot asks how on-demand fallback rate changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__on_demand_fallback_rate.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	0.92848	0.07869	6	0, 1	3
dijkstra	Dynamic full	2	0.91640	0.09232	6	0, 1	3
dijkstra	Dynamic first	3	0.87380	0.11039	9	0, 1, 2	3
dijkstra	Dynamic full	3	0.85534	0.12854	9	0, 1, 2	3
dijkstra	Dynamic first	4	0.82285	0.13850	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	0.80396	0.15280	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	0.73995	0.17033	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.72030	0.18945	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	0.67699	0.18508	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.66095	0.19757	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	0.56368	0.17341	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.46478	0.25620	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	0.50449	0.13571	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.26965	0.26874	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Generated compiler pairs



This plot asks how generated compiler pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__generated_compiler_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	157.917	173.717	6	0, 1	3
dijkstra	Dynamic full	2	184.750	203.921	6	0, 1	3
dijkstra	Dynamic first	3	279.056	243.786	9	0, 1, 2	3
dijkstra	Dynamic full	3	320.778	285.051	9	0, 1, 2	3
dijkstra	Dynamic first	4	392.417	306.288	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	436.583	340.788	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	576.139	376.896	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	624.361	422.688	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	715.167	409.032	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	759.771	444.093	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	966.094	383.502	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	1204.208	577.896	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	1097.047	300.153	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	1647.255	608.180	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Utilized compiler pairs



This plot asks how utilized compiler pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__utilized_compiler_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	155.833	171.462	6	0, 1	3
dijkstra	Dynamic full	2	182.167	201.157	6	0, 1	3
dijkstra	Dynamic first	3	275.000	240.545	9	0, 1, 2	3
dijkstra	Dynamic full	3	315.222	280.094	9	0, 1, 2	3
dijkstra	Dynamic first	4	386.000	301.798	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	427.167	332.957	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	566.639	371.150	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	609.472	412.820	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	703.833	403.288	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	738.792	430.508	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	950.750	377.871	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	1166.240	558.256	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	1079.708	295.722	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	1591.427	585.579	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Expired compiler pairs



This plot asks how expired compiler pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__expired_compiler_pairs.csv`.

Route	Policy	M	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	1.833	2.017	6	0, 1	3
dijkstra	Dynamic full	2	2.083	2.289	6	0, 1	3
dijkstra	Dynamic first	3	3.444	2.952	9	0, 1, 2	3
dijkstra	Dynamic full	3	4.333	3.921	9	0, 1, 2	3
dijkstra	Dynamic first	4	4.917	3.642	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	7.250	6.085	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	6.806	4.156	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	11.389	7.811	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	7.792	4.214	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	15.917	10.352	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	8.740	3.495	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	15.062	10.588	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	9.203	2.969	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	7.667	9.523	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Remaining compiler pairs



This plot asks how remaining compiler pairs changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__remaining_compiler_pairs.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	0.25000	0.27386	6	0, 1	3
dijkstra	Dynamic full	2	0.50000	0.63246	6	0, 1	3
dijkstra	Dynamic first	3	0.61111	0.60093	9	0, 1, 2	3
dijkstra	Dynamic full	3	1.222	1.121	9	0, 1, 2	3
dijkstra	Dynamic first	4	1.500	1.537	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	2.167	2.125	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	2.694	2.377	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	3.500	2.849	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	3.542	2.645	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	5.062	4.668	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	6.604	3.586	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	22.906	20.897	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	8.135	3.085	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	48.161	28.930	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Compiler-pair expiry



This plot asks how compiler-pair expiry changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__compiler_expiry_percentage.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	0.58925	0.65676	6	0, 1	3
dijkstra	Dynamic full	2	0.58326	0.64978	6	0, 1	3
dijkstra	Dynamic first	3	0.85761	0.67477	9	0, 1, 2	3
dijkstra	Dynamic full	3	0.90544	0.70443	9	0, 1, 2	3
dijkstra	Dynamic first	4	0.99569	0.64605	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	1.210	0.80478	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	1.069	0.57662	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	1.500	0.76645	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	1.047	0.53239	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	1.763	0.81693	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	0.92293	0.41798	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	1.373	0.90285	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	0.85506	0.32868	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.69255	0.90137	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Compiler-pair waste



This plot asks how compiler-pair waste changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__compiler_waste_percentage.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	0.67125	0.74732	6	0, 1	3
dijkstra	Dynamic full	2	0.72643	0.82082	6	0, 1	3
dijkstra	Dynamic first	3	1.028	0.83861	9	0, 1, 2	3
dijkstra	Dynamic full	3	1.159	0.88540	9	0, 1, 2	3
dijkstra	Dynamic first	4	1.272	0.82774	12	0, 1, 2, 3	3
dijkstra	Dynamic full	4	1.554	1.025	12	0, 1, 2, 3	3
dijkstra	Dynamic first	6	1.425	0.69624	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	1.949	1.031	18	0, 1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	1.446	0.63006	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	2.282	1.072	24	0, 1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	1.521	0.47399	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	2.835	0.98108	48	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	1.547	0.37564	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	3.184	0.78062	96	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Compiler-pair fidelity at creation



This plot asks how compiler-pair fidelity at creation changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__average_fidelity_at_creation.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	0.94981	0.00000	3	1	3
dijkstra	Dynamic full	2	0.94981	0.00000	3	1	3
dijkstra	Dynamic first	3	0.94981	7.022e-17	6	1, 2	3
dijkstra	Dynamic full	3	0.94981	0.00000	6	1, 2	3
dijkstra	Dynamic first	4	0.94981	3.701e-17	9	1, 2, 3	3
dijkstra	Dynamic full	4	0.94981	0.00000	9	1, 2, 3	3
dijkstra	Dynamic first	6	0.94981	0.00000	15	1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.94981	2.867e-17	15	1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	0.94981	0.00000	21	1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.94981	0.00000	21	1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	0.94981	1.655e-17	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.94981	2.314e-17	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	0.94981	1.151e-17	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.94981	1.972e-17	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Compiler-pair fidelity at utilization



This plot asks how compiler-pair fidelity at utilization changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__average_fidelity_at_utilization.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	0.94198	2.292e-04	3	1	3
dijkstra	Dynamic full	2	0.94061	1.476e-04	3	1	3
dijkstra	Dynamic first	3	0.94248	3.051e-04	6	1, 2	3
dijkstra	Dynamic full	3	0.94138	6.575e-04	6	1, 2	3
dijkstra	Dynamic first	4	0.94271	1.696e-04	9	1, 2, 3	3
dijkstra	Dynamic full	4	0.94183	3.142e-04	9	1, 2, 3	3
dijkstra	Dynamic first	6	0.94288	1.631e-04	15	1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	0.94221	3.162e-04	15	1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	0.94296	1.550e-04	21	1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	0.94241	3.063e-04	21	1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	0.94303	1.244e-04	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	0.94278	3.560e-04	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	0.94304	9.594e-05	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	0.94303	3.403e-04	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3

Compiler-pair storage time



This plot asks how compiler-pair storage time changes when total communication memory per core increases. Each point is the arithmetic mean of the validated cells listed in the table; the graph does not select a best compiler allocation. Read comparisons vertically at a fixed memory value and route, then inspect the full capacity trend. This counter exists only for Dynamic full-chain and Dynamic first-hop; the other methodologies are N/A by design.

Exact graph/table CSV: `torus__average_storage_time_ms.csv`.

Route	Policy	*M*	Mean	SD	Cells	Allocations	Traces
dijkstra	Dynamic first	2	4.223	0.12433	3	1	3
dijkstra	Dynamic full	2	4.972	0.08072	3	1	3
dijkstra	Dynamic first	3	3.952	0.16568	6	1, 2	3
dijkstra	Dynamic full	3	4.551	0.35844	6	1, 2	3
dijkstra	Dynamic first	4	3.827	0.09195	9	1, 2, 3	3
dijkstra	Dynamic full	4	4.306	0.17154	9	1, 2, 3	3
dijkstra	Dynamic first	6	3.738	0.08817	15	1, 2, 3, 4, 5	3
dijkstra	Dynamic full	6	4.100	0.17179	15	1, 2, 3, 4, 5	3
dijkstra	Dynamic first	8	3.691	0.08373	21	1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic full	8	3.994	0.16592	21	1, 2, 3, 4, 5, 6, 7	3
dijkstra	Dynamic first	16	3.656	0.06722	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic full	16	3.794	0.19255	45	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	3
dijkstra	Dynamic first	32	3.647	0.05182	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3
dijkstra	Dynamic full	32	3.656	0.18414	93	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	3