Status	Finished
Started	Monday, 19 October 2026, 10:01 PM
Completed	Monday, 19 October 2026, 10:04 PM
Duration	3 mins 1 sec
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. 2

b. garbage

c. null

d. 0 ✓

e. 1

The correct answer is:
0

Question **2**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. truncate() ✓

b. resize()

c. shrink()

d. reduce()

The correct answer is: truncate()

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

- a. It reads the entire file and returns it as a string
- b. It reads the entire file and returns it as a list of lines ✓
- c. It reads the file and returns it as a dictionary
- d. It reads a single line from the file

The correct answer is: It reads the entire file and returns it as a list of lines

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

- a. read(size) ✓
- b. readline()
- c. readchar()
- d. readlines()

The correct answer is: read(size)

Question **5**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

- a. line()
- b. read(1)
- c. readlines(1)
- d. readline() ✓

The correct answer is: readline()

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

- a. r+ ✓
- b. a
- c. w
- d. r

The correct answer is: r+

Question **7**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

- a. It does nothing
- b. It appends data to the file
- c. It raises an error
- d. It clears the old data and starts fresh ✓

The correct answer is: It clears the old data and starts fresh

Question **8**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a.
- Move file pointer five characters behind from the current position.

b. Move file pointer five characters ahead from the beginning

c.
- Move file pointer five characters behind ahead from the end of a file.

d.
- Move file pointer five characters ahead from the current position. ✓

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **9**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open("a.txt", "r") ✓

b. infile = open(file, "a.txt", "r")

c. infile = open(file = "a.txt", "r")

d. infile = open(file = "a.txt", "r")

The correct answer is:
infile = open("a.txt", "r")

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. world

b. Hello, world! ✓

c. Hello

d. An error is raised

The correct answer is: Hello, world!

Question **11**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

a. To automatically close the file after its suite finishes ✓

b. To write data to a file

c. To delete a file

d. To read data from a file

The correct answer is: To automatically close the file after its suite finishes

Question **12**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

True ✓

False

The correct answer is 'True'.

Question **13**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

- a. open() ✓
- b. openfile()
- c. file()
- d. open_file()

The correct answer is: open()

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

- a. Binary file
- b. Both text and binary file ✓
- c. none of the given choices
- d. Text file

The correct answer is: Both text and binary file

Question **15**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

- a. Overwrites the file with "Adding new data"
- b. Appends "Adding new data" to the end of the file ✓
- c. Opens the file in read mode
- d. Raises an error because the file is opened in append mode

The correct answer is: Appends "Adding new data" to the end of the file