dl.py - C:\Users\pings\Desktop\dl.py (3.14.2)

File Edit Format Run Options Window Help

```
#Exp No:10 Experiment to understand array function in Data science.
#Description: Understand array function using Numpy library

import numpy as np
def show(x):
    print(repr(x))
array = np.random.randint(1, 100, 9)
show(array)
show(np.sqrt(array))
show(array.ndim)
new_array = array.reshape(3, 3)
show(new_array)
show(new_array.ndim)
show(new_array.ravel())
newm = new_array.reshape(3, 3)
show(newm)
show(newm[2, 1:3])
show(newm[1:2, 1:3])
show(new_array[0:3, 0:0])
show(new_array[0:2, 0:1])
show(new_array[0:3, 0:1])
show(new_array[1:3])
```

Ln: 7 Col: 0

IDLE Shell 3.14.2

File Edit Shell Debug Options Window Help

```
Python 3.14.2 (tags/v3.14.2:df79316, Dec  5 2025, 17:18:21) [MSC v.1944 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>>
========== RESTART: C:\Users\pings\Desktop\dl.py ==========
array([87, 83, 83, 54, 73, 18, 87, 79, 43], dtype=int32)
array([9.32737905, 9.11043358, 9.11043358, 7.34846923, 8.54400375,
       4.24264069, 9.32737905, 8.88819442, 6.55743852])
1
array([[87, 83, 83],
       [54, 73, 18],
       [87, 79, 43]], dtype=int32)
2
array([87, 83, 83, 54, 73, 18, 87, 79, 43], dtype=int32)
array([[87, 83, 83],
       [54, 73, 18],
       [87, 79, 43]], dtype=int32)
array([79, 43], dtype=int32)
array([[73, 18]], dtype=int32)
array([], shape=(3, 0), dtype=int32)
array([[87],
       [54]], dtype=int32)
array([[87],
       [54],
       [87]], dtype=int32)
array([[54, 73, 18],
       [87, 79, 43]], dtype=int32)
>>>
```

Ln: 27 Col: 0