Exp No:19. Experiment to understand array function in Data science.

Code:

```
import numpy as np

array = np.random.randint(1, 100, 9)
a = np.sqrt(array)
print(array.ndim)

new_array = array.reshape(3, 3)
print(new_array.ndim)

new_array.ravel()
newm = new_array.reshape(3, 3)
print(newm[1:2, :3])

print(new_array[1:2, 1:2])
print(new_array[0:3, 0:0])
print(new_array[1:3])
```

Output:

```
  array([[83, 25, 19],
         [47, 62, 15],
         [96, 39, 51]])


_array.ndim

  2


_array.ravel()

  array([83, 25, 19, 47, 62, 15, 96, 39, 51]


ı=new_array.reshape(3,3)


ı

  array([[83, 25, 19],
         [47, 62, 15],
         [96, 39, 51]])


ı[2,1:3]

  array([39, 51])


ı[1:2,1:3]

  array([[62, 15]])


_array[0:3,0:0]

  array([], shape=(3, 0), dtype=int64)


_array[0:2,0:1]

  array([[83],
         [47]])

array[0:3,0:1]

 array([[83],
        [47],
        [96]])


array[1:3]

 array([[47, 62, 15],
        [96, 39, 51]])
```

Result:

Hence array function in Data science was understood and code executed successfully.