Visual Basic Cheat Sheet

TABLE OF CONTENTS

LICENSE

LANGUAGE BASICS

Introduction

Variables

Syntax

Arrays

Syntax

Example

Strings

Concatenation

String.Format

New Line

CONDITIONAL STATEMENTS

If Statement

Syntax

Example

If Else Statement

Example

Operators

Select Case

Syntax

Example

LOOPS

While Loop

Syntax

Example

For Loops

Syntax

Example

For Each

Syntax

Example

ADVANCED - EXCEPTIONS, METHODS, CLASSES

Exceptions

Syntax

Example

Methods

Syntax

Example

Functions

Syntax

Example

Classes

Syntax

Example

ENJOYED IT?

Why not give us a like?

LANGUAGE BASICS

Introduction

Visual Basic has a simple syntax much of the language is easily understandable (that's why it's called Basic, doh). A few points:

- The language is not case-sensitive (So A and a are the same)
- Lines do not terminate with semi-colons
- Code is in code blocks, but not your standard Java or C# code block { } (You will see in the examples)

VARIABLES

Variables are declared using the Dim keyword, Dim is short for (Dimension).

SYNTAX

```
Dim MyVariable As DataType
```

The above code creates a variable called MyVariable with no value. The example below creates two variables with data type of string and one of type integer I will use these variables throughout.

```
Dim Name As String = "thecodingguys"
Dim Year As Integer = 2013
```

ARRAYS

Arrays are similar to variables, however arrays can hold more than one value.

SYNTAX

```
Dim MyArray() As DataType = {Values Comma Separated}

EXAMPLE
    Dim MyGamesOf2013() As String = {"GTAV", "Battlefield 3"}
    Dim MyMoviesOf2013() As String = New String(3) {"The Amazing Spiderman", "The Expendables", "X-Men", "Rise of the planet of the apes"}
```

STRINGS

CONCATENATION

Concatenation is done through the & symbol, like the following:

```
Console.WriteLine("Hello " & "World")
```

STRING.FORMAT

Formats a string, the following example prints out £5,00

```
Console.WriteLine(String.Format("{0:C}", 5))
```

In the example above, we want to format the number 5 and show the currency symbol. The {0:C} is the formatting we want to do, in this case it means format the first argument (0) and apply the currency symbol. Many more formatting types are available see this MSDN reference.

The formatting depends on you computers regional settings, users of the UK will see the \pounds symbol, users of USA will see the \$ symbol and so on.

NEW LINE

New lines are made using the vbCrLf word.

```
Console.WriteLine("Hello " & vbCrLf & "World")
```

CONDITIONAL STATEMENTS

IF STATEMENT

Executes code based on a condition, the condition must evaluate true for the code to execute.

```
SYNTAX

If True Then

End If

EXAMPLE

If Year > 2010 Then
```

Console.WriteLine("Hello World!")

IF ELSE STATEMENT

End If

The If Else Statement works similar to the if statement, however if the first condition is false the else condition will execute.

```
EXAMPLE
   If Year < 2010 Then
        Console.WriteLine("Hello World!")
   Else
        Console.WriteLine("Hello!")
   End If</pre>
```

OPERATORS

Operator	Description	Example
<	Less than operator	if 19 < 20 Then
>	Greater than operator	if 20 > 19 Then
=	Equal to operator	if a = b Then
<>	Not equal to operator	if a <> b Then
<=	Less than or equal to operator	if 19 <= b Then
>=	Greater than or equal to operator	if 19 >= b Then

SELECT CASE

The Select Case statement is similar to a switch statement found in many other programming languages. A few points:

- Select Case evaluate one variable
- You can use some operators
- Select Case Statements are must easier to maintain then using nested if else

SYNTAX

```
Select Case variableName
     Case 1
     Case 2
     Case Else
 End Select
EXAMPLE
Select Case Year
     Case 2012
         Console.WriteLine("It's 2012!")
     Case 2013
         Console.WriteLine("The current year!")
     Case Year > DateTime.Now.Year
         Console.WriteLine("Year is greater than 2013")
     Case Else
         Console.WriteLine("...")
 End Select
```

Loops

WHILE LOOP

Continuously loops around code until the condition becomes false.

```
SYNTAX

While True

End While

EXAMPLE

While Year >= 2013

Year += 1

If Not Year = 2100 Then

Console.WriteLine(Year)

Else

Exit While

End If

End While
```

Visual Basic does not have an increment operator, however Year += 1 will increment by 1 until it reaches 2100. Always make sure your loop comes to a stop at some point otherwise it becomes endless and can result in errors.

FOR LOOPS

Similar to the while statement, but you specify when the loop should end.

SYNTAX

```
For index = 1 To 10

Next

EXAMPLE

For i = 1 To 100

Console.WriteLine(i)

Next
```

This will output 1 – 100. Once it reaches 100 it will stop.

FOR EACH

Loops through elements in a collection.

SYNTAX

```
For Each element As DataType In Group
Next

EXAMPLE
For Each item As String In MyGamesOf2013
Console.WriteLine(item)
Next
```

The above example prints out all the elements in the MyGamesOf2013 array created earlier.

Advanced – Exceptions, Methods, Classes

EXCEPTIONS

To catch possible exceptions which may occur we use a Try Catch Block.

```
SYNTAX

Try

Catch ex As Exception

End Try

EXAMPLE

Try

Console.WriteLine(Year + 2147483641)

Catch oEx As OverflowException

Console.WriteLine("Result: Overflow: " + oEx.Message)

Catch fEx As ArithmeticException

Console.WriteLine("Result: Arithmetic Exception: " + fEx.Message)

Catch ex As Exception

Console.WriteLine(ex.Message)

End Try
```

The example above catches Overflow Exception, Arithmetic Exception or if all fails it will catch any exception. The above however only results in an Overflow Exception.

METHODS

```
SYNTAX
Public Sub MyMethodName()

'No Arguments
End Sub

Public Sub MyMethodName(ByVal Parameter As DataType)
'Arguments
End Sub
```

A Sub (Subroutine) does not return value back. A Public method can be accessed outside the current class, if you declare it private it can only be accessed within the current class.

EXAMPLE

```
Public Sub WelcomeUser()
    Console.WriteLine("Welcome Guest")
End Sub

Public Sub WelcomeUser(ByVal Name As String)
    Console.WriteLine("Welcome " + Name)
End Sub
```

The above example is also an *overloaded method* this is where two methods have the same name but you pass different arguments of different data type. The first method has no arguments and the second one requires an argument.

(Just be careful not to make it ambiguous, for example having a method where one you require a double and other and Integer, double can be an integer so this results in an error)

FUNCTIONS

A function similar to a Subroutine, requires that you return some data back, you can pass arguments just like above.

SYNTAX

End Function

```
Public Function MyFunc() As DataType
Return Data

End Function

EXAMPLE
Public Function Tomorrow() As Date
Dim CurrentDate As Date = DateTime.Now
Return CurrentDate.AddDays(1)
```

CLASSES

A class contains methods and events.

We can then call this method from another class or module, first you must initialize the class.

```
Dim Car As New MyCar()
Car.CarManufacturer("Audi")
```

This will output Audi to the console