

SIMATS ENGINEERING

NAME:D.SANJANA

REG NO:192471029

COURSE NAME: Database Management Systems

COURSE CODE: CSA0501

AIM:

To demonstrate the use of **Data Manipulation Language (DML) commands** such as INSERT and SELECT in the Pet Adoption and Veterinary Management System database.

PROCEDURE

1. Open **MySQL Workbench** and connect to the MySQL server.
2. Select the database PetAdoptionDB using the USE command.
3. Use the INSERT command to add records into tables (e.g., Pets, Adopters).
4. Use the SELECT command to retrieve records from the tables.
5. Apply conditions in SELECT queries (e.g., WHERE clause) to filter data.
6. Execute the SQL statements.
7. Verify that the records are inserted and retrieved correctly.

OUTPUT:

Data Manipulation Language (DML) statements are used for managing data within schema objects. DML

Commands: Insert, Select

➤ INSERT - insert data into a table

The INSERT command in SQL is used to add new records into a table. It allows you to specify the column names and provide values that will be stored in those columns. For example, in the Pet Adoption database, you can insert a new pet's

details such as name, species, age, gender, and status into the Pets table. This command ensures that fresh data is added to the database for future retrieval and management.

```
INSERT INTO Pets (Name, Species, Age, Gender, Status)
```

```
VALUES
```

```
('Bella', 'Dog', 3, 'Female', 'Available'),
```

```
('Max', 'Cat', 2, 'Male', 'Adopted');
```

```
INSERT INTO Adopters (FullName, Phone, Email, Address)
```

```
VALUES
```

```
('Alice Johnson', '9876543210', 'alice.j@example.com', '12 Green Street,  
Chennai'),
```

```
('Rahul Mehta', '9123456780', 'rahul.m@example.com', '45 Lake Road,  
Bangalore');
```

```
mysql> INSERT INTO Pets (Name, Species, Breed, Age, Gender, Status)
-> VALUES
-> ('Bella', 'Dog', 'Labrador Retriever', 3, 'Female', 'Available'),
-> ('Max', 'Cat', 'Persian', 2, 'Male', 'Available'),
-> ('Charlie', 'Dog', 'Beagle', 4, 'Male', 'Adopted'),
-> ('Luna', 'Rabbit', 'Holland Lop', 1, 'Female', 'Available');
Query OK, 4 rows affected (0.03 sec)
Records: 4 Duplicates: 0 Warnings: 0

mysql>
mysql> -- Insert into Adopters
Query OK, 0 rows affected (0.00 sec)

mysql> INSERT INTO Adopters (FullName, Phone, Email, Address)
-> VALUES
-> ('Alice Johnson', '9876543210', 'alice.j@example.com', '12 Green Street, Chennai'),
-> ('Rahul Mehta', '9123456780', 'rahul.m@example.com', '45 Lake Road, Bangalore'),
-> ('Sophia Lee', '9988776655', 'sophia.l@example.com', '78 Hill View, Delhi');
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

SELECT COMMAND:

The SELECT command is used to retrieve data from one or more tables in the database. It can display all columns using SELECT * or specific columns by naming them explicitly.

Conditions can be applied using the WHERE clause to filter records, and results can be sorted or grouped as needed. In the Pet Adoption database, the SELECT command can be used to view all pets, or only those that are currently available

for adoption, making it a powerful tool for querying and analyzing stored information.

SELECT * FROM Pets;

```
ERROR 1062 (23000): Duplicate entry 'alice.j@example.com' for key 'adopters.UQ_AdopterEmail'
mysql> SELECT * FROM Pets;
```

PetID	Name	Species	Breed	Age	Gender	Status
1	Bella	Dog	Labrador Retriever	3	Female	Available
2	Max	Cat	Persian	2	Male	Available
3	Charlie	Dog	Beagle	4	Male	Adopted
4	Luna	Rabbit	Holland Lop	1	Female	Available
5	Bella	Dog	NULL	3	Female	Available
6	Max	Cat	NULL	2	Male	Adopted

```
6 rows in set (0.00 sec)

mysql> |
```

Select * from staff;

```
mysql> SELECT * FROM staff;
```

StaffID	FullName	Role	Phone	Email
1	Dr. Kavitha Rao	Veterinarian	9001122334	kavitha.rao@shelter.org
2	Arjun Patel	Volunteer	9112233445	arjun.patel@shelter.org
3	Meera Nair	Manager	9223344556	meera.nair@shelter.org

```
3 rows in set (0.00 sec)
```

RESULT:

The INSERT command added new records into the five tables of the PetAdoptionDB database, while the SELECT command successfully retrieved and displayed the stored data. Together, these operations confirmed that data entry and retrieval were performed correctly in the Pet Adoption and Veterinary Management System.