PL/SQL

1. Controlled Structures

i. If statement

```
SQL> SET SERVEROUTPUT ON;

SQL>
SQL> DECLARE
  2      a NUMBER := 15;
  3  BEGIN
  4      IF a < 18 THEN
  5          DBMS_OUTPUT.PUT_LINE('You are not eligible');
  6      ELSE
  7          DBMS_OUTPUT.PUT_LINE('You are eligible');
  8      END IF;
  9  END;
 10  /
You are not eligible

PL/SQL procedure successfully completed.
```

ii. Case statements

```
SQL>  declare
  2    a char(1):='A';
  3     begin
  4      case a when 'A' then
  5      dbms_output.put_line('grade is A');
  6     when 'B' then
  7      dbms_output.put_line('grade is B');
  8      when 'C' then
  9      dbms_output.put_line('grade is C');
 10     when 'D' then
 11     dbms_output.put_line('grade is A');
 12     else
 13     dbms_output.put_line('Fail');
 14     end case;
 15     end;
 16     /
grade is A

PL/SQL procedure successfully completed.
```

iii. If-elsif statement

```
SQL> DECLARE
      mark int:=50;
      begin
      if mark>=90 then
      dbms_output.put_line('Grade A');
      elsif mark>=75 then
      dbms_output.put_line('grade B');
      elsif mark>=50 then
      dbms_output.put_line('grade C');
    else
     dbms_output.put_line('Fail');
     end if;
     end;
    /

grade C

PL/SQL procedure successfully completed.

SQL>
```

2. Stored Procudures

```
SQL> create or replace procedure squ(n in number)
is
begin
dbms_output.put_line('squre is '||(n*n));
end;
/

Procedure created.

SQL> exec squ(5);
squre is 25

PL/SQL procedure successfully completed.
```