

CATALOGUE

JULY 2021



TRUSTED FOR 150 YEARS™



THE ORIGINAL MOTOR OIL




As America's first branded motor oil, Valvoline has been trusted in engines around the world for over 150 years. We introduced the world's first racing oil. The world's first high mileage oil. The world's first synthetic blend. And we're just getting started. Because there are those who change with the times, and those who drive them.




AMERICA'S FIRST MOTOR OIL BRAND.

PERFORM TIMELY MAINTENANCE TO OPTIMIZE RELIABILITY & EFFICIENCY



*Average light vehicle oil & fluid volumes and service intervals can vary based on vehicle age, segment, size and by vehicle manufacturer. Check Owner's Manual for Oil & Fluid Specification and Service Intervals



CATALOGUE

TABLE OF CONTENTS

1. HYBRID RANGE	6	7. MOTORCYCLE OILS & PRODUCTS	22
Motor Oils	6	Four-stroke Motor Oil	22
Driveline Oils	6	Two-stroke Motor Oil	23
		Coolants & Airfilter Products	24
		Greases	24
2. MOTOR OILS	7	8. TECHNICAL SPRAYS	25
SynPower™	7	Car Care	25
MaxLife™	10	Lubrication	25
All-Climate™	11	Protection	25
VR1™ Racing	12	Tool	26
		Assembly	26
3. DRIVELINE OILS	13	Cleaning	27
Valvoline ATF PRO	13	Displays	27
Valvoline ATF & DCT	14		
Valvoline Axle Oil & Gear Oil	15		
		9. SERVICE ADDITIVES	28
4. COOLANTS	17	Cooling System Service Additives	28
HT-12™ Pink & Green	17	Diesel System Service Additives	28
OEM Advanced 40 & 48	19	Petrol System Service Additives	28
Multi-Vehicle Coolants	19	Engine Oil Service Additives	28
		Automatic Transmission Service Additives	28
5. BRAKE & CLUTCH FLUIDS	20	Hand Cleaner	28
Brake & Clutch Fluids	20		
6. SPECIALTIES	21		
Lawnmower Oil / Chainsaw Oil	21		
Outboard Oils	21		
Snowmobile Oil 2T	21		
Power Steering Fluids & Screenwasher	21		

INTELLIGENT FLUID TECHNOLOGY

HYBRID™



Hybrid 0W-20 C5

- ACEA: C5; API: SP, SN

1L	4L	5L	20L	60L	208L	1000L	BULK
892409	-	892410	892442	-	-	-	892408



Hybrid 5W-30 C2

- ACEA: C2; API: SP, SN

1L	4L	5L	20L	60L	208L	1000L	BULK
892443	-	892444	892445	-	-	-	892441

HYBRID DRIVELINE



Hybrid ATF

Recommended by Valvoline for use in*:
Aisin Warner; BMW; Chrysler; Ford; GM; Honda / Acura; Hyundai;
Jaguar; JASO; KIA; Landrover; Mazda; Mercedes-Benz; Mini Cooper;
Mitsubishi; Nissan / Infinity; Subaru; Toyota / Lexus; Volvo; VW ;
VW / Audi

*Visit for a full list of specifications: <https://pisheets.valvoline.com>

1L	4L	5L	20L	60L	208L	1000L	BULK
892451	-	-	892452	-	-	-	892450



Hybrid DCT

BMW: 6-speed DCT, DCTF-1+, MTF LT-5; Drivelogic 7-speed/
DCTF-1; Borg Warner; Bugatti Veyron; BOT 341, 450; Chrysler:
68044345 EA & GA, Powershift 6-speed; Ferrari 7-speed /TE
DCT-3; Ford/Nissan Powershift 6-speed (GFT) / Ford WSS-
M2C936A, part #1490763/1490761; Mitsubishi TC-SST 6-speed
(GFT) / MZ320065 DiaQueen SSTF-1; PDK transmission oil for
ZF (DCT Transmission Oil for ZF); Peugeot/Citroen DCS 6-speed;
(GFT)/9734.S2; Renault EDC 6-speed, EDC-7 speed; Talisman
R7D; Volvo Powershift 6-speed; (GFT)/1161838/1161839; VW
(Audi, Seat, Skoda) 6-speed; VW G 055 536; VW/Audi G 055 529;
VW/Audi TL 521 82/ G 052 182 A2 or A6; VW/Audi TL 52529/
G 052 529 A2 or A6/DSG7/ S-Tronic 7/ 7 speed VW (Audi, Seat,
Skoda); ZF/Porsche Oil #999.917.080.00

1L	4L	5L	20L	60L	208L	1000L	BULK
892454	-	-	892455	-	-	-	892453



Hybrid 5W-30 C3

- ACEA: C3; API: SP, SN

1L	4L	5L	20L	60L	208L	1000L	BULK
892447	-	892448	892449	-	-	-	892446

OEM APPROVED PREMIUM GRADE SYNTHETIC MOTOR OIL

SYNPOWER™



SynPower XL-IV C5 0W-20

- Porsche C20; VW 50800/50900
- ACEA C5; API SN+, SN; VW TL 52577

1L	4L	5L	20L	60L	208L	1000L	BULK
882800	-	882861	882862	-	882863	-	882750



SynPower MST C5 0W-20

- BMW LL-17FE+; Jaguar Land Rover STJLR 03.5006-16; MB-approval 229.71; Opel/ Vauxhall OV0401547
- ACEA C5; API SN, SN Plus RC; API SP, SP Plus RC; ILSAC GF-6A/ GF-5; BMW LL-14FE+; Ford WSS-M2C947-B1; Meets the requirements of: Fiat 9.55535-GSX; Chrysler MS-12145

1L	4L	5L	20L	60L	208L	1000L	BULK
886742	-	-	886743	-	886744	-	886741



SynPower JL C5 0W-20

- Jaguar Land Rover STJLR 51.5122; MB-approval 229.71
- ACEA C5

1L	4L	5L	20L	60L	208L	1000L	BULK
895091	-	895092	895093	-	895539	-	895061



SynPower FE 0W-20

- Volvo VCC RBS0-2AE
- ACEA C5

1L	4L	5L	20L	60L	208L	1000L	BULK
872583	-	872584	872585	-	867774	-	872582



SynPower DX1 0W-20

- GM dexos1 Gen2 (D130BKBL103)
- API: SP; API: SN Plus RC (Resource Conserving); Ford WSS-M2C962-1A; ILSAC GF-6, GF-5

1L	4L	5L	20L	60L	208L	1000L	BULK
894775	-	896621	-	-	894774	894773	894772



SynPower FE 5W-20

- STLJR 03.5007
- ACEA C5; ACEA A1/B1; API SN Plus RC; ILSAC GF-5; Ford WSSM2C948-A & B (petrol engines) are required. Backwards compatible with Ford WSS-M2C913-B, C and WSS-M2C925-B. Jaguar Land Rover STJLR.03.5004 Not recommended for Ford models: * Ka from Aug. 2008 onwards (petrol), * Focus ST (2004 -3th quarter) with 2.5 Duratec ST (V15) engine. (petrol), * Focus RS (2004 -3th quarter) with Duratec RS (V15) engine.(petrol)

1L	4L	5L	20L	60L	208L	1000L	BULK
872555	-	872556	872557	-	839694	-	873155

SynPower XL-III C3 0W-30

- Porsche C30; VW 50400/50700
- ACEA C3

1L	4L	5L	20L	60L	208L	1000L	BULK
882243	-	882242	-	-	882240	-	882239

SynPower XL-III C3 5W-30

- BMW LL-04; MB-Approval 229.51; Porsche C30; VW 50400/50700*
*can be used where VW 50101, 50200, 50301, 50500, 50300, 50600, 50601 are specified.
- ACEA C3; API SN; MB-229.31; VW TL 52195; recommended for use where Fiat 9.55535.S3 is specified (Fiat petrol engines only)

1L	4L	5L	20L	60L	208L	1000L	BULK
872372	872373	872375	872376	872798	872796	872797	872795

SynPower MST C3 5W-30

- BMW LL-04; GM Dexos 2 (D23503AC103); MB-Approval 229.31; MB-Approval 229.51; MB-Approval 229.52; VW 50500/50501
- ACEA C2, C3; API SN/CF; Recommended for use where Fiat 9.55535.S3 is specified (Fiat petrol engines only).

1L	4L	5L	20L	60L	208L	1000L	BULK
872596	872597	874308	872601	872600	872598	872599	872595

- OEM Approval - an oil sample is physically sent to the vehicle manufacturer or oil testing laboratory for approval. The manufacturer approval certification is issued if appropriate.

- Performance Levels - Equivalent testing process to Original Equipment Manufacturer (OEM) approved oil – With older specifications, performance standards are used as an alternative to approval.



OEM APPROVED PREMIUM GRADE SYNTHETIC MOTOR OIL

SYNPOWER™



SynPower MST C3 5W-40

- MB-Approval 229.51; Renault RN0700/0710; GM Dexos 2 GB2E0310103
- ACEA C3; API SM, SN/CF; BMW LL-04 <2019; Ford WSS-M2C917-A; MB-226.5, MB-229.31; Porsche A40; VW 50500/50501

1L	4L	5L	20L	60L	208L	1000L	BULK
872385	-	872386	872387	872806	872802	872803	872801



SynPower ENV C2 0W-30

- PSA B71 2312 (pending)
- ACEA C2; Meets requirements of: Citroën*
- *model specific. Please consult owners manual before use

1L	4L	5L	20L	60L	208L	1000L	BULK
872518	-	872519	872517	-	872807	882007	872805



SynPower RNO C3 SAE 5W-30

- Renault RN-17
- ACEA C3; API: SN

1L	4L	5L	20L	60L	208L	1000L	BULK
895068	-	895069	895070	-	895098	-	895062



SynPower ENV C2 5W-30

- PSA B71 2290-2018 (pending)
- ACEA C2; Meets requirements of: Honda*, Toyota*;
Recommended for use where Fiat 9.55535.S1 is specified.
*check owners manual before use

1L	4L	5L	20L	60L	208L	1000L	BULK
872520	872521	874309	872550	872792	872809	872791	872808



SynPower LL-12 FE 0W-30

- BMW LL-12 FE
- ACEA C2

1L	4L	5L	20L	60L	208L	1000L	BULK
881635	-	881636	881634	-	881633	-	881632



SynPower MST C4 5W-30

- MB-Approval 226.51; Renault RN0720
- ACEA C4; Meets requirements of some models of: Nissan*, Suzuki*
- *check owners manual before use

1L	4L	5L	20L	60L	208L	1000L	BULK
872770	-	872771	872772	-	872769	884624	872768



SynPower DX1 5W-30

- GM dexos1 Gen 2 (Pending)
- API SN; API SN Plus RC (Resource Conserving); ILSAC GF-5

1L	4L	5L	20L	60L	208L	1000L	BULK
885852	-	885853	892500	885854	885855	-	885772



SynPower C2 5W-30

- Renault RN0700
- ACEA C2; API SM, SN/CF; PSA B71 2290-2012;
Meets requirements of: Honda*, Toyota*;
Recommended for use where Fiat 9.55535.S1 is specified.
*check owners manual before use

1L	4L	5L	20L	60L	208L	1000L	BULK
891083	891084	891085	891086	-	891087	891088	891082



SynPower DT C2 0W-30

- Ford 950A
- ACEA C2; Fiat 9.55535 GS1/ DS1; Ford WSS-M2C950-A; Jaguar/ Landrover STJLR 03.5007; Iveco 1811 SC1 LV16 (as recommended for use); Suitable for use in some models of*: Honda, Jeep, Mitsubishi, Subaru, Suzuki, Toyota
*please consult owners manual before use

1L	4L	5L	20L	60L	208L	1000L	BULK
875423	-	873950	892456	-	873972	894462	873981



SynPower ENV C1 5W-30

- Jaguar Land Rover STJLR 03.5005
- ACEA C1; Recommended for in-warranty service fill where Ford WSS-M2C934-B is required.
Meets requirements of: Land Rover*, Jaguar*, Mitsubishi*
*check owners manual before use

1L	4L	5L	20L	60L	208L	1000L	BULK
872591	-	872592	872593	-	872594	-	872590



SynPower FE 0W-30

- Volvo 95200377
- ACEA A5/B5; ACEA A1/B1; API SL

1L	4L	5L	20L	60L	208L	1000L	BULK
872560	872564	874310	872559	-	VE11338	-	872558



SynPower FE 5W-30

- Jaguar Land Rover STJLR 03.5003
- ACEA A1/B1; ACEA A5/B5; API SL/CF; Renault RN0700; Recommended for in-warranty service fill where Ford WSS-2C913-D is required. Suitable for use where: Ford WSS-M2C913-A, B, C are specified. Ford diesel engines (Except Ford Ka TDCi 2009 > and Galaxy 1.9 TDi 2000-2006).

1L	4L	5L	20L	60L	208L	1000L	BULK
872551	-	872552	872553	722698	722699	722697	872554



SynPower MBO 5W40

- MB-Approval 229.5
- ACEA A3/B3, A3/B4; API SL, SM, SN/CF; BMW LL-01 <2019*; MB-229.3, 226.5;
Recommended for use where Fiat 9.55535.H2, M2, N2, or Z2 is specified.

1L	4L	5L	20L	60L	208L	1000L	BULK
891331	-	892276	892277	-	892278	892279	872800



SynPower 0W-40

- MB-Approval 229.5; Porsche A40; Renault RN0700/0710
- ACEA A3/B4; API SL, SN; BMW LL-01; MB-229.3, 229.1, 226.5; VW 50200/ 50500;
Recommended for use where Fiat 9.55535.M2/ N2 and Z2 are specified (Fiat petrol engines only)

1L	4L	5L	20L	60L	208L	1000L	BULK
872587	872588	872589	-	-	VE11238	-	872586



SynPower 5W-30

- MB-Approval 229.5
- ACEA A3/B4; API SL/CF; BMW LL-01; GM LL-A-025, LL-B-025; MB-229.3; VW 50200/50500
Recommended for use where Fiat 9.55535.G1 is specified.

1L	4L	5L	20L	60L	208L	1000L	BULK
872377	872378	-	872379	VE11257	VE11258	VE11255	872799



SynPower 5W-40

- Renault RN0700/RN0710
- ACEA A3/B3, A3/B4; API SN/CF; GM-LL-A-025, GM-LL-B-025; MB-229.3; Porsche A40; PSA B71 2296; VW 50200/50500

1L	4L	5L	20L	60L	208L	1000L	BULK
872380	872381	872382	872384	VE11277	VE11278	VE11275	888685



SynPower 10W-40

- ACEA A3/B3, A3/B4; API SM, SN/CF; MB-229.3; PSA B71 2300; Renault RN0700/0710; VW 50200/50500
Recommended for use where Fiat 9.55535.G2 or D2 is specified.

1L	4L	5L	20L	60L	208L	1000L	BULK
872271	872260	872259	872258	872257	872273	-	872256



HIGH MILEAGE ENGINE OIL

MAXLIFE™



MaxLife C3 5W-30

- ACEA C3; API SN/CF; BMW LL-04 <2019; GM Dexos 2; MB-229.51, 229.31; Renault RN0700/0710; Suitable for use in engines where VW Standard 50200 or 50500 is recommended.

1L	4L	5L	20L	60L	208L	1000L	BULK
872369	872368	881676	872367	872793	881675	-	872365



MaxLife 5W-30

- ACEA A3/B3, A3/B4; MB-229.3; VW 50200/50500

1L	4L	5L	20L	60L	208L	1000L	BULK
872371	872370	872794	-	-	-	-	872366



MaxLife 5W-40

- ACEA A3/B3, A3/B4; API SN/CF; Renault RN0700/0710; Suitable for use in applications where Volkswagen 50200/50500 or MB-229.3 are specified.

1L	4L	5L	20L	60L	208L	1000L	BULK
872363	872364	-	-	-	VE18058	-	872525



MaxLife 10W-40

- ACEA A3/B3, A3/B4; API SM, SN/CF; MB-229.3; PSA B71 2300; Renault RN0700/0710; VW 50200/50500
Recommended for use where Fiat 9.55535.D2 is specified (Fiat petrol engines only).

1L	4L	5L	20L	60L	208L	1000L	BULK
872295	872296	872297	872328	VE17917	VE17918	-	872523



MaxLife 15W-40

- ACEA A3/B3; API SN/CF; MB-229.1

1L	4L	5L	20L	60L	208L	1000L	BULK
872361	872362	-	-	-	-	-	872524

ALL-YEAR-ROUND PROTECTION AND TOP PERFORMANCE

ALL-CLIMATE™



All-Climate C3 5W-40

- ACEA C3; API SM, SN/CF; BMW LL-04 <2019; MB-226.5, 229.31; Ford WSS-M2C917-A; GM Dexos 2; Porsche A40; Renault RN0700/0710; VW 50500 / 50501

1L	4L	5L	20L	60L	208L	1000L	BULK
872278	-	872277	886390	872276	872274	880936	872275



All-Climate C2/C3 5W-30

- ACEA C2, C3; API SN

1L	4L	5L	20L	60L	208L	1000L	BULK
881924	-	881925	886388	888623	881923	-	881742



All-Climate 5W-30

- ACEA A3/ B3, A3/B4; API SL/CF; GM-LL-A-025, GM LL-B-025; MB-229.3; Renault RN0700/0710; VW 50200/50500
Recommended for use where VW 504.00* or Fiat 9.55535.G1 is specified (Fiat petrol engines only).
*Oil drain interval 10.000 km.

1L	4L	5L	20L	60L	208L	1000L	BULK
872288	-	872286	-	-	872285	-	872283



All-Climate 5W-40

- ACEA A3/B3, A3/B4; API SN/CF; GM-LL-A-025, GM-LL-B-025; MB-229.3; Porsche A40; Renault RN0700/RN0710; VW 50200/50500

1L	4L	5L	20L	60L	208L	1000L	BULK
872282	-	872281	-	874306	872289	872280	872279



All-Climate 10W-40

- ACEA A3/B4; API SN, SM, SL/ CF; MB-229.3/ 226.5; PSA B71 2300; Renault RN0700/ 0710; VW 50200/50500
Recommended by Valvoline for use in engines specifying VW 50200; Recommended for use where Fiat 9.55535.D2 and G2 is specified.

1L	4L	5L	20L	60L	208L	1000L	BULK
872774	872775	872776	872777	798340	798339	863306	872773



All-Climate 15W-40

- ACEA A3/B3, A3/B4; API SL/CF; MB-229.1;
Recommended by Valvoline for use in engines specifying VW 50500 or VW 50101; Recommended for use where Fiat 9.55535.D2 & G2 are specified (Fiat petrol engines only).

1L	4L	5L	20L	60L	208L	1000L	BULK
872784	872785	872786	-	-	798405	-	-



All-Climate 20W-50

- ACEA A3/B3; API SL/CF; MB-229.1
Recommended by Valvoline for use in engines specifying VW 50500 or VW 50101.

1L	4L	5L	20L	60L	208L	1000L	BULK
872788	-	872789	-	-	-	-	872787



SPECIALLY FORMULATED FOR
HIGH-PERFORMANCE CARS



VR1™ RACING



Valvoline VR1 Racing 5W-50

- Recommended by Valvoline for:
ACEA A3/B4; API SL; Ford WSS-M2C-153E; GM 6094M

1L	4L	5L	20L	60L	208L	1000L	BULK
873433	873434	-	-	-	VE11918	-	-



Valvoline VR1 Racing 20W-50

- Recommended by Valvoline for:
ACEA A3/B4; API SL; Ford WSS-M2C-153E; GM 6094M

1L	4L	5L	20L	60L	208L	1000L	BULK
873431	-	873432	-	-	VE11958	-	873340



Valvoline VR1 Racing 10W-60

- Recommended by Valvoline for:
ACEA A3/B4; API SL; Ford WSS-M2C-153E; GM 6094M;
Recommended for use where Fiat 9.55535.H3 is specified.

1L	4L	5L	20L	60L	208L	1000L	BULK
873338	-	873339	-	-	VE11938	-	873337



OEM APPROVED FLUIDS
FOR CARS WITH AN
AUTOMATIC TRANSMISSION



ATF PRO



Valvoline ATF PRO 236.14

- MB-Approval 236.14
- MB 236.12; MB NAG-2 transmissions; MB 7-speed automatic transmission; series 722.9; MB 5-speed automatic transmission; series 722.6; Ssang Yong passenger cars with MB automatic transmissions

1L	4L	5L	20L	60L	208L	1000L	BULK
866737	-	-	866738	-	-	-	868537



Valvoline ATF PRO 236.15

- MB-Approval 236.15
- MB NAG-2+ transmissions; MB 7-speed automatic transmission series Tronic Plus

1L	4L	5L	20L	60L	208L	1000L	BULK
866881	-	-	866882	-	-	-	868539



Valvoline ATF PRO +4

- Chrysler MS9602 (ATF +4®); Chrysler MS7176E (ATF +3®); Chrysler MS7176D (ATF +2®); Chrysler MS7176 (ATF +®)
- Recommended for use where Fiat 9.55550-AV4 is specified

1L	4L	5L	20L	60L	208L	1000L	BULK
866736	-	-	-	-	-	-	868538



SYNTHETIC AUTOMATIC TRANSMISSION FLUID

ATF & DCT



Valvoline Light & Heavy Duty ATF/CVT

● **Light Duty:** V.A.G, FCA & Groupe PSA, Groupe Renault, BMW, Ford, Mercedes-Benz, Toyota, GM, JLR, Volvo and other OEM's. **Heavy Duty:** Allison, GM DEXRON, FORD, MAN, Mercedes-Benz, MERCON, Volvo, ZF. Most of the Asian OEM's transmissions. **AdCo** (Hitec 35300)
Recommended by Valvoline for use in*: AT applications: **Aisin Warner** JWS 3309, AW-1; **Allison** TES-389; MW M-1375 4; **Chrysler** ATF +4; **Ford** Mercon LV (FF-WSS-M2C-938A/SF, XT-10 QLV); **GM** Dexron IIIH; MB-236.91; **Mitsubishi** Diaqueen SP-III/ SP-IV; **Toyota** ATF T-IV; **VW** G 060 162 (ZF-lifeguard 8).
CVT Applications: **Audi** Multitronic; **Ford** Mercon C; MB-236.20/ CVT28; **Toyota** CVTF TC; **VW/Audi** G 055 190

*For the complete list of OEM's & Applications visit:
<https://pisheets.valvoline.com>

1L	4L	5L	20L	60L	208L	1000L	BULK
866885	-	867092	866886	866887	866888	-	866884



Valvoline ATF Dex/Merc

● GM Dexron III G; Ford Mercon; Allison C-4; Volvo 97325, 97335, 97340; ZF TE-ML 05L, 09, 11A, 11B

1L	4L	5L	20L	60L	208L	1000L	BULK
866913	-	-	866912	-	866911	-	866910



Valvoline DCT

● VW G 052 182, G 052 529, G 055, 529; BMW 83 222 148 578, 579; BMW 83 222 147 477; BMW 83 220 440 214; PSA 9734. S2; Ford M2C936A; MB-236.21/ 24/ 25; MB-239.21; Mitsubishi Dia-Queen SSTF-1; Nissan 999MP-GTRT00P; Porsche Oil No. 999.917.080.00/999.917.080.01; Volvo 1161838, 1161839

1L	4L	5L	20L	60L	208L	1000L	BULK
866909	-	868207	881609	-	-	-	866908

PREMIUM SYNTHETIC BLEND GEAR OIL

AXLE OIL & GEAR OIL



Valvoline Axle Oil 75W-90

● API GL-5

1L	4L	5L	20L	60L	208L	1000L	BULK
866890	-	-	866901	-	-	-	866889



Valvoline Axle Oil 75W-90 Limited Slip

● API GL-5

1L	4L	5L	20L	60L	208L	1000L	BULK
866904	-	-	866905	-	-	-	866903



Valvoline Gear Oil 75W

● API GL-4, GL-4 synthetic, GL-3, GL3 synthetic; BMW MTF LT-3; Ford WSS-M2C 186-A; Ford WSS-M2C 200-D2; GM 1940004/ 19259104 (BOT 303); GM 1940764; VW G 052 171, G 052 178; VW G 052 512, G 052 527 A2; VW G 052 726, G 055 726; VW G 060 726, VW G 070 726 A2

1L	4L	5L	20L	60L	208L	1000L	BULK
886573	-	-	886572	-	-	-	-



Valvoline Gear Oil 75W-80

● API GL-4, GL-3; API GL-4 (tranself TRZ); API GL-4+ PSA B71 2330; API GL-4+ (tranself NFJ); API GL-4+ (tranself NPF); API GL-4+ (tranself TRJ); BMW MTF LT-2; Fiat 9.5555.0 – MZ1; Special Gear Oil MTF 94; Special Honda MTF; Special Honda MTF-II; Volvo 97308, 97309; VW G 009 317, G 50

1L	4L	5L	20L	60L	208L	1000L	BULK
866895	-	-	866896	-	866897	-	866894



Valvoline Gear Oil 75W-80 RPC

● API GL-5; Peugeot; Citroen; Renault

*check owners manual before use

1L	4L	5L	20L	60L	208L	1000L	BULK
867068	-	-	867069	-	-	-	867067



Valvoline Gear Oil 75W-90

● API GL-4, GL-4 synthetic, GL-3, GL3 synthetic; BMW MTF LT-4; GM 1940182, 1940764, 1940768; VW G 50

1L	4L	5L	20L	60L	208L	1000L	BULK
867064	-	-	867065	-	867066	-	867063



Valvoline TDL 75W-90

● API GL-4, GL-5, MT-1; BMW MTF LT-4; Dexron MTF 75W-90; Fiat 9.5550-MZ4; Ford M2C-201-A; Ford M2C200-B, C; Ford N052145 VX00; GM 89021807; MB-235.72; MB-235.8; Porsche 999.917.067.00; SAAB MTF 0063; Volvo 97309; VW 501.50; VW G 50; VW G 052 145; VW G 052 911; ZF TE-ML 02B, 07A

1L	4L	5L	20L	60L	208L	1000L	BULK
879869	-	-	879868	-	-	-	-





THE LATEST PATENTED COOLANT TECHNOLOGY FOR VW



VALVOLINE™ HT-12™ PINK ANTIFREEZE COOLANT

- 🔧 The Latest Patented Coolant Technology Approved by VW TL 774-L (G12evo)
- ✓ Compatible with Audi, Seat, Škoda & VW from 1996 (G12+, G12++, G13)
- 💧 Provides Long-Life Protection up to 5 years or 250.000 km



WHY CHOOSE VALVOLINE COOLANTS?



VW
APPROVED



ENSURING OPTIMAL
ENGINE PERFORMANCE



IDEAL PROTECTION
AGAINST CORROSION



MAXIMIZING
ENGINE LONGEVITY



THE LATEST PATENTED COOLANT TECHNOLOGY APPROVED BY BMW & VW

HT-12™ PINK & GREEN



HT-12™ Green

- BMW LC-18
- ASTM D3306; ASTM D4985; ASTM D6210; AS 2108-2004; BS 6580:2010; BMW LC-87; Cummins CES 14603, CES 14439; CUNA NC 956-16; Deutz DQC CC-14; GB 29743-2013; JIS K 2234:2006; ONORM V 5123; PN-C40007:2000; SANS 1251:2005

	1L	5L	60L
Ready-to-use	889279	896129	-
Concentrate	-	-	889239

HT-12™ Pink

- VW TL 774-L (G12evo); MAN 324 Si-OAT evo
- ASTM D3306; ASTM D4985; ASTM D6210; AS 2108-2004; BS 6580:2010; Cummins CES 14603, CES 14439; CUNA NC 956-16; Deutz DQC CC-14; GB 29743-2013; JIS K 2234:2006; ONORM V 5123; PN-C40007:2000; SANS 1251:2005; VW TL 774-C/D/F/G/J; MAN 324 NF/ SNF/ Si-OAT

	1L	5L	60L
Ready-to-use	889278	896128	-
Concentrate	-	-	889238





THE LATEST PATENTED COOLANT TECHNOLOGY FOR BMW



VALVOLINE™ HT-12™ GREEN ANTIFREEZE COOLANT

- 🔍 The Latest Patented Coolant Technology Approved by BMW LC-18
- ✓ Compatible with BMW from 1988 (LC-87)
- 🛡️ Provides Long-Life Protection up to 5 years or 250.000 km



WHY CHOOSE VALVOLINE COOLANTS?



BMW
APPROVED



ENSURING OPTIMAL
ENGINE PERFORMANCE



IDEAL PROTECTION
AGAINST CORROSION



MAXIMIZING
ENGINE LONGEVITY



OEM APPROVED PREMIUM TECHNOLOGY

OEM ADVANCED 40 & 48



OEM Advanced 40 Ready-To-Use/Concentrate

- Cummins CES 14603; Deutz DQC CC-14; MAN 324 Type Si-OAT*; MB-Approval 325.5 / 325.6; MB-Approval 326.5 / 326.6; MTU MTL 5048 *pending
- Cummins CES 14439; DCC; Detroit Diesel DSF93K217ELC; Irizar (from 2016); Liebherr Minimum LH-01-COL3A; MB Trucks (from October 2011); Porsche From MY 2010; Smart MB 325.6; TL 774-G (G12++); VW / Audi / Seat / Skoda / Lamborghini / Bentley / Bugatti; SCANIA; ASTM D3306 / D4985 / D6210; Federal Specification A-A-870A; Navistar MPAPS B1 IIIA; SAE J814; VW TL 774-J

	1L	5L	20L	208L	1000L	BULK
Ready-to-use	892064	892065	892066	892111	892101	892079
Concentrate	891920	892091	892092	891919	892062	892078



OEM Advanced 48 Ready-To-Use/Concentrate

- BMW LC-87; Deutz DQC CA-14; MAN 324 Type NF*; MB-Approval 325.0; MB-Approval 326.0; MTU MTL 5048 *pending
- Detroit Diesel 7SE298; TL 774-C: VW / Audi / Seat / Skoda; Federal Specification A-A-870A; Jaguar; Jenbacher TA-Nr. 1000-0201; Liebherr Minimum LH-00-COL3A; MAN Diesel & Turbo Liste 3.3.7; Maybach/Smart MB 325.0/326.0 (until 2014); MB Passenger cars (until April 2014); MB Trucks (until September 2011); Opel/Vauxhall (until 2000) B 040 0240; Porsche (until 1995); Rolls-Royce (from 1998); Saab 690 1599; Tesla (from 2013); TMC of ATA RP-302B; Van Hool; Volvo 2015 (cars) and older; Volvo Truck (until 2005); Zastava; ASTM D3306 / D4985; GM1899M / 1825M; SAE J814 / J1034 / J1941

	1L	5L	20L	208L	1000L	BULK
Ready-to-use	892100	892122	892123	892099	892098	892081
Concentrate	892095	892096	892097	892094	892067	892080

MULTI-VEHICLE COOLANT OFFERS A UNIVERSAL SOLUTION FOR CARS, BOATS & MOTORCYCLES



MULTI-VEHICLE COOLANTS

Multi-Vehicle RED Coolant

- Afnor 15-601, 1991; ASTM D3306 (D4656); SAE J1034, J814, J1941; BMW N600.69.0; BS 6580, 1992; Citroen (PSA B71 5110); CUNA NC956-16; Ford WSS-M97B44-D; GM B 040 0240; Honda type 2; Isuzu; Jaguar/Land Rover: STJLR.651.5003; MB-325.0, 2, 3, 5, 6; Nissan; O-Norm V5123; Opel 6277M (B 040 1065); Peugeot (PSA B71 5110); Renault Glaceol AL type C; RX type D; Saab (6901 599); Toyota TSK 2601G-8A; Volvo;

Recommended by Valvoline for: VW TL 774 C, D, F, G, J, VW G11, G12, G12+, G12++ and G13 applications, Audi, Seat, Skoda.

	1L	5L	20L	60L	208L	1000L	BULK
Ready-to-use	-	887809	887509	-	887508	887749	887747
Concentrate	887810	887841	887510	887741	887742	887750	887748



Multi-Vehicle YELLOW Coolant

- Afnor 15-601, 1991; ASTM D3306 (D4656); SAE J1034, J814, J1941; BMW N600.69.0; BS 6580, 1992; Citroen (PSA B71 5110); CUNA NC956-16; Ford WSS-M97B44-D; GM B 040 0240; Honda type 2; Isuzu; Jaguar/Land Rover: STJLR.651.5003; MB-325.0, 2, 3, 5, 6; Nissan; O-Norm V5123; Opel 6277M (B 040 1065); Peugeot (PSA B71 5110); Renault Glaceol AL type C; RX type D; Saab (6901 599); Toyota TSK 2601G-8A; Volvo;

Recommended by Valvoline for: VW TL 774 C, D, F, G, J, VW G11, G12, G12+, G12++ and G13 applications, Audi, Seat, Skoda.

	1L	5L	20L	60L	208L	1000L	BULK
Ready-to-use	874733	874734	874737	874736	874735	883616	-
Concentrate	874738	874739	874762	874761	874740	883617	-

G11

- Afnor NF R15-601; ASTM D-3306; ASTM D-4985; SAE J 1034; BS 6580, 2010; BMW N 600 69.0; CUNA NC 956-16; MB-325.0; MB-326.0; MB-326.2; Opel B 040 0240 (G 48); Porsche (924, 928, 944, 968); Renault Glaceol AL type C; Saab 690 1599; VW TL 774-C

	1L	5L	20L	60L	208L	1000L	BULK
Concentrate	880861	-	880863	881093	880921	882431	-



G12++

- Volkswagen: VW TL 774 G
- ASTM D4985
- Also recommended for Audi, Bentley, Bugatti, Lamborghini, Porsche, Seat, Skoda

	1L	5L	20L	60L	208L	1000L	BULK
Concentrate	883843	883844	883845	883846	883847	883848	883849



PRESERVING SAFE
DRIVING CAPABILITIES

BRAKE & CLUTCH FLUIDS



Brake & Clutch Fluid DOT 3

- SAE J1703; FMVSS 116 DOT 3; ISO 4925 Class 3

1L	5L
841202	841203

Brake & Clutch Fluid DOT 4

- SAE J1704; FMVSS 116 DOT 4; ISO 4925 Class 4

500ML	1L	5L
883429	883461	883464

Brake & Clutch Fluid DOT 5.1

- SAE J1704; FMVSS 116 DOT 5.1; ISO 4925 Class 5.1

1L
883462

SPECIALITY FLUIDS



LAWNMOWER OIL / CHAINSAW OIL

Lawnmower Oil

- API SG/CD

1L
VE15960

Durablend Chainsaw 2T

- API TC; JASO FD; ISO L-EGD; Husqvarna 242/346

1L
VE15981

OUTBOARD OILS

Super Outboard 2T

- NMMA TC-W3; Recertified RL-56669E

1L	BULK
VE16020	VE90255

Super Outboard 4T

- API SJ

1L	4L	208L
VE16040	VE16047	714353

SNOWMOBILE 2T

Snowmobile 2T

- API TC; JASO FD; ISO L-EGD

4L
879838

POWERSTEERING FLUID & SCREENWASHER

Power steering fluid

- VW TL 52146 (G 002000); VW G004000M2; MB 345.0; GM B 040 0070; MAN M 3289; Volvo 1161529; AUDI*, BMW*, SAAB*, Porsche*; Skoda*, Fendt*, FORD*, ZF*.

*This product is not suitable for all the models of the brand. Check owners' manual before use.

1L
VE18320

Screenwasher

Languages
VS*: GB, DE, NL, FR, PL, FI, DK/NO/SE

1L VS*	208L
760442	760436



FOUR-STROKE MOTORCYCLE OILS



SynPower 4T 5W-40

● API SN; JASO MA; JASO MA2; JASO T 903; JASO Wet Clutch friction test T 904

1L	208L	BULK
862060	887282	VE90252



SynPower 4T 10W-30

● API SM, SN; JASO MA; JASO MA2

1L	208L	BULK
861911	861869	861868



SynPower 4T 10W-40

● API SN; JASO MA; JASO MA2

1L	4L	208L	BULK
862066	VE14007	VE14018	VE14019



SynPower 4T 10W-50

● API SN; JASO MA; JASO MA2

1L	4L	208L
862067	796017	796015



DuraBlend 4T 10W-40

● API SL; JASO MA; JASO MA2

1L	4L	60L	208L	BULK
862061	VE14207	VE14217	VE14218	VE14219



DuraBlend 4T 15W-50

● API SL; JASO MA; JASO MA2

1L
879997



DuraBlend 4T 20W-50

● API SL; JASO MA; JASO MA2

1L
862063



TWO-STROKE MOTORCYCLE OILS



SynPower 2T

● API TC; JASO: FD; ISO: L-EGD

1L
862065



DuraBlend 2T

● API TC; JASO: FD; ISO: L-EGD

1L
862010



Racing 2T Blue

● Developed for racing applications CIK-FIA Agreed Lubricant

1L
867952



DuraBlend Scooter 2T

● API TC; JASO: FD; ISO: L-EGD

1L
862064



AIRFILTER PRODUCTS



Air Filter Oil

- Suitable to protect virtually all motorcycle engines and other foam rubber air filters. Air Filter Oil prevents dust, dirt, sand and grime entering the motorcycle engine.



1L
VE885

Air Filter Cleaner



5L
VE90630

HIGH-PERFORMANCE GREASES DEVELOPED FOR LUBRICATION OF AUTOMOTIVE & INDUSTRIAL EQUIPMENT



GREASES

Multipurpose Synthetic 2

- DIN 51502: KPHC2N-55; ISO 12924: L-XE(F)DIB2



1L	208L	1000L	BULK
782105	878268	882799	878210

Multipurpose Complex Red 2

- DIN 51502: KP2P-2



1L	4L	5L	208L	BULK
872587	872588	872589	VE11238	872586

Copper Compound

- Suitable for all screw threads and other mating surfaces



1L	4L	20L	60L	208L	1000L	BULK
872377	872378	872379	VE11257	VE11258	VE11255	872799

MAINTAIN MODERN PERFORMANCE



TECHNICAL SPRAYS

CAR CARE

Valvoline Cockpit Spray Foam



500 ML*
887045

Valvoline Airco Refresher



500 ML*
887046

LUBRICATION

Valvoline PTFE Dry



500 ML*
887045

Valvoline PTFE Spray



500 ML*
887046

Valvoline High Pressure Lubricant PTFE



500 ML*
889708

Valvoline White Grease



500 ML*
887047

Valvoline Synthetic Chain Lube



500 ML*
887049

Valvoline Multi Spray



500 ML*
887048

Valvoline Industrial Chain Grease



500 ML*
887050

PROTECTION

Valvoline V-Belt Spray



500 ML*
887041

Valvoline Silicone Spray



500 ML*
-

Valvoline Electro Protect



500 ML*
887044

Languages on the label:
* EN, DE, NL, FR, ES, PT, IT, PL, ET, LV, LT, FI, DA, NO, SV, EL, HR, TR, RU/UA, KK, HE, CS, HU, RO, SRB/MNE

** V1: EN, NL, FR, IT, ES, PL, DE
V2: ET, LV, LT, FI, NO, SV, DA, RU/UA
V3: EL, HR, KK, CS, HU, TR, HE, RO

*** EN, DE, NL, FR, ES, PT, IT, PL, ET, LV, LT, FI, DA, NO, SV, EL, HR, TR, RU/UA, KK, HE, CS, HU, RO



MAINTAIN MODERN PERFORMANCE



TOOL



Valvoline Motor Start

500 ML*
887056



Valvoline Leak Detector Spray

500 ML*
887061



Valvoline Zinc Spray

500 ML*
887062



Valvoline Gasket Remover

500 ML*
887063



Valvoline Cut & Drill Lube

500 ML*
887064

ASSEMBLY



Valvoline Vaseline Spray

500 ML*
887051



Valvoline Copper Spray

500 ML*
887052



Valvoline Penetrating Oil

500 ML*
887053



Valvoline Glue Spray

500 ML*
887054



Valvoline Ceramic Grease

500 ML*
887055

Languages on the label:

* EN, DE, NL, FR, ES, PT, IT, PL, ET, LV, LT, FI, DA, NO, SV, EL, HR, TR, RU/UA, KK, HE, CS, HU, RO, SRB/MNE

** V1: EN, NL, FR, IT, ES, PL, DE
V2: ET, LV, LT, FI, NO, SV, DA, RU/UA
V3: EL, HR, KK, CS, HU, TR, HE, RO

*** EN, DE, NL, FR, ES, PT, IT, PL, ET, LV, LT, FI, DA, NO, SV, EL, HR, TR, RU/UA, KK, HE, CS, HU, RO

CLEANING



Valvoline Glass Cleaner

500 ML*
887065



Valvoline Contact Cleaner

500 ML*
887066



Valvoline Airco Cleaner

500 ML*
887067



Valvoline Industrial Cleaner

500 ML*
887068



Valvoline All Purpose Cleaner

500 ML*
887069



Valvoline DPF Cleaner

500 ML*
887070



Valvoline EGR Cleaner

500 ML*
887071



Valvoline Brake Cleaner

500 ML V1**	500 ML V2**	500 ML V3**
887046	887058	887060



Valvoline Brake Cleaner 5L

5 L*
887179



Valvoline Brake Cleaner 25L

25 L***
887088



Valvoline Power Brake Cleaner

500 ML*
887081



Valvoline Carburettor Cleaner

500 ML*
887082

DISPLAYS



Valvoline Aerosol Holder

VALVOLINE AEROSOL HOLDER
887751

Languages on the label:

* EN, DE, NL, FR, ES, PT, IT, PL, ET, LV, LT, FI, DA, NO, SV, EL, HR, TR, RU/UA, KK, HE, CS, HU, RO, SRB/MNE

** V1: EN, NL, FR, IT, ES, PL, DE
V2: ET, LV, LT, FI, NO, SV, DA, RU/UA
V3: EL, HR, KK, CS, HU, TR, HE, RO

*** EN, DE, NL, FR, ES, PT, IT, PL, ET, LV, LT, FI, DA, NO, SV, EL, HR, TR, RU/UA, KK, HE, CS, HU, RO



MAINTAIN MODERN
PERFORMANCE

SERVICE ADDITIVES



COOLING SYSTEM SERVICE ADDITIVES

Cooling System Cleaner

250ML V1*	250ML V2*	250ML V3*	250ML V4*	250ML V5*
882659	882660	882661	882813	890602

Cooling System Stop Leak

300ML V1*	300ML V2*	300ML V3*	300ML V4*	300ML V5*
882662	882663	882664	882814	890603

DIESEL SYSTEM SERVICE ADDITIVES

Diesel System Cleaner

300ML V1*	300ML V2*	300ML V3*	300ML V4*	300ML V5*
882668	882669	882670	882816	890604

Diesel System Protector

300ML V1*	300ML V2*	300ML V3*	300ML V4*	300ML V5*
882671	882672	882673	882817	890605

DPF Cleaner And Regenerator

300ML V1*	300ML V2*	300ML V3*	300ML V4*	300ML V5*
882674	882675	882676	882818	890606

PETROL SYSTEM SERVICE ADDITIVES

Petrol System Cleaner

300ML V1*	300ML V2*	300ML V3*	300ML V4*	300ML V5*
882677	882678	882679	882819	890607

Petrol System Protector

300ML V1*	300ML V2*	300ML V3*	300ML V4*	300ML V5*
882680	882681	882682	882820	890608

ENGINE OIL SERVICE ADDITIVES

Engine Oil Stop Leak

300ML V1*	300ML V2*	300ML V3*	300ML V4*	300ML V5*
882656	882683	882658	882812	890609

Engine Oil System Cleaner

300ML V1*	300ML V2*	300ML V3*	300ML V4*	300ML V5*
882650	882651	882652	882780	890610

Engine Oil Treatment

300ML V1*	300ML V2*	300ML V3*	300ML V4*	300ML V5*
882653	882654	882655	882811	890611

Hand Cleaner

4,5L	DISPENSER	WALL MOUNT
VE59020	VE91393	825162

AUTOMATIC TRANSMISSION SERVICE ADDITIVES

Automatic Transmission Cleaner

500ML V5*
887452

Languages on the label:

* V1: GB, DE, NL, FR
V2: NO, SE, FI, DK
V3: IT, ES, PT, HR
V4: RU, PL, EE, CZ
V5: EN, DE, NL, FR, ES, PT, IT, PL, ET, LV, LT, FI, DA, NO, SV, EL, HR, TR, RU, KK, HE, CS, HU, RO, SRB



TRUE
ORIGINALS



OFFICIAL PARTNER OF SEVILLA FC

THE ORIGINAL MOTOR OIL
valvoline.com/en-europe







Val-int d.o.o
Ul. Dr. Franje Tuđmana 59
10431 Sveta Nedelja
Tel: +385 (0)1 3373 112
Fax: +385 (0)1 3373 111
E-mail: info@val-int.hr
www.val-int.hr



VALVOLINE LUBRICANT ADVISOR APP

-  Lubricant Advisor
-  Service Additives Advisor
-  Technical Sprays Advisor
-  Product Information Sheets
-  Find Valvoline
-  Safety Data Sheets



FY21.V1

™ Trademark Valvoline or its subsidiaries, registered in various countries © 2021, Valvoline. The information presented in this brochure is believed to be accurate and reliable. However, because the conditions and methods of use of the products are beyond Valvoline's control, Valvoline cannot assume any responsibility for performance or results obtained through the use of the products herein described. It shall be the responsibility of the user to determine the suitability of any of the products mentioned for the user's specific use. Valvoline's sole warranty is that the products shall at the time of delivery conform to the technical specifications in effect at the time of shipment. Any warranties that may be applicable pursuant to any laws or regulations, including any warranties of fitness for a particular purpose or merchantability, are expressly excluded. Unless expressly agreed otherwise, Valvoline's liability with regard to non-conforming products will be limited to the replacement value. Statements or suggestions concerning the possible use of the products described herein are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. Although every care is taken to ensure accuracy and completeness in compiling these data, no liability can be accepted for damage or loss caused by any errors or omissions in the information given.