

Which of the following can be valid declarations of an integer variable?

Select 2 options:

1. `global int x = 10;`
2. `final int x = 10;`
3. `public Int x = 10;`
4. `Int x = 10;`
5. `static int x = 10;`

The answer is: 2. `final int x = 10;` and 5. `static int x = 10;`

What can you do to make the following code print a number between 0 and 10?

(Assume appropriate import statements.)

```
int x = 10;  
//insert code here  
System.out.println(d);
```

Select 3 options:

1. `Random r = new Random(x);`
`int d = r.nextInt();`
2. `Random r = new Random();`
`int d = r.nextInt(x);`
3. `Random r = new Random(x);`
`int d = r.nextInt(x);`
4. `Random r = new Random(x);`
`int d = (int) r.next()*10;`
5. `Random r = new Random();`
`r.setSeed(x);`
`int d = (int) r.next()*10;`
6. `Random r = new Random(x);`
`r.setSeed(x);`
`int d = r.nextInt(x);`

The answer is: 2,3 and 6

Which of the following are reserved words in Java?

Select 2 options:

1. goto
2. package
3. export
4. array
5. hash

The answer is: 1. goto and 2. package

You are writing a class named AccountManager. This class is the starting point of your application and is to be executing from the command line. What should be the name of the file containing this class's source code?

Select 1 best option:

1. accountmanager.java
2. AccountManager.java
3. main.java
4. Main.java
5. The name of the file doesn't matter because after compilation, the class file will be named AccountManager.class anyway

The answer is: AccountManager.java

Given:

```
public class Account {  
    int id;  
    public Account(int id){  
        this.id = id;  
    }  
  
    public static void main(String[] args) {  
        List<Account> list = new ArrayList<Account>();  
        list.add(new Account(111));  
        list.add(new Account(222));  
  
        //insert code here  
    }  
}
```

Which of the following options, when inserted in the above code, will print 111 222 ?

Select 1 best option:

1. for(int id : list.id) System.out.print(id+" ");
2. for(Account id : list) System.out.print(id+" ");
3. Iterator<Account> it = list.iterator();
 while(it.hasNext()) System.out.println(it.next()+" ");
4. for(int i = 0; i<list.size(); i++) System.out.print(list.id+" ");
5. None of the above.

The answer is: 5. None of the above

What is the effect of compiling and running this class ?

```
public class TestClass
{
    public static void main (String args [])
    {
        int sum = 0;
        for (int i = 0, j = 10; sum > 20; ++i, --j)    // 1
        {
            sum = sum+ i + j;
        }
        System.out.println("Sum = " + sum);
    }
}
```

Select 1 best option:

1. Compile time error at line 1.
2. It will print Sum = 0
3. It will print Sum = 20
4. Runtime error.
5. None of the above.

The answer is: It will print Sum = 0;

What will the following code print?

```
int x = 1;
int y = 2;
int z = x++;
int a = --y;
int b = z--;
b += ++z;

int answ = x>a?y>b?y:b:x>z?x:z;
System.out.println(answ);
```

Select 1 best option:

1. 0
2. 1
3. 2
4. -1
5. -2
6. 3

The Answer is: 3. 2 (It will print 2)

Which of the following are features of Java?

Select 2 options:

1. It is strongly typed
2. It offers direct memory management.
3. It allows multithreaded programming.
4. It is a distributed lanaguage.

The answer is: 3 and 4

```
public int div(int a, int b) throws Exception {
    try{
        return a/b;
    }catch(ArithmeticException ae){
        System.out.println("exception in div");
        return 0;
    }
}

public static void main(String args[])
{
    Test test = new Test();
    try{
        System.out.println(test.div(5, 0));
    }catch(Exception e){
        System.out.println("exception in main");
    }
}
```

What is the output?

Select 1 best option:

1. exception in div
exception in main
2. exception in div
3. exception in main
4. exception in div
0
5. Compilation failure

The answer is: 5. compilation failure

Given:

```
public class Test
{
    static int a;
    int b;

    public void incr(){
        int c = a++;
        b++;
        c++;
        System.out.println(a+" "+b+" "+c);
    }
    public static void main(String args[])
    {
        Test test = new Test();
        test.incr();
        a++;
        test = new Test();
        test.incr();
    }
}
```

What will be the output?

Select 1 best option:

1. Compilation failure.
2. 1 1 1
2 1 2
3. 1 1 1
3 1 3
4. 1 2 1
2 3 3
5. 1 2 1
3 3 3

The answer is: 3.

Identify two features of Java.

- ☐ **A. robust**
- ☐ **B. platform independent**
- ☐ **C. single threaded**
- ☐ **D. architecture dependent**

The answer is: A and B