

```
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git merge main
Already up to date.
```

```
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git commit -m "hii"
On branch master
Changes not staged for commit:
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
  modified:   file.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

```
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git add .
```

```
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:   file.txt
```

```
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git merge main
Already up to date.
```

```
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$
```

```
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git checkout master
M     file.txt
Switched to branch 'master'
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git checkout main
M     file.txt
Switched to branch 'main'
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git checkout master
M     file.txt
Switched to branch 'master'
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git add .
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git commit -m "initial"
[master 737fe1c] initial
1 file changed, 1 insertion(+)
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git checkout main
Switched to branch 'main'
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git checkout master
Switched to branch 'master'
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git status
On branch master
nothing to commit, working tree clean
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   file.txt

no changes added to commit (use "git add" and/or "git commit -a")
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
```

```
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git add .

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:   file.txt

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git log
commit 08f17df64ac833f47a813ea6c03f991bb4b8e83c (HEAD -> main)
Author: sanjxvi <sanjeevimk992@gmail.com>
Date:   Thu Nov 20 11:50:41 2025 +0530

    hi

commit 06ed8cdc9a431d6908e9029d0bba7b0c7a7d5d5b
Author: sanjxvi <sanjeevimk992@gmail.com>
Date:   Thu Nov 20 11:30:55 2025 +0530

    Initial commit

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git brranch
git: 'brranch' is not a git command. See 'git --help'.

The most similar command is
  branch

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git branch
* main

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git branch master
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git branch
* main
  master

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git checkout branch name master
error: pathspec 'branch' did not match any file(s) known to git
```

```
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git init
Reinitialized existing Git repository in C:/Users/Dannush Sanjeevi/Desktop/sanjeevi/github/.git/
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ ls -a
./ ../ .git/ file.txt
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git config --global user.email "sanjeevink992@gmail.com"
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git config --global user.name "sanjkvi"
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git add .
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    deleted:  aadhar card.pdf
    new file:  file.txt

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    deleted:  aadhar card.pdf
    new file:  file.txt

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:  file.txt

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git commit -m "hi"
[main 08f17df] hi
2 files changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 aadhar card.pdf
create mode 100644 file.txt
```

```
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git checkout master
M     file.txt
Switched to branch 'master'

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git checkout main
M     file.txt
Switched to branch 'main'

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git checkout master
M     file.txt
Switched to branch 'master'

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git add .
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git commit -m "initial"
[master 737fe1c] initial
1 file changed, 1 insertion(+)

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git checkout main
Switched to branch 'main'

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git checkout master
Switched to branch 'master'

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git status
On branch master
nothing to commit, working tree clean

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   file.txt

no changes added to commit (use "git add" and/or "git commit -a")

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (master)
$ |
```

```
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git commit -m "i"
Author identity unknown
*** Please tell me who you are.

Run
git config --global user.email "you@example.com"
git config --global user.name "Your Name"
to set your account's default identity.
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'Dannush Sanjeevi@LAPTOP-EBU2E9Q
V.(none)')

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ ^C

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git config --global user.email "sanjeevimk992@gmail.com"

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git config --global user.name "sanjxvi"

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git add .

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git status
On branch main
No commits yet

Changes to be committed:
(use "git rm --cached <file>..." to unstage)
  new file: aadhar card.pdf

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git commit -m "Initial commit"
[main (root-commit) 06ed8cd] Initial commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 aadhar card.pdf

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$
```

```
MINGW64:/c/Users/Dannush Sanjeevi/Desktop/sanjeevi/github
hint: Maybe you wanted to say 'git add .'?
hint: Disable this message with "git config set advice.addEmptyPathspec false"
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git add .

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git commit -m "i"
Author identity unknown
*** Please tell me who you are.

run
git config --global user.email "you@example.com"
git config --global user.name "Your Name"
to set your account's default identity.
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'Dannush Sanjeevi@LAPTOP-EBU2E9Q
/.(none)')

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ ^C

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git config --global user.email "sanjeevimk992@gmail.com"
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git config --global user.name "sanjxvi"

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git add .

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git status
On branch main
No commits yet

Changes to be committed:
(use "git rm --cached <file>..." to unstage)
  new file:  aadhar card.pdf

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$
```

```
MINGW64:/c/Users/Dannush Sanjeevi/Desktop/sanjeevi/github
hint: Maybe you wanted to say 'git add .'?
hint: Disable this message with "git config set advice.addEmptyPathspec false"
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git add .

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git commit -m "i"
Author identity unknown
*** Please tell me who you are.

run
git config --global user.email "you@example.com"
git config --global user.name "Your Name"
to set your account's default identity.
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'Dannush Sanjeevi@LAPTOP-EBU2E9Q
/.(none)')

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ ^C

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git config --global user.email "sanjeevimk992@gmail.com"
Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git config --global user.name "sanjxvi"

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git add .

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$ git status
On branch main
No commits yet

Changes to be committed:
(use "git rm --cached <file>..." to unstage)
  new file:  aadhar card.pdf

Dannush Sanjeevi@LAPTOP-EBU2E9QV MINGW64 ~/Desktop/sanjeevi/github (main)
$
```