

```
console.log("Hello, World!");  
Hello, World!
```

```
var foo = "bar";  
console.log(foo);  
  
bar
```

```
var thisVar = 'first value';  
var thatVar = 'second value';  
console.log("thisVar:", thisVar, "and thatVar:", thatVar);  
thisVar: first value and thatVar: second value
```

```
var greet = "Hello", who = "World";  
console.log("%s, %s!", greet, who);  
Hello, World!
```

undefined

```
console.log({  
  'Email': '',  
  'Groups': {},  
  'Id': 33,  
  'IsHiddenInUI': false,  
  'IsSiteAdmin': false,  
  'LoginName': 'i:0#.w|virtualdomain\\user2',  
  'PrincipalType': 1,  
});
```

GoalKicker.com - JavaScript® Notes for Professionals




```
  'Title': 'user2'  
});
```

This will log the following to the console:

```
▼ Object {Email: "", Groups: Object, Id: 33, IsHiddenInUI: false, IsSiteAdmin: false...} ⓘ  
  Email: ""  
  ► Groups: Object  
    Id: 33  
    IsHiddenInUI: false  
    IsSiteAdmin: false  
    LoginName: "i:0#.w|virtualdomain\\user2"  
    PrincipalType: 1  
    Title: "user2"  
  ► __proto__: Object
```



..





x



x



