

```
1  /**
2   *
3   * Java Class Constructor Example
4   *
5   */
6
7  public class Person {
8
9      protected String first_name;
10     protected String middle_name;
11     protected String last_name;
12     protected int age;
13     protected int gender;
14     protected String permanent_address;
15
16     public Person()
17     {
18         System.out.println("This is a default constructor.");
19     }
20
21     // Constructor of Person with Parameters
22
23     public Person(String fname,
24                 String mname,
25                 String lname,
26                 int age,
27                 int gender,
28                 String padd
29             )
30     {
31         this.first_name = fname;
32         this.middle_name = mname;
```

```
34     this.last_name = lname;
35     this.age = age;
36     this.gender = gender;
37     this.permanent_address = padd;
38
39     System.out.println("This is an example of constructor"
40         + " with parameters");
41
42 }
43
44 public void setFirstName(String fname)
45 {
46     this.first_name = fname;
47 }
48
49 public String getFirstName()
50 {
51     return this.first_name;
52 }
53
54 public void setAge(int age)
55 {
56     this.age = age;
57 }
58
59 public int getAge()
60 {
61     return this.age;
62 }
63
64 }
65
66
```

```
67
68
69
70
71 public class CollegeStudent extends Person{
72
73     protected String roll;
74     protected String no;
75
76     protected long registration_num;
77     protected String registration_year;
78
79     public CollegeStudent(String fname,
80         String mname,
81         String lname,
82         int age,
83         int gender,
84         String padd,
85         String roll, String no,
86         int reg_no, String reg_year
87     )
88     {
89
90         super(fname,mname, lname, age, gender, padd);
91
92         this.roll = roll;
93         this.no = no;
94         this.registration_num = reg_no;
95         this.registration_year = reg_year;
96
97
98     }
99
```

```
100    public String getRoll()
101    {
102        return this.roll;
103    }
104
105
106
107 }
108
109
110
111
112 public class PersonList {
113
114    public static void main(String[] args) {
115
116        Person person1 = new Person();
117
118        // System.out.println("Person1:" +person1.first_name);
119        // System.out.println("Person1:" +person1.age);
120
121
122        System.out.println("Person1:" +person1.getFirstName());
123        System.out.println("Person1:" +person1.getAge());
124
125        Person person2 = new Person("Chander",
126            "nagore",
127            "College",
128            164,
129            0,
130            "Strand Road"
131        );
132
```

```
133 // System.out.println("Person2:" + person2.first_name);
134 // System.out.println("Person2:" +person2.age);
135
136 System.out.println("Person2:" + person2.getFirstName());
137 System.out.println("Person2:" +person2.getAge());
138
139
140 CollegeStudent cs1 = new CollegeStudent(
141     "Kanailal", "", "Dotto", 34, 1, "Chandannagar",
142     "202440402", "0013", 202440420,
143     "2024-25"
144 );
145
146 System.out.println("College Student1 Name:" +
cs1.getFirstName());
147 System.out.println("College Student1 Age:" + cs1.getAge());
148 System.out.println("College Student1 Roll:" + cs1.getRoll());
149
150
151 }
152
153 }
```