

Safety Management System Manual



Dallas Fort Worth International Airport

DFW Airport, TX

Distribution List

The official copy of the DFW Airport Safety Management System (SMS) Manual shall be maintained by the Airside Operations Safety Manager. Copies or portions of the SMS Manual, including all revisions and amendments, are distributed to the following:

1. DFW, Chief Executive Officer
2. DFW, Executive Vice President, Operations
3. DFW, Vice President, Operations
4. FAA, Southwest Region

Record of Revisions

Revision #	FAA Submittal Date	Amendment / Page Number
1	03/20/2025	Initial SMS Manual

TABLE OF CONTENTS

Distribution List.....	2
Record of Revisions	3
<u>Section 1: Introduction to DFW Airport's SMS Program</u>	<u>6</u>
1.1 What is SMS?	6
1.2 Applicability and Purpose	6
1.3 Revisions	8
1.4 Records Retention	8
<u>Section 2: Safety Policy.....</u>	<u>10</u>
2.1 Introduction	10
2.2 Scope.....	10
2.3 Responsibilities and Authorities	11
2.4 SMS Program Roles & Responsibilities	11
2.5 Safety Policy Statement	15
2.6 DFW Airport SMS Program Structure	16
2.7 Review of Accountabilities and Responsibilities	16
2.8 DFW Airport Safety Objectives.....	16
<u>Section 3: Safety Risk Management.....</u>	<u>18</u>
3.1 Introduction	18
3.2 Five Steps of Safety Risk Management.....	18
3.3 SRM Process and Responsibilities	23
3.4 Risk Acceptance	27
3.5 Means for Ensuring Mitigation Effectiveness	27
3.6 Documentation and Record Retention	28
<u>Section 4: Safety Assurance.....</u>	<u>29</u>
4.1 Introduction	29
4.2 Safety Performance Monitoring	30
4.3 Confidential Hazard Reporting System	30
4.4 Reporting Safety Information.....	31
<u>Section 5: Safety Promotion</u>	<u>32</u>
5.1 Introduction	32
5.2 Training and Responsibilities	32
5.3 SMS Communications Plan	34

5.4	Safety Recognition Program	35
5.5	Internal SMS Partnerships	35
<u>Appendix Log</u>		<u>36</u>
Appendix 1: Definitions and Acronyms		37
Appendix 2: <i>Safety-First Commitment</i>		42
Appendix 3: Current Safety Goals & Objectives		43
Appendix 4: Blank Risk Analysis & Assessment Form		44
Appendix 5: Hazard Reporting Form (See Say Airport)		45

Section 1: Introduction to DFW Airport's SMS Program

1.1 What is SMS?

Safety Management System (SMS) is an integrated collection of processes and procedures designed to ensure a top-down formalized and proactive approach to system safety. It is designed to identify, assess, and mitigate safety risk where possible. The DFW Airport SMS Program provides airport management with the tools and data necessary to identify potential hazards throughout the airside community to make informed safety-related decisions.

DFW Airport's SMS Program defines lines of accountability and responsibility, including senior management. The utilization of safety objectives and data analysis are used to facilitate continuous improvement throughout the community. It is designed to fulfill the requirements of 14 CFR Part 139, Subpart E, and the most current version of Advisory Circular (AC) 150/5200-37. This Manual is intended to be a living document and will be available in electronic format on the DFW Airport website to allow for accessibility by all employees and stakeholders.

1.2 Applicability and Purpose

All processes and procedures developed under this Program apply specifically to the Movement and Non-Movement Areas of the Air Operations Area (AOA) (Fig. 1), and other areas specified in 14 CFR Part 139. DFW Airport SMS initiatives do not apply to landside operations, including inside the terminals. All individuals with access to the AOA fall under this manual. Every individual with this access has a responsibility for safety, regardless of their position.

The primary purpose of the DFW Airport SMS Program and this manual is to develop a system within which DFW Airport will work to proactively manage our core business functions inside the AOA, within the confines of the Federal Aviation Administration (FAA) regulations of SMS. As a Large Hub Airport serving international air traffic, DFW Airport is required to comply with the FAA's SMS regulation. Per the requirements of 14 CFR Part 139, Subpart E and the most current version of AC 150/5200-37, this manual will be a stand-alone document referenced in the Airport Certification Manual (ACM).

The purpose of this manual is to define the policies and procedures that establish an SMS for DFW Airport, and to ensure compliance with corresponding regulations. It also informs DFW Airport employees and stakeholders about the goals of the SMS Program, describes the interrelationship among the four components of SMS, and instructs readers on the process of identifying and managing hazards and risk throughout the

airside environment. Furthermore, this manual will:

- Provide a reference document for the Airport's SMS Program.
- Document the processes by which DFW Airport will manage the Program.
- Serve as a safety awareness tool for DFW Airport staff and stakeholders.

Application of these principles is a matter of corporate policy and will be applied accordingly. Safety is the direct responsibility of the Accountable Executive (AE), and the SMS Program's inherent strategic benefits are recognized. The AE, as defined later, is committed to continuous improvement through the development of realistic objectives and establishment of clear standards of behavior towards the reporting of hazards and concerns. DFW Airport's SMS Program identifies operational hazards and provides the framework and methodology to manage associated risks to ensure operational safety is maintained at the highest degree possible.




Figure 1: Visual Depiction of the DFW Airport SMS Program Limits

1.3 Revisions

The Airside Operations Safety Team, consisting of the Airside Operations Safety Manager, Airside Operations Safety Specialist, and the Airside Operations Safety Inspector, will publish revisions to this manual annually, or sooner as necessary, to ensure the content remains current, meets the needs of the overall program, and remains in compliance with Federal regulations. Revised documents will be distributed as described in the Distribution List. To make this manual as effective as possible, the Airside Operations Safety Manager will review suggestions and recommendations for revision to provide a method for continuous improvement of the SMS Manual's content. Suggestions for revision can be initiated at any level within the Airport. Suggestions and recommendations must be submitted via email to airsidesafety@dfwairport.com. Suggestions and recommendations must include:

- Requestor Name
- Requestor Company
- Requestor Contact Information
- Date of Submission
- Summary of what the ultimate solution will attempt to achieve and/or avoid
- Analysis of why the recommended revision is the most appropriate resolution

All proposed changes will be initially reviewed by the Airside Operations Safety Team, followed by the annual SMS Manual review, as outlined in Section 2, unless circumstances require more urgent action. Final approval decisions will be addressed by the AE.

Upon completion of the vetting process, revisions will be issued a revision number (Rev 1, Rev 2, etc.). Revisions will be issued with a change cover sheet identifying which page(s) are involved. Revisions will be made available per the distribution list and communicated to Airport employees and SMS Program stakeholders through the Airside Safety Committee.

1.4 Records Retention

Records for the SMS Program shall be maintained for the following:

- Records associated with DFW's Safety Risk Management (SRM) process shall be retained for the longer of:
 - Thirty-six (36) consecutive calendar months after the risk analysis of identified hazards has been completed; or
 - Twelve (12) consecutive calendar months after required mitigations have

Original Date: 03/20/2025

Revision Date: 03/20/2025

Page | 8

been completed.

- Records associated with DFW's Safety Promotion process shall be retained as noted below.
 - Records for Safety Awareness Orientation materials, including any revisions and means of distribution, shall be maintained for twenty-four (24) consecutive calendar months after the materials are made available.
 - Records for required SMS training as outlined in this Manual shall be retained for twenty-four consecutive calendar months after completion of training.
 - Records for communication of important safety information shall be maintained for twelve (12) consecutive calendar months.

Section 2: Safety Policy

2.1 Introduction

Safety Policy is the first of four components designed to provide the foundation for an SMS program. DFW Airport's Safety Policy includes the *Safety-First Commitment* (Appendix 2), which defines our Accountable Executive's commitment to implementing and maintaining a comprehensive SMS program, as well as the accountabilities and responsibilities of those employees at DFW Airport covered by this SMS Program.

Every employee and stakeholder is responsible for communicating information that may affect the safety of airside operations. Accidents or incidents requiring an immediate or emergency response must be reported by dialing 972-973-3112 or 911. Additionally, DFW Airport strongly encourages the reporting of other potentially hazardous conditions, incidents, or occurrences that may compromise safety on the airfield by contacting the Airside Operations Safety Team at airsidesafety@dfwairport.com or submitting a report through the See Say Airport mobile application. The See Say Airport hazard reporting system can also be accessed through DFW Airport's external website (telldfw.com). Such reports allow for submitter confidentiality.

Any employee or stakeholder is highly encouraged to report safety-related information in a timely manner to quickly and accurately identify information connected with accidents and incidents. The DFW Airport Board does not condone retaliation related to an airside safety report and encourages stakeholders to adopt similar policies & standards. Reporting of safety incidents and/or hazards leads to the proactive identification of hazards and associated risks, development of corrective actions, and improved education throughout the airside community.

2.2 Scope

The scope of this section describes several components and elements of DFW Airport's safety policies and objectives, and will address:

- The DFW Airport Board SMS Policy and SMS organizational structure, including how it is communicated.
- Identifying various roles and responsibilities within the SMS Program.
- Establishment and communication of the DFW Airport *Safety-First Commitment*.
- DFW Airport's process to establish and maintain defined safety objectives, along with the methods and processes to meet those objectives.

2.3 Responsibilities and Authorities

DFW Airport's Safety Policy serves as the foundation of DFW Airport's safety policies and objectives, including the formal SMS Board Policy. DFW Airport regularly communicates Board Policy and SMS information to all pertinent employees and stakeholders. Those communication methods include, but are not limited to:

- New-hire orientation and awareness training
- Specialized training, as required within the SMS Program
- DFW Airport intranet articles
- Safety Bulletins, Operational Alerts, local briefings
- Quarterly Safety and SMS Newsletter
- DFW Airport Badging Office training programs
- Airfield Safety Summit

2.4 SMS Program Roles & Responsibilities

Effective use of the DFW Airport SMS Program requires coordination and communication among a varied yet devoted group of people that have diverse backgrounds in both safety and operations. Connection with and commitment to the SMS Program is essential, and required, from all levels of the organization. This section outlines the roles, responsibilities, and relationships of key SMS Program participants and provides information regarding specific duties and responsibilities for these individuals.

DFW, Chief Executive Officer (CEO): Accountable Executive

The DFW Airport CEO has overall responsibility and authority for the Airport, and as such, is the Accountable Executive over the DFW Airport SMS Program. The AE is responsible for and shall commit necessary organizational, monetary, and physical resources to support the implementation, application, and maintenance of the DFW Airport SMS Program as necessary. To complete these functions, the CEO is responsible for:

- Approving DFW Airport's SMS Policy, Manual, and *Commitment to Safety*.
- Advocating for and providing adequate resources to ensure effective implementation and management of the SMS Program and mitigation of risks.
- Establishing strategic safety goals and objectives.
- Building alliances and partnerships that promote and encourage a positive safety culture and ownership of safety.
- Promoting safety through Airport policies and expectations.

DFW, Executive Vice President, Operations (Responsible Executive)

DFW Airport has designated the Executive Vice President of Operations (EVP-Ops) as the Responsible Executive (RE). The RE reports to the AE and provides tactical support for DFW Airport's SMS Program. To complete these functions, the EVP-Ops is responsible for:

- Leading the SMS Steering Committee and reporting elements to the AE for review and follow-up.
- Providing leadership in safety-related items by participating in safety-significant events.
- Establishing and supporting Safety Management policies, goals, and objectives.
- Monitoring the effectiveness of safety risk controls.
- Reviewing Safety Objectives through the SMS Steering Committee.

The AE and RE will regularly review the SMS Program to ensure it remains relevant and appropriate to the overall operation.

DFW Vice President, Operations

The DFW Vice President of Operations is responsible for the overall safe operation of the airside environment. To complete these functions, the VP-Ops is responsible for:

- Ensuring stable, qualified, and competent persons are employed in operation and safety-critical roles.
- Providing leadership in safety-related issues by participating in safety-significant events.
- Developing and maintaining policies and objectives to boost DFW Airport's overall safety culture.
- Supporting the application and adherence to safety controls and mitigation efforts throughout the airside environment.
- Providing successful airfield surveillance, oversight, and enforcement through existing policies and procedures.

Airside Operations Safety Manager (SMS Manager)

The DFW Airport Airside Operations Safety Manager is accountable to the RE for reporting safety risks identified within the SMS Program, Safety Performance of the overall Program, guiding and monitoring DFW Board management in their safety responsibilities, and monitoring and reporting the overall effectiveness of the SMS Program within the airside community. To complete these functions, the Safety Manager is responsible for:

- Developing and maintaining SMS policies and objectives in accordance with DFW's Mission, Vision, and strategic goals.

- Day-to-day management of the SMS Program, including updating the SMS Manual.
- Reporting to the RE through the SMS Steering Committee.
- Collecting and reporting appropriate information regarding safety risk and mitigation controls.
- Coordination among Safety Committees to include scheduling, distributing meeting minutes, and facilitating documentation and communication.
- Advising responsible parties on the safety performance within their areas of responsibility, including identified hazards.
- Developing and implementing SMS training curriculums and education programs.

Airside Operations Safety Team

The Airside Operations Safety Team is responsible for the overall support of the DFW SMS Program. The Airside Operations Safety Specialist and Airside Operations Safety Inspector report to the Airside Operations Safety Manager. To complete these functions, they are responsible for:

- Promoting a positive safety culture where employees and stakeholders are encouraged to provide essential safety-related information to DFW Airport.
- Ensuring procedures and practices required for SRM are conducted through Safety Risk Assessments (SRA's), safety audits, incident analysis, and stakeholder interaction.
- Ensuring training and communication is provided to foster an understanding of SMS and the importance of the Program.
- Investigating accidents, incidents, and hazard analysis and reporting.
- Performing preliminary hazard assessments.
- Providing SRA panel support and assistance.
- Supporting Safety Committees through meeting minutes and general updates.
- Ensuring follow up and follow through of action plans and assignments.
- Managing Notice of Violation (NOV) program.
- Managing safety-related databases.

DFW Board Departments and Employees with SMS Duties and Responsibilities

Although engagement by all DFW employees is essential to achieving an improved safety culture, the DFW SMS Program is comprised of employees and departments who execute critical SMS functions as part of their overall responsibilities. The following is a list of DFW departments for whom there are additional SMS duties:

Airline Relations	Aviation Real Estate (ARE)
Commercial Development	Concessions
Design, Code, and Construction (DCC)	Environmental Affairs (EAD)
Energy, Transportation, and Asset Mgt. (ETAM)	Integrated Operations Center (IOC)
Operations (OPS)	Planning
Department of Public Safety (DPS)	Transportation Business Unit (TBU)

Figure 2: DFW Board Departments with SMS Duties

In carrying out these duties, leaders within these departments are responsible for:

- Providing and ensuring safety policies and procedures are documented and communicated to their employees.
- Providing pertinent training to identify and manage risk at acceptable levels.
- Ensuring responsiveness to identified or reported safety concerns.

In carrying out these duties, Supervisors and Managers within these departments are responsible for:

- Establishing and enforcing effective policies procedures.
- Ensuring employees are working safely and utilizing standard procedures and Best Practices through communication, job hazard analysis, and training.
- Promoting hazard identification through confidential reporting.
- Establishing and tracking of corrective action plans.

In carrying out these duties, employees are responsible for:

- Working safely and maintaining a safe and healthy workplace.
- Making accident prevention an integral part of their day-to-day performance.
- Adhering to approved procedures and established best practices.
- Reporting to work mentally, medically, and physically fit for duty.
- Reporting safety events, concerns, hazards, and suggestions to their management team and the Airside Operations Safety Team in a timely manner.

Each employee group must help identify, define, and promote safe operating practices to the highest extent practicable.

SMS Safety Committees

DFW Airport's SMS Program is comprised of a diverse group of stakeholders that provide a pipeline for identifying, communicating, and resolving safety-related items and focus on building stronger inter-relationships. These Committees serve as a vital part of the SMS Program, and the Safety Promotion component specifically. The current list of SMS Committees is:

1. SMS Steering Committee

The SMS Steering Committee is chaired by the RE, and consists of the leaders from DCC, EAD, ETAM, and Operations, along with the Airside Operations Safety Manager. Leaders from the IOC, DPS, EAD, and Risk Management are connected in advisory roles only. The SMS Steering Committee shall discuss the implementation, success, and overall direction of the SMS Program. In addition, this Committee will discuss outcomes and data obtained from the Airside Safety Committee or recent SRA panels to present applicable findings and review pertinent hazards and safety concerns. Additionally, the SMS Steering Committee shall provide overall guidance for the DFW Airport SMS Program in connection with their respective departments.

2. Airside Safety Committee

The Airside Safety Committee, chaired by the Airside Operations Safety Manager, consists of SMS Liaisons from pertinent stakeholders and designated Part 139-related DFW Board employees. Stakeholders are encouraged to report hazards brought to their attention by their employees for discussion within the Committee. The Airside Operations Safety Manager will also brief SMS Liaisons on the status of the overall SMS Program, Safety Objectives, Hazard Reports, SRAs, Corrective Action Plans, etc. SMS Liaisons may also play a role in assisting with SRAs, should the risk being assessed directly affect their operating area and/or lead subject matter expertise during an assessment.

2.5 Safety Policy Statement

DFW Airport is committed to providing a safe and secure environment as a top priority for our employees, stakeholders, and customers, by meeting or exceeding applicable safety, security, environmental, and airport standards. As specified in our AE's *Safety-First Commitment* (Appendix 2), DFW Airport is dedicated to building strong relationships, providing necessary resources, and empowering employees and stakeholders to report

safety concerns. Communication of pertinent safety concerns and resolution of reported hazards shall be a priority throughout the airside community.

The *Commitment to Safety* shall be reviewed as part of the annual SMS Manual review to ensure it remains relevant and current.

2.6 DFW Airport SMS Program Structure

SMS Program Structure




Figure 3: DFW Airport SMS Program Structure

2.7 Review of Accountabilities and Responsibilities

Accountabilities and responsibilities will be reviewed annually during the SMS Manual review by the Airside Operations Safety Manager, RE, and AE. Additionally, any DFW Airport employee or stakeholder can propose changes or updates to the SMS Program at any time, as outlined in Section 1.3.

2.8 DFW Airport Safety Objectives

Safety objectives serve to assist in measuring the effectiveness of DFW Airport's SMS Program. The AE approves safety objectives, which are developed and updated based on

safety-related trends in the previous Fiscal Year (FY). Annual objectives will adhere to the following stipulations:

- Must be effective for at least one FY.
- Facilitate measurement of progress.
- Shared with the DFW Airport community.

The Airside Operations Safety Team will formulate goals and corresponding objectives to meet those goals for presentation to the SMS Steering Committee. Following a thorough review, these objectives will be submitted to the AE for final approval. Such decisions will be designed based on past performance, regulatory adjustments, and specific ambitions for DFW Airport.

The success of these objectives is dependent upon constant communication and establishment of a strong safety culture within the entire DFW Airport community. These objectives will be tracked, and their status reported through the Airside Safety Committee and SMS Steering Committee. Objectives may be added or removed at the discretion of the AE and/or RE.

Section 3: Safety Risk Management

3.1 Introduction

Safety Risk Management (SRM) is the second of four components that make up a SMS program. At its core, SRM is used to determine the need for new or updated risk controls and hazard mitigation plans for a particular hazard. SRM utilizes a defined process to identify hazards, analyze and assess potential risks, and design appropriate mitigation strategies. When used properly, SRM also works to promote productive conversation among stakeholders and continue to enhance a positive safety culture.

The DFW Airport SMS Program accomplishes this by developing processes and procedures designed to understand the characteristics of our operational systems and environment. Our SRM process describes how the Airside Operations Safety Team utilizes this information to identify hazards, analyze risks, and provide appropriate risk controls and mitigation strategies. The following sections identify the responsibilities for conducting SRM, providing a description of the overall process, and outlining specific tasks that will be undertaken within the SMS Program to evaluate and mitigate risk.

3.2 Five Steps of Safety Risk Management

DFW Airport uses the 5-step process for safety risk management and hazard assessment, which includes:

1. Describing the System
2. Identifying the Hazard
3. Analyzing the Risk
4. Assessing the Risk
5. Mitigating the Risk

The 5-step process is instituted for a set of defined triggers as outlined in Section 3.3. Additionally, the 5-step process is used when safety trends are identified through Safety Assurance (SA) activities, or hazards are identified through self-inspection, maintenance logs, management meetings, or reported through the Confidential Hazard Reporting System (See Say Airport). The Airside Operations Safety Team has the authority to conduct a hazard assessment for any other issue they deem necessary, in coordination with pertinent stakeholders.

1. Describing the System

This is a description of the interactions among people, procedures, tools, materials, facilities, software, environment, and all available data. This can also include a change of condition, process, or equipment procedure.

What is the mission associated with the topic? (e.g., functions or objective)
What organizational structures, procedures, rules, or regulations were involved?
What type of equipment, hardware, software, and/or tools were involved?
What type of environment is involved (e.g., taxiway, runway, terminal gate area)?
Where is the hazard/risk located (e.g., movement area, non-movement area, etc.)?
Is there a change of condition or process?

2. Identifying Hazards

A thorough system analysis will assist in the identification of hazards. All hazards introduce some level of risk into the operation. These hazards must be analyzed and mitigated, if necessary, to acceptable levels to continue to exist in the operation. Once a hazard is identified, the Airside Operations Safety Team will begin the SRM process, which includes the analysis of existing safety controls and triggering mechanisms. The SRM process shall be accomplished for each identified hazard and risk.

Use the following questions until a “yes” answer is reached, except as noted below.

- Is the risk acceptable without further action?
- If not, can the risk be eliminated?
- If not, can the risk be transferred?
- If not, can the risk be mitigated?
- If the hazard cannot be mitigated any further, the appropriate level of management as noted in Section 3.4 must review the documented risk level for the hazard.

A risk control is anything that reduces or mitigates the risk associated with a hazard. Risk controls and mitigation plans must be:

- Written in specific requirements language (electrical regulatory language, for example).
- Clearly described and defined (to include Who, What, When, Where and How).
- Ready to be utilized in the intended operational environment.
- Measurable and monitored to ensure effectiveness.

Substitute risk will also be analyzed before implementing new risk controls. The hierarchy of risk control design is as follows:

- Eliminate: System design modification that completely removes the hazard out of the system.
- Substitute: Change the hazard, i.e. use different process / method / supplier / material.
- Engineer / Isolate: Ensure by design that if an event occurs, its likelihood and/or consequences are limited and controlled, i.e. preventing access or reducing exposure.
- Administration: Use of policies / standards, procedures, instruction, supervision or training to reduce the likelihood of a risk.
- Personal Protective Equipment (PPE): Use of clothing, gloves, or other items to protect the body from exposure to hazards.

A hazard should be reported and recorded through the SMS Confidential Hazard Reporting system (See Say Airport) or emailing the Airside Operations Safety Team at airsidesafety@dfwairport.com. The Airside Operations Safety Team will determine if the report is a potential hazard that requires initiating a Preliminary Root Cause Analysis, if the report should be closed (no further action required), placed into monitoring, or forwarded to an airport department or stakeholder for further assessment and action. If the Airside Operations Safety Team validates the report as a potential hazard, it shall be moved to *Investigation/Observation* status and documented in the appropriate SMS database.

The Airside Operations Safety Team may coordinate with other DFW Airport management to assign personnel to do the following:

- Interviews: Assigned personnel may interview those who filed the initial report, witnessed the hazard, or work in the area where the hazard was reported. Interview findings will be documented.
- Observations: Assigned personnel may survey the area where the hazard exists. The assigned personnel should try to observe the area during similar conditions, time of day, weather, and operations like those at the time of the report. The observer may document their findings in any combination of writing, video, or photos, as appropriate.
- Research: Assigned personnel may also research a hazard using records such as past reports, safety committee meeting minutes, FAA reports, and other airport interviews where the same or similar hazard may have occurred within the aviation system. Research findings will be documented.

3. Analyzing Risk

The Airside Operations Safety Team utilizes the risks associated with each hazard identified in the previous step. During this stage of the process, the Airside Operations Safety Team will consider the worst credible effect or outcome for a given hazard. The Airside Operations Safety Team may temporarily appoint an individual who has subject

matter experience in a specific operational area (e.g., electricians, law enforcement, ground handler, FAA ATC, airline pilots, etc.) to ensure the required background knowledge is available to determine the potential risk associated with identified hazards.

4. Assessing Risk

The findings and recommendations will be reported by the Airside Operations Safety Team by using the DFW Airport Risk Matrix, considered “Initial Risk” because it has not considered any potential mitigations. The Airside Operations Safety Team assesses and analyzes the risk associated with a hazard, using a numerical value for each consequence based on the group’s decisions as to the severity of the consequence and the likelihood of it occurring (for full SRAs). Each risk will be assessed for severity and likelihood in all three of the above consequential categories. The values for all assessments will be plotted on a Risk Matrix Chart. The Airside Operations Safety Team will record the findings from the SRA.

DFW Airport’s Risk Matrix has three (3) levels:

- Low (Green)
- Medium (Yellow)
- High (Red)

5. Mitigating Risk

When mitigated, is the residual risk acceptable and approved by the appropriate level of management (Section 3.3)?

Control / Mitigate Safety Risk

- Operating departments are responsible for managing risks that are deemed unacceptable through design and/or risk control planning.
- For hazards risk-rated medium or high, a risk control or mitigation plan is required.
 - Controls: Elements of the system, including hardware, software, special procedures or steps, and supervisory practices designed to keep processes on track to achieve their intended results
 - Mitigation Plans: Should either eliminate the hazard or lessen the risk associated with the hazard.

Mitigation plans will be developed for systemic Elevated Risk Items. Plans will be developed by the appropriate departments, in collaboration with the Airside Operations Safety Team, for review and approval. Every mitigation plan will include a reasonable timeline in which the systemic issue will be addressed, a metric and goal to be monitored for mitigation, and a management-level review. The mitigation plan will be approved by

management at varying levels based on the agreed-upon risk assessment for the systemic issue. The plan shall also evaluate whether the residual risk will be acceptable with the proposed safety risk applied before the control is implemented.

The Airside Operations Safety Team has the authority to conduct or delegate hazard assessments to those who have subject matter experience in a specialized area. Identified hazards, trends, or operational changes already being implemented will go through hazard triage which is when the Airside Operations Safety Team or their designee individually conducts the 5-step process to quickly determine if any hazards present unacceptable risk and require immediate mitigation.

For those complex changes to airfield infrastructure, or if identified hazards require a subject matter expert from outside the airport, then a formal SRA is conducted. The Airside Operations Safety Manager notifies the SMS Steering Committee when a formal SRA is needed in connection with a specific hazard. The Airside Operations Safety Team then establishes a panel of subject matter experts.

Individuals conducting hazard assessment shall use the following definitions and tables for analysis. Any hazard identified with a High Risk shall have a defined mitigation plan, identified monitoring plan, and corresponding metrics. The AE and RE shall be informed of any hazard assessment that results in a High Risk. See Section 3.4 for hazard acceptance requirements.

3.3 SRM Process and Responsibilities

The process map in Figure 4 below provides an overview of the steps that the Airside Operations Safety Team will take when a hazard report is filed. SRM processes may be triggered by the following:

TRIGGER	DESCRIPTION
Construction	- Airfield improvement - Airfield rehabilitation - Airfield maintenance - Terminal expansion - Geometry changes - Phasing plan alterations
Standard Operating Procedures	- New standard operating procedure - Modification of existing procedure that directly impacts more than one additional department or stakeholder
Airport Organization	- Significant changes to airport operational structure or key personnel - New airline service not previously operating at DFW - New aircraft type not previously operating at DFW
Safety Reports	- Safety issues reported by pilots, employees, or stakeholders - Safety issues resulting from daily inspections - Accidents or incidents
Special Events	- VIP presence on the airfield
New Equipment or Software	- New ramp equipment that requires special consideration - Changes to information management systems
Safety Assurance	- Trends identified from safety performance indicators - Safety evaluations

SAFETY RISK MANAGEMENT PROCESS FLOW




Figure 3: SRM Process Flow

LIKELIHOOD DEFINITIONS (PROBABILITY)			
Score	Likelihood Descriptor	Percentage Likelihood	Annual Likelihood
5	Frequently	Greater than 75% chance of occurrence	- Occurs once every month or approx. 55,000 commercial operations - Will occur more than 10 times each year
4	Probable	50 – 74% chance of occurrence	- Occurs once every year or approx. 700,000 commercial operations - Will occur at least once per year
3	Remote	25 - 49% chance of occurrence	- Occurs once every 5 years or approx. 3.5M commercial operations - Will occur once every 2-5 years
2	Extremely Remote	5 - 24% chance of occurrence	- Occurs once every 10 years or 5.9 mm commercial operations - Will occur once every 5-20 years
1	Extremely Improbable	Less than 5% chance of occurrence	- Occurs once every 20 years or approx. 14M commercial operations - Will occur less than every 20 years

IMPACT DEFINITIONS (SEVERITY)		
Score	Descriptor	Example Impacts
5	Catastrophic	- Loss of aircraft or equipment; damage over \$1 mm - Fatality - DFW Airport financial impact (\$100M or above) - Exceeding total aggregate self-insured retention levels - International media coverage, catastrophic and with deterioration of market perception - A spill or release that is not contained and results in long term damage to the environment and fines to the airport
4	Hazardous	- Severe Injury, requiring hospitalization - Aircraft or equipment damage that takes it out of service for an extended period of time; over \$100,000 - DFW Airport financial impact (\$25M - \$100M) - National media coverage with significant deterioration of market perception - A reportable spill or release that requires mitigation
3	Major	- Aircraft or equipment damage that takes it out of service for a short period of time - Minor injury requiring medical treatment - DFW Airport financial impact (\$5M - \$25M) - Regional media impact with some deterioration of market perception - A reportable spill or release that is contained
2	Minor	- Minor damage; aircraft or equipment not taken out of service - Minor injury not requiring medical treatment - DFW financial impact (\$1M - \$5M) - Local media impact w/ limited impact on market perception - A spill or release that does not require a report.
1	Insignificant/No Safety Effect	- No aircraft or equipment damage - No impact on safety, environment, or market perception - DFW financial impact (Below \$1M)

****DFW Airport is actively working to update these definitions.**

Figure 4: Likelihood and Impact (Severity) Definitions

		Severity				
		No Safety Effect	Minor	Major	Hazardous	Catastrophic
Likelihood	Frequently	L5	M13	H20	H22	H25
	Probable	L4	M12	M15	H21	H24
	Remote	L3	L8	M14	M17	H23
	Extremely Remote	L2	L7	L10	M16	M19
	Extremely Improbable	L1	L6	L9	L11	M18

Low	Medium	High
No Action Required	Monitor, determine if risk can be mitigated to a low level	Must be mitigated to medium risk, at a minimum

Figure 5: DFW Airport Risk Matrix

3.4 Risk Acceptance

Upon completion of the SRM process, the risk and any corresponding implementation plans, monitoring plans, and metrics, if necessary, must be accepted. They shall be accepted as noted below:

- Hazards identified as Low Risk shall be reviewed and accepted by the Airside Operations Safety Manager and DFW Airport department Manager or Managers that will oversee the monitoring or mitigation plan.
- Hazards identified as Medium Risk shall be reviewed and accepted by the DFW Airport departmental Vice-President or Vice-Presidents that will oversee the monitoring and mitigation plan.
- Hazards identified as High Risk shall be reviewed by the RE and AE and accepted by the AE.

3.5 Means for Ensuring Mitigation Effectiveness

Operating departments, in collaboration with the Airside Operations Safety Team, will identify safety performance metrics that will be used to monitor for assessment of the overall effectiveness of hazard mitigation plans. The Airside Operations Safety Team will continuously monitor Safety Assurance data collected to identify ineffective risk controls and new or emerging hazards or safety concerns. This process ensures that data is monitored, assessed for risk, conclusions drawn, and risk elevated to the appropriate level of management for corrective action or risk acceptance decision making.

The following are ways to reduce the outcome's likelihood:

- Eliminate the hazard (e.g., remove hazard from the airport)
- Establish Controls (e.g., avoiding operations during certain conditions, developing or modify standard operating procedures, installing safety equipment)
- Provide Training (e.g., on-the-job training, recurrent training)
- Raise awareness (e.g., safety campaigns, NOTAMs, signage)

The Airside Operations Safety Team, in connection with the Risk Management Department, will ensure the Risk Assessment Matrix is periodically reviewed, including input from interfacing parties. The Matrix will be updated, as needed, to improve effectiveness.

3.6 Documentation and Record Retention

DFW Airport's SRA describes the SRM Process for a given proposed change and documents the evidence to support whether the proposed modification is acceptable. DFW Airport will utilize a standardized template to ensure consistency. The SRA will contain, at a minimum:

- Title of the SRA
- Subject and SRA Number
- Purpose Paragraph
- Attendees
- System Description
- Identified Hazard(s) or Concern(s)
- Overall Assigned Risk Level
- Action Plans
- Attached Copies of SRA Worksheets
- Signature of Creator and approving official(s)

SRM-related documents will be held as outlined in Section 1.4.

Section 4: Safety Assurance

4.1 Introduction

SRM alone does not ensure safety of the services that DFW Airport provides; equally important are the efforts performed under the umbrella of Safety Assurance (SA). SA builds on SRM efforts by collecting and assessing data to monitor compliance, assess the performance of safety measures, and identify safety trends. SA provides the means to determine whether equipment, operations, or procedures, and possible changes to them, meet or exceed acceptable safety levels.




Figure 7: Safety Assurance Process

4.2 Safety Performance Monitoring

The Airside Operations Safety Team is responsible for overseeing data collection and analysis to look for safety trends, identifying new hazards, and verifying compliance with SMS requirements. Data analysis also is used to verify performance with safety objectives.

Data is collected from the following sources:

- Airfield Self-Inspections
- Ramp Inspections
- Maintenance Activities
- Confidential Hazard Reporting System (See Say Airport)
- Notice of Violations
- Airside Safety Committee Meetings
- Airline Safety Meetings
- Runway Safety Action Team (RSAT) Meetings
- SMS Steering Committee Meetings
- Airside Incident Investigations
- Overall monitoring of operational processes
- Other means necessary to proactively look for safety issues, trends, and failures

Example: DFW Airport selects an objective related to decreased Vehicle/Pedestrian Deviations (V/PDs). Based on data collected during the performance monitoring process, the airport finds V/PDs have increased. The Airside Operations Safety Team will evaluate the incidents and look for contributing factors, root causes, and ways to meet the objective in the future.

Safety evaluations from sources are conducted monthly, quarterly, and annually. Monthly and quarterly evaluations focus on trends over time and include status updates related to SMS implementation, along with follow-up on pertinent mitigation plans. Annual evaluations verify airport-wide compliance with SMS requirements and report on safety performance as it relates to established safety objectives.

4.3 Confidential Hazard Reporting System

DFW Airport has established the See Say Airport reporting platform (see Appendix 5), which consists of a reporting mechanism through a public facing website and mobile app. Reports tagged as “Airside Safety / SMS Hazard” are automatically emailed to the Airside Operations Safety Team for review and initial SRM evaluation. The system contains an acknowledgement to the event being reported, and if possible, feedback to the user

regarding potential follow-up. Additionally, the See Say Airport system allows for anonymity, if the submitter prefers this option.

All airport users are encouraged to utilize the See Say Airport reporting platform, especially for “Airside Safety / SMS Hazard” items to help identify hazards and uncover deficiencies, as well as possible solutions and improvements. Data obtained from this system is monitored to identify hazards and assess performance of risk controls in the operating systems.

The data will be analyzed to identify root causes of non-conformity and evaluate where improvements can be made. Preliminary root cause may require collaboration with technical personnel to ensure system modifications will be worthwhile. It should also include all relevant areas, including senior management, policies, procedures, and communication.

4.4 Reporting Safety Information

The Airside Operations Safety Team reports safety information to the SMS Steering Committee. The Airside Operations Safety Team also meets regularly with airport employees and airport stakeholders at scheduled Airside Safety Committee meetings and Airline Meetings.

The Airside Operations Safety Team reports the following to the Airside Safety Committee:

- SMS Safety Objective status updates
- Pertinent safety-related data
- Other information pertinent to SMS (Airside Safety Summit, FOD Walks, stakeholder information, construction impacts, etc.)

The Airside Operations Safety Team reports to the SMS Steering Committee, the following:

- Hazard reports received with summary description of new reports
- Safety Objective status
- Summary and examples of safety-related communications
- Summary of current projects, open investigations, and/or other responsibilities assigned to the Airside Operations Safety Team

Section 5: Safety Promotion

5.1 Introduction

Safety Promotion is the fourth and final component designed to provide the foundation for DFW Airport's SMS Program. This section provides an overview of how DFW Airport accomplishes Safety Promotion through fostering a positive safety culture, providing necessary and pertinent training, and communicating safety-related activities and objectives throughout the airside community. An ever-improving positive safety culture can be seen through ongoing policy and procedure adjustments, comprehensive training initiatives, analyzing trend analysis, and bolstering transparent communication.

The effectiveness of SMS development centers on successful implementation. DFW Airport is dedicated to safety through active solicitation and input from all stakeholders while striving to continually improve and adjust our program to address specific requirements of our airside community. DFW Airport's commitment to safety and positive safety culture are rooted in fairness and equity. Safety Promotion is a concerted effort involving all stakeholders. As such, educating and empowering our community is imperative. DFW Airport leadership is committed to recognizing and rewarding employees for their dedication and contributions to a safe and secure community.

5.2 Training and Responsibilities

A properly coordinated training program connects an organization's safety policy to safety practices. DFW Airport's SMS training program will promote our safety policy and principles to all levels of employees operating and working within the areas identified in Section 1.2.

The RE will ensure that each DFW Airport employee receives initial and recurrent training in SMS principles and risk management processes appropriate for that person's role within the SMS program. The training is designed to ensure that each person understands their individual SMS responsibilities and is knowledgeable to carry out those responsibilities. Ultimately, the SMS training ensures that employees are trained and competent to perform appropriate SMS duties. These training programs shall be reviewed and updated, as necessary, every twenty-four (24) consecutive calendar months.

TRAINING PROGRAMS

DFW Airport Senior Leadership Training

To demonstrate DFW Airport's continued commitment to safety, all members of the Senior Leadership Staff (AVPs and above) will receive SMS training. This training will address, at a high level: (a) their responsibilities as they pertain to the promotion and understanding of the SMS program, including the SRM process and triggering events that initiate the SRM process, (b) types and examples of airside-related safety reports (c) where leaders can find current safety goals & objectives. Senior leadership training will occur, at minimum, every twenty-four (24) consecutive calendar months.

DFW Supervisor and Manager-Level Training

Managers and Supervisors listed in Figure 2 of Section 2.4 will receive more in-depth SMS training. This training will address: (a) roles and responsibilities pertaining to their leadership role, (b) review of current SMS goals and objectives, (c) hazard analysis and the 5-step SRM process, (d) how to initiate the SRM process with the Airside Operations Safety Team, and (e) additional contacts and resources. Manager and supervisory-level training will occur during their new-hire process and, at minimum, every twenty-four (24) consecutive calendar months.

DFW SMS Awareness Training

During initial and badge renewal, all DFW Airport employees and stakeholders possessing a SIDA badge with access to the AOA will receive SMS Awareness training on the following areas: (a) DFW Airport's Safety Policy and *Safety-First Commitment*, (b) hazard and risk definitions and identification, (c) safety incident and hazard reporting procedures and options, and (d) the Airside Safety Handbook.

Safety Risk Assessment (SRA) Panel Training

Prior to a formal SRA, the Airside Operations Safety Manager or their designee will provide SRA Panel training on the following areas: (a) roles & responsibilities for all parties on the Panel, (b) pertinent definitions, and (c) usage of DFW Airport's Risk Matrix and scoring process. This training will be completed prior to an SRA panel and documented through the panel attendance log.

Training records as outlined above will be made available to the AE / RE and the FAA, upon request.

5.3 SMS Communications Plan

SMS communication will be disseminated through all levels of the organization. The AE and RE will reinforce the importance of SMS through their day-to-day work and provide constructive feedback, as needed, regarding the overall communications plan for the SMS program to the Airside Operations Safety Manager. As discussed in Section 2.8, airside safety and SMS-related committees are organized, and promotional events scheduled to promote the SMS program. The Airside Operations Safety Manager is responsible for implementing training, planning Committee meetings, and organizing promotional events.

Communication to DFW Airport Board employees and stakeholders may pertain to, but is not limited to:

- Current events.
- Incident summary and root cause review related to recent events or negative trends.
- Expectations of employees and stakeholders.
- Status of DFW Airport's SMS Program.
- Reported hazards and their status.
- Modifications to the SMS Program, including changes to SMS goals and objectives.

The following is a list of communication mediums that may be utilized, but is not an exhaustive list:

- E-mail.
- Airside Safety bulletins (distributed as needed to target audience).
- Airside Safety Newsletter.
- DFW intranet articles.
- Scheduled Airside Safety Committee and SMS Steering Committee meetings.
- Airline Station Manager Meetings (Airside Operations Safety Team acts as liaison from DFW).
- SRA Panels.
- Airside Safety website.
- Promotional events, including the Airfield Safety Summit.
- Stakeholder-specific new-hire orientation classes (as invited).

5.4 Safety Recognition Program

The DFW *Airside Safety Champion* program aims to highlight exemplary actions and initiatives that were taken in support of the SMS program to positively contribute to the overall safety culture at DFW Airport. This program encourages all personnel at DFW Airport to use the See Say Airport safety reporting system, and to communicate general information and safety concerns with DFW Airport. This program is highlighted in each Airside Safety Committee and is included in Safety Newsletters.

Additionally, DFW Airport hosts the *Airfield Safety Summit*, designed to bring key stakeholders together to review, discuss, assess, and improve safety measures within the airside community. The Summit includes presentations, case studies, and open discussion to encourage collaboration and continuous improvement for the airside community. As part of the Summit, stakeholders may submit nominations to be considered for the Airside Safety Award, where Airside Safety Champions are recognized for their accomplishments.

5.5 Internal SMS Partnerships

The DFW Airport SMS program serves as the primary governing program ensuring comprehensive airside safety standards at DFW Airport. However, the DFW Airport SMS program coordinates with additional internal programs, as outlined below in a non-exhaustive list:

PROGRAM	RESOURCE(S)
Winter Weather	ACM Section 313: Snow & Ice Control Plan Aircraft Deice Operations Plan Airport Emergency Plan
Wildlife Hazard Management	ACM Section 337: Wildlife Hazard Management

Appendix Log

Appendix 1: Definitions and Acronyms

Accountable Executive (AE): An individual designated by DFW to act on its behalf for the implementation and maintenance of DFW's SMS Program. This is the CEO or their designee.

Accident: An unplanned event or series of events that results in death, injury, or damage to, or loss of, equipment or property.

Airport Safety Management System (SMS): An integrated collection of processes and procedures that ensures a formalized and proactive approach to system safety through risk management.

Analysis: Resolution or breaking up of something complex into its various simple elements; the exact determination of the elements or components of something complex.

Assessment: A process of measuring or judging the value or level of something.

Best Practice: A practice in use by other organizations that result in higher safety standards than what is required by regulation.

Cause: The origin of a hazard.

Control: Anything that mitigates the risk of a hazard's effect. Same as a safety requirement. All controls should be written in requirements language. There are three types of controls:

- **Validated:** Unambiguous, correct, complete, and verifiable.
- **Verified:** Objectively determined to meet the design solution.
- **Recommended:** Have the potential to mitigate a hazard or risk but are not yet validated as part of the system or its requirements.

Corrective Action: An action to eliminate the cause of a detected non-conformity or other undesirable condition to prevent its reoccurrence.

Data: Facts, especially numerical facts, collected for reference or information.

Effect: The real or credible harmful outcomes that have occurred or can be expected if the hazard occurs in the defined system.

Employees: Referring to DFW Board employees

Executive Management: The office of the CEO and Executive Vice-President team.

Original Date: 03/20/2025

Revision Date: 03/20/2025

Page | 37

Feedback: Transfer of information about the result of an experiment, performance, activity, etc. back to the input or responsible party.

Frequent: Likely to occur often unless action is taken to change events.

Hazard: A condition that could foreseeably cause or contribute to: (1) injury, illness, death, damage to or loss of system, equipment, or property, or (2) an aircraft accident as defined in 49 CFR 830.2.

Hazard Assessment: A systematic, comprehensive evaluation of a change, operation, system, or safety issue.

Implementation Plan: A plan outlining the means of accomplishing Preventative Action.

Incident: An occurrence other than an accident, which affects or could affect the safety of airport operations.

Initial Risk: The predicated severity and likelihood of a hazards effect or outcomes when it is first identified and assessed; includes the effects for a given system. It describes the risk before any potential mitigation(s) are implemented.

Likelihood: The estimated probability or frequency, in quantitative or qualitative terms, of a hazard's effect or outcome.

Metrics: A specific method to measure the results of the surveillance implemented for a specific area or issue based on a customized plan.

Mitigation: A means to reduce the risk of a hazard.

Mitigation Strategy: Actions designed to reduce or manage the risk associated with current processes and procedures or procedural modifications thereof.

Monitor: Observe, supervise, and keep under review. Measure or test at intervals, especially for the purpose of regulation or control.

Movement Area: Runways, taxiways, and other areas of an airport that are used for taxiing, takeoff, and landing of aircraft, exclusive of loading ramps and aircraft parking areas.

Non-Compliance: Violation of a regulatory requirement.

Non-Movement Area: The area, other than that described as the Movement Area, used for the loading, unloading, parking, and movement of aircraft on the airside of the airport (including ramps, apron areas, and on-airport fuel farms).

Objective: Something to be achieved or attempted to achieve: an aim, goal, or target.

Policy: Course of action or principal adopted or proposed by a governmental, party, individual, etc. Any course of action adopted as advantageous or expedient.

Procedure: Specified way to carry out an activity or a process.

Process: Set of interrelated and interacting activities which transforms inputs into outputs.

Residual Risk: The remaining predicted severity and likelihood that exist after all selected risk control techniques have been implemented.

Responsible Executive (RE): The EVP-Operations.

Risk: The composite of predicted severity and likelihood of the potential effect of a hazard.

Risk Acceptance: The confirmation by the appropriate management official that he or she understands the safety risk associated with the modification or procedure and that he or she accepts that safety risk. Risk acceptance requires that signatures have been obtained for the safety requirements identified and that a comprehensive monitoring plan has been developed and will be followed to verify the predicted residual risk.

Risk Analysis / Assessment: The process whereby a hazard is characterized for its likelihood and the severity of its effect or harm. Risk analysis / assessment can be either quantitative or qualitative analysis; however, the inability to quantify or the lack of historical data on a particular hazard does not preclude the need for analysis.

Risk Indicator: A grouping of safety and/or performance-related data that reflects an area of potential risk, which is expected to have sufficient data or justification to calculate a representative value for a particular airport system, subsystem or element.

Risk Management: An interactive management activity dedicated to assuring the risk is identified, documented, eliminated, or controlled within defined program risk parameters.

Risk Mitigation: Any action taken to reduce the risk of a hazard's effect.

Root Cause: The fundamental reason which, if corrected, will prevent reoccurrence of a discrepancy and similar occurrences throughout the organization. The main cause of the non-conformance.

Safety: The condition of being safe from undergoing or causing hurt, injury, or loss.

Safety Assurance (SA): Process within SMS that functions systematically to ensure that performance and effectiveness of risk controls or mitigations and that the organization meets or exceeds its safety objectives through the collection, analysis, and assessment of information.

Safety Culture: The way safety is perceived and valued in an organization. It represents the priority given to safety at all levels in the organization and reflects the real commitment to safety.

Safety Performance Indicators: Metrics identified to determine how risk mitigations are performing.

Safety Issue: A concern of a condition that has an undesirable safety effect or outcome that may not rise to the level of a Hazard.

Safety Objectives: A measurable goal or desirable outcome related to safety.

Safety Policy: The documented commitment to safety, which defines its safety objectives and the accountabilities and responsibilities of its employees regarding safety.

Safety Promotion: The combination of training and communication of safety information to support the implementation and operation of an SMS.

Safety Requirements: Controls that have the potential to mitigate a cause of a hazard or the hazard's associated risk but have not been verified as part of the system or its requirements.

Safety Risk Management (SRM): A process within the SMS composed of describing the system, identifying the hazards, and analyzing, assessing, and controlling or mitigating risk.

Severity: The consequence or impact of a hazard's effect or outcome in terms of degree of loss or harm. Severity is determined by the worst credible outcome.

Stakeholder: A group or individual that is affected by or is in some way accountable for the outcome of an undertaking; an interested party having a right, share, or claim in a product or service, or in its success in possessing qualities that meet that party's needs and/or expectations.

System: An integrated set of constituent elements that are combined in an operational or support environment to meet a defined objective. These elements include people, hardware, software, firmware, information, procedures, facilities, services, and other support services.

System State: An expression of the various conditions, characterized by quantities or qualities, in which a system can exist.

Validation: The process of proving the functions, procedures, controls, and safety standards are correct and the right system is being built (that is, the requirements are unambiguous, correct, complete, and verifiable).

Worst Credible Effect: The most unfavorable, yet believable and possible, condition given the system

Appendix 2: Safety-First Commitment**DFW's Safety-First Commitment**

At DFW Airport, safety and security are the most critical priorities. We aim to be an industry leader in safety, benefiting our employees, business partners and customers. Everyone in the airport community shares this responsibility.

Working Together for Safety

DFW is dedicated to:

- Building strong relationships with employees, airlines, ground handlers, and contractors
- Providing the resources needed for our employees and partners to identify and mitigate hazards
- Continuously improving safety throughout the airport
- Empowering employees to report safety concerns without fear of retaliation

Our Safety Management System

DFW is committed to implementing and maintaining a comprehensive Safety Management System (SMS) to:

- Develop safety policies, procedures, and practices
- Identify hazards
- Promote a positive safety culture
- Provide employees with the tools to operate safely

The goal is to prevent accidents, injuries, and unexpected losses.

Our Safety Promise

Everyone, from executives to frontline staff, is responsible for ensuring a safe work environment. By empowering our employees and partners to report, address, and prevent potential hazards, we create a culture of safety excellence and personal collective responsibility.

Together, we will keep DFW safe and secure.

A handwritten signature in black ink, appearing to read 'Sean Donohue'.

Sean Donohue
Chief Executive Officer
DFW International Airport

Appendix 3: Current Safety Goals & Objectives**Safety Goal 1:** Develop a hazard reporting culture.

- Collaborate with IOC and eLerts to update and enhance See Say Airport to include specific option for *Airside Safety / SMS Hazard* reporting
- Increase See Say Airport reports for *Airside Safety / SMS Hazard* by 10% through FY25
- Coordinate with IOC and eLerts to establish automated reporting of *Airside Safety / SMS Hazard* reports to Airside Operations Safety Team by 2QFY25

Safety Goal 2: Enhance safety promotion & communication throughout the airside community.

- Establish external-facing Airside Safety webpage for information sharing, education, and enhancing hazard reporting by the end of 2QFY25
- Host Airside Safety Summit in April 2025
- Establish quarterly safety newsletter for electronic dissemination by 3QFY25
- Establish Airside Safety Champion initiative

Safety Goal 3: Enhance SRM components within the SMS Program.

- Build Safety Risk Assessment (SRA) request form in Veoci by 2QFY25
- Establish SRA request form within the Design Phase checklist in collaboration with Planning and DCC by 3QFY25
- Educate Airside Safety Committee, Planning, and DCC Project Management regarding the SRA request process by 4QFY25

Safety Goal 4: Successfully implement DFW's SMS program by March 2027.

- Submit SMS Manual for FAA review and acceptance by March 31, 2025
- Design SMS training curriculum by the end of FY25
- Implement SMS training curriculum by 2QFY26 through SSi (Access DFW) and LearningHub and/or Workday

Appendix 4: Blank Risk Analysis & Assessment Form

Risk Analysis & Assessment

Hazard #/Functional Area	Hazard	Existing Controls	Supporting Data	
Consequences	Likelihood	Severity	Initial Risk	
Additional Mitigations	Responsible Party	Deadline	Residual Risk	Other Actions

Original Date: 03/20/2025**Revision Date: 03/20/2025****Page | 44**

Appendix 5: Hazard Reporting Form (See Say Airport)

[Cancel](#)[Report a Problem](#)



Add Photos

Camera flash is off

What is this report about? Please enter some details. If you are on a plane, provide the flight #

 Airside Safety / SMS Hazard >

 Select Report Location >

 Anonymous ☐

[Send Report](#)