

Experiment No 3

Name : Sanket Korde

Roll No : 12

Div : SE2

Program :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Colorful To-Do List</title>
  <style>
    body {
      font-family: "Poppins", Arial, sans-serif;
      background: linear-gradient(135deg, #667eea, #764ba2);
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      margin: 0;
    }

    .todo-container {
```

```
background: white;

width: 360px;

padding: 25px;

border-radius: 15px;

box-shadow: 0 15px 30px rgba(0,0,0,0.2);

animation: pop 0.4s ease;

}
```

```
@keyframes pop {

  from { transform: scale(0.9); opacity: 0; }

  to { transform: scale(1); opacity: 1; }

}
```

```
h2 {

  text-align: center;

  background: linear-gradient(90deg, #ff6a00, #ee0979);

  -webkit-background-clip: text;

  -webkit-text-fill-color: transparent;

  margin-bottom: 20px;

}
```

```
.input-area {

  display: flex;

  gap: 8px;

}
```

```
input {  
  flex: 1;  
  padding: 10px;  
  border-radius: 8px;  
  border: 2px solid #ddd;  
  outline: none;  
  transition: border 0.3s;  
}
```

```
input:focus {  
  border-color: #764ba2;  
}
```

```
.add-btn {  
  background: linear-gradient(135deg, #43cea2, #185a9d);  
  color: white;  
  border: none;  
  border-radius: 8px;  
  padding: 10px 15px;  
  cursor: pointer;  
  font-weight: bold;  
}
```

```
ul {  
  list-style: none;  
  padding: 0;
```

```
margin-top: 20px;  
}
```

```
li {  
  background: linear-gradient(135deg, #fdfbfb, #ebedee);  
  padding: 12px;  
  margin-bottom: 10px;  
  border-radius: 10px;  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  transition: all 0.3s ease;  
  cursor: pointer;  
}
```

```
li:hover {  
  transform: scale(1.02);  
}
```

```
li.completed {  
  background: linear-gradient(135deg, #a1ffce, #faffd1);  
  text-decoration: line-through;  
  color: #555;  
}
```

```
.delete {
```

```
background: linear-gradient(135deg, #ff416c, #ff4b2b);
border: none;
border-radius: 50%;
color: white;
width: 28px;
height: 28px;
cursor: pointer;
font-weight: bold;
}
</style>
</head>
<body>

<div class="todo-container">
  <h2>✨ My To-Do List ✨</h2>

  <div class="input-area">
    <input type="text" id="taskInput" placeholder="What needs to be done?">
    <button class="add-btn" onclick="addTask()">Add</button>
  </div>

  <ul id="taskList"></ul>
</div>

<script>
  const taskInput = document.getElementById("taskInput");
```

```
const taskList = document.getElementById("taskList");
```

```
function addTask() {
```

```
    const taskText = taskInput.value.trim();
```

```
    if (!taskText) return;
```

```
    const li = document.createElement("li");
```

```
    li.textContent = taskText;
```

```
    li.addEventListener("click", () => {
```

```
        li.classList.toggle("completed");
```

```
    });
```

```
    const deleteBtn = document.createElement("button");
```

```
    deleteBtn.textContent = "✕";
```

```
    deleteBtn.className = "delete";
```

```
    deleteBtn.addEventListener("click", (e) => {
```

```
        e.stopPropagation();
```

```
        li.remove();
```

```
    });
```

```
    li.appendChild(deleteBtn);
```

```
    taskList.appendChild(li);
```

```
    taskInput.value = "";
```

```
}
```

```
taskInput.addEventListener("keydown", (e) => {  
  if (e.key === "Enter") addTask();  
});  
</script>
```

```
</body>
```

```
</html>
```

Output :

