



Implementation of User Registration and Session-Based Login Using PHP and MySQL
Name: Sanket Korde
Roll no: 12
Div: SE2
Date of Performance:
Date of Submission:



Aim: To implement user registration and session-based login using PHP and MySQL.

Objective: To design a user registration system, store user data securely in a MySQL database, and implement session-based authentication to manage user login and access control.

Theory:

A user registration system is an essential part of web applications that allows users to create accounts and securely store their information. Using PHP, developers can design forms to collect user details such as name, email, and password, and process this data on the server side. MySQL is used as the database to store and manage user information efficiently, ensuring data is organized and easily retrievable.

To ensure security, user input is validated and sensitive information like passwords is stored in an encrypted format. Session-based authentication is implemented using PHP sessions, which allows the server to maintain user login state across multiple pages. This helps in controlling access to protected areas of the application and ensures that only authorized users can access certain features.

Implementation:

```
<?php
```

```
session_start();
```

```
// DB Connection
```

```
$conn = new mysqli("localhost", "root", "", "user_auth");
```

```
// Register
```

```
if (isset($_POST['register'])) {  
  
    $username = $_POST['username'];  
  
    $email = $_POST['email'];  
  
    $password = password_hash($_POST['password'], PASSWORD_DEFAULT);  
  
    $conn->query("INSERT INTO users (username, email, password)  
  
        VALUES ('$username', '$email', '$password')");  
  
    $msg = "Registration Successful!";  
  
}
```

// Login

```
if (isset($_POST['login'])) {  
  
    $email = $_POST['email'];  
  
    $password = $_POST['password'];  
  
    $result = $conn->query("SELECT * FROM users WHERE email='$email'");  
  
    if ($result->num_rows > 0) {  
  
        $user = $result->fetch_assoc();  
  
        if (password_verify($password, $user['password'])) {  
  
            $_SESSION['user'] = $user['username'];  
  
        } else {  
  
            $msg = "Invalid Password";  
  
        }  
  
    } else {  
  
        $msg = "User not found";  
  
    }
```

```
}  
  
}  
  
// Logout  
  
if (isset($_GET['logout'])) {  
    session_destroy();  
    header("Location: index.php");  
}  
  
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Login System</title>
```

```
<!-- Bootstrap -->
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"  
rel="stylesheet">
```

```
</head>
```

```
<body class="bg-light">
```

```
<div class="container mt-5">
```

```
<?php if (isset($_SESSION['user'])): ?>
```

```
<!-- Dashboard -->
```

```
<div class="card p-4 text-center shadow">
```

```
<h2>Welcome, <?php echo $_SESSION['user']; ?> 🖱️</h2>
```

```
<a href="?logout=true" class="btn btn-danger mt-3">Logout</a>
```

```
</div>
```

```
<?php else: ?>
```

```
<div class="row justify-content-center">
```

```
<div class="col-md-4">
```

```
<?php if (isset($msg)) echo "<div class='alert alert-info'>$msg</div>"; ?>
```

```
<!-- Tabs -->
```

```
<ul class="nav nav-tabs">
```

```
<li class="nav-item">
```

```
<button class="nav-link active" data-bs-toggle="tab" data-bs-target="#login">Login</button>
```

```
</li>
```

```
<li class="nav-item">
```

```
<button class="nav-link" data-bs-toggle="tab" data-bs-target="#register">Register</button>
```

```
</li>
```

```
</ul>
```

```
<div class="tab-content bg-white p-4 shadow">
```

<!-- Login -->

<div class="tab-pane fade show active" id="login">

<form method="POST">

<input type="email" name="email" class="form-control mb-2"
placeholder="Email" required>

<input type="password" name="password" class="form-control mb-2"
placeholder="Password" required>

<button name="login" class="btn btn-success w-100">Login</button>

</form>

</div>

<!-- Register -->

<div class="tab-pane fade" id="register">

<form method="POST">

<input type="text" name="username" class="form-control mb-2"
placeholder="Username" required>

<input type="email" name="email" class="form-control mb-2"
placeholder="Email" required>

<input type="password" name="password" class="form-control mb-2"
placeholder="Password" required>

<button name="register" class="btn btn-primary w-100">Register</button>

</form>

</div>

</div>

</div>

</div>

```
<?php endif; ?>
```

```
</div>
```

```
<!-- Bootstrap JS -->
```

```
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script  
>
```

```
</body>
```

```
</html>
```

The image displays two side-by-side panels from a web application. The left panel contains two forms: a login form with 'Email' and 'Password' fields, a green 'Login' button, and a 'Register' button; and a registration form with 'Username', 'Email', and 'Password' fields, and a blue 'Register' button. The right panel shows a confirmation message 'Registration Successful!' in a light blue box, followed by 'Welcome, John 🖐️' and a red 'Logout' button.

Conclusion:

Designing a user registration system using **PHP and MySQL** ensures that user information is collected and stored securely in a database. By applying techniques like password hashing, sensitive data is protected from unauthorized access. The implementation of

session-based authentication allows users to log in securely and maintains their session across different pages. It also helps in controlling access to protected areas of the application. Overall, this system provides a secure, efficient, and user-friendly way to manage user registration, login, and access control in web applications.