



Experiment No.8
Design and Transformation of XML Data Using DTD and XSLT
Name: Sanket Korde
Roll no: 12
Div: SE2
Date of Performance:
Date of Submission:



Vidyavardhini's College of Engineering & Technology
Department of Computer Engineering

Aim: To design and transform XML data using DTD and XSLT.

Objective: To define the structure of XML documents using DTD and apply XSLT to transform and display XML data in different formats such as HTML.

Theory:

XML (Extensible Markup Language) is used to store and transport data in a structured and flexible format. A Document Type Definition (DTD) is used to define the structure and rules of an XML document, specifying the elements, attributes, and their relationships. This ensures that the XML data follows a valid format and maintains consistency across applications.

XSLT (Extensible Stylesheet Language Transformations) is used to transform XML data into different formats such as HTML for display in web browsers. It allows developers to extract, rearrange, and format XML content according to specific requirements. By using DTD and XSLT together, XML data can be both validated and presented effectively in a readable and user-friendly format.

Implementation:

```
<?xml version="1.0"?>
```

```
<!DOCTYPE students [
```

```
<!ELEMENT students (student+)>
```

```
<!ELEMENT student (name, age, course)>
```

<!ELEMENT name (#PCDATA)>

<!ELEMENT age (#PCDATA)>

<!ELEMENT course (#PCDATA)>

]>

<?xml-stylesheet type="text/xsl"?>

<xsl:stylesheet version="1.0"

xmlns:xsl="http://www.w3.org/1999/XSL/Transform">

<xsl:template match="/">

<html>

<body>

<h2>Student List</h2>

<table border="1">

<tr>

<th>Name</th>

<th>Age</th>

<th>Course</th>

</tr>

<xsl:for-each select="students/student">

<tr>

<td><xsl:value-of select="name"/></td>

<td><xsl:value-of select="age"/></td>

<td><xsl:value-of select="course"/></td>

</tr>

</xsl:for-each>

</table>

</body>

</html>

</xsl:template>

</xsl:stylesheet>

<students>

<student>

<name>John</name>

<age>20</age>

<course>Computer Science</course>

</student>

<student>

<name>Alice</name>

<age>22</age>

<course>Information Technology</course>

</student>

</students>

Student List		
Name	Age	Course
John	20	Computer Science
Alice	22	Information Technology

Conclusion:

Defining the structure of XML documents using **DTD** ensures that the data follows a valid and consistent format. By applying **XSLT**, the XML data can be transformed into different formats such as **HTML** for better visualization and presentation. This approach improves data organization, validation, and display, making XML more useful and user-friendly in web applications.

MDC401: Introduction to Web Technologies