

HTML

• HTML extension

→ ~~HyperText~~ mark up language.

<html>

</html>

<body>

</body>

<b> → ~~Get~~ ~~Set~~ ~~Value~~ ~~String~~

<b> → <big>

↳ Bold Text, ~~Value~~ → <big>

<i> → <big>

<u> → <big>

<b><i><u> → <big><big><big>

HTML

<body> background = "red" >

<h1> heading 1 </h1>

<h2> " " </h2>

<h3> " " </h3>

<h4> " " </h4>

<h5> " " </h5>

<h6> " " </h6>

<p> → </p> → Paragraph

↳ Paragraph

<br> → New Line

<hr> → Horizontal Line

<center>

</center>

↳

center will appear in the middle

(3)

HTML

<body>

<Font size=30> Hello sonreet  
</Font>

<Font size=30 color="red" face="verdana">  
> Hello sonreet  
</Font>

(4)

&lt;html&gt;

&lt;body&gt;

&lt;a&gt; &lt;lay&gt;

↳ anchor tag

&lt;a href="lesson3.html"&gt; go to lesson 3

page &lt;lay&gt;

↳ 2047

বালিকা

মাইক্রো

pdf, word - ফাইল নথি বালি

&lt;a href="my.pdf"&gt; open pdf file

&lt;lay&gt;

↳ দেখ নথি বালি.

→ ये भी जावा के साथ होते हैं।

• HTML

<body>

<img src = "desert.jpg" >

</body>

</html>

diagram

PNP

<img src = "desert.jpg" width = 300

height = 300 >

<img alt = "image you see" >

src = "desert.jpg" width = 300 height = 300 >

~~root~~ <div href = "desert.jpg" >

</div>

task

<HTML>

<body>

<table border = 1>

<tr> row

<td> number </td>

<td> name </td>

</tr>

</table>

→ <tr> ~~td~~ ~~td~~ ~~td~~

<td> &lt;td>

<td> ~~td~~ ~~td~~ ~~td~~

<td>

<td>

<td> &lt;td>

<td> &lt;td>

<td>

→ <table border="1" bgcolor="yellow">

align="center">

→ <tr> &lt;td> &lt;td>

<td> &lt;td>

→ <table width="100%" height="100%">

align="center" style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); font-size: 2em;">important

align="center" style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); font-size: 2em;">important

→ <td> → <td>

align="center" style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); font-size: 2em;">important

bold style all table

→ <th> <font size=30> numbers </font> </th>  
 <th colspan=2> numbers </th>  
 & td rowspan=2 style="text-align: center;"><td rowspan=2 style="text-align: center;"><td colspan=2>


element

# <HTML> element <body> element  
 <body> element <form action="submit.php" method="get">  
 <form> element <input type="text" /> <br>  
 password : <input type="password" /> <br>  
 gender : <input type="radio" name="g1" /> male  
 <input type="radio" name="g1" />  
 <br> female <br>

language : <input type="checkbox" /> english  
 <input type="checkbox" /> french

address : <text area> </text area>

<input type="submit" value="register" />  
<input type="reset" />  
</form>

## video how to play

source file  
src

Data  
Page

el video push

(8) HTML

<body>

<embed src="my.mp4" width="300" height="300">

<video width="200" height="200" controls="controls">

by default

or not.

<source src="my.mp4" type="video/mp4">

) <video loop="loop" autoplay="" /> loop="2"

(9)

mp3

another extension will be coming

support by

<HTML>

<body>

<audio src="song.mp3" controls="controls">

<bgSound src="song.mp3">

</body>

) background-image: url(song.mp3);

9215 / 52P /

10

<html>

<body>

10 <sup>2</sup>

Hello <sup>2</sup> superscript 2 / 52P >

a <sup>2</sup> <sup>2</sup> + b <sup>2</sup> / 52P = c <sup>2</sup> <sup>2</sup>

L → a<sup>2</sup> + b<sup>2</sup>

109 <sup>2</sup> <sup>2</sup> 15

Special character symbols <sup>2</sup>

&copy; to company name

\* space a &nbsp; &nbsp;

Hello &nbsp; world

→ Special character

username: &nbs; <input type="text">

&lt; ; ↗ less

&gt; ; → greater sign

## Special character on HTML.

Date \_\_\_\_\_  
Page \_\_\_\_\_

&quot; → double quotation

a &lt; b >

b &gt; c < b>

&quot; Hello &quot; → single quotation

&nbsp; Hello &nbsp; <b>

→ single quotation

&reg; → company name

\* → ← ↓ ↑

a &lt;br&gt; b c &lt;br&gt; b

→ &lt;br&gt;

→ &lt;br&gt;

\* &Delta; a + &Delta; b = &Delta; c <b>

&crayon;

\* space &#160; numbers ( &#160; )

&#160; &lt; → &#160;

&gt; → &#162;

Old web browser do not support this.

## Some elements

<HTML>

<body>

<Form>

Select color <input type="color">

Select date <input type="date">

<input type="submit">

Select number <input type="number">

min=1 max=10 step=2

Enter email address <input type="email">

<br>

Enter url <input type="url">

HTTP://


coco.google.com

</form>

</body>

</HTML>

## HTML list



<html>

<body>

Department

<ul> → unorder

computer

<li> list → member of item

<li> monitor <li>

<li> keyboard <li> mode = "radio"

language

<ol> type = "A" > type = "a" > type = "i"

<li> urdu <li> english <li> english

<li> Hindi <li>

<li> English <li>

~~nesting of list~~

<ul> Java <li>

<ul>

<li> core Java <li>

<li> Android Java <li>

<121>

<eli> DIAP /1eli>

<eli> ASP.NET <1eli>

<122>

(13)

+csg

title , head , meter , meter

<html>

<head>

</head> → body

<title> Lesson </title>

1000 ≈ 15"

status  
x meters min=10" max=100" value=50"

<div><meter>

> Progress bar



rob \$ red <del> red <del> <ins> blue

60 60