

Clinical Trial Pre-Screening Report

Generated: 2026-07-31 14:45 UTC

Patient Profile

Field	Value
Patient ID	P-1842
Age	60
Gender	male
Conditions	Chronic sinusitis (disorder), Hypertension, Anemia (disorder), Diabetes, Hyperglycemia (disorder), Hypertriglyceridemia (disorder), Metabolic syndrome X (disorder), Coronary Heart Disease, Acute bronchitis (disorder), Viral sinusitis (disorder), Osteoarthritis of knee
Medications	--

Lab Results:

- hba1c: **7.0 %** (recorded 2026-04-30)
- bmi: **26.5 kg/m2** (recorded 2026-04-26)
- egfr: **91.0 mL/min/1.73m2** (recorded 2026-04-25)
- hba1c: **8.0 %** (recorded 2024-08-19)

Safety note: This report is a pre-screening aid only. It does not constitute a final eligibility decision, diagnosis, or clinical recommendation.

Executive Summary

Showing **3** top-ranked trial(s) (capped at 3).

Clinical Fit	Count
[OK] Supported	0
[NO] Not Supported	0
[?] Other	3
[R] Human Review Required	3

Trial Results

1. GLUCOSE-MGH: Genetic Links Understood Through Challenge With Oral Semaglutide Exposure at MGH

Trial ID: NCT06003153

Reason surfaced: 2/13 evaluated criteria supported; trial is actively recruiting.

Field	Status
Clinical Fit	[?] Insufficient data
Recruiting	[OPEN] Actively recruiting
Score	0.154
Human Review	[!] Required

Criterion Evaluation

Criterion	Status	Evaluator	Reasoning	Evidence
inc_0	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_1	[OK] SUPPORTED	rule_engine	Patient age 60 is within the required range 18-65.	--
inc_2	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_3	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_0	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_1	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_2	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_3	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_4	[OK] SUPPORTED	rule_engine	Patient EGFR 91.0 does not meet criterion < 60.0.	EGFR (2026-04-25)
exc_5	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_6	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_7	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_8	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Note: Some criteria requiring LLM evaluation (inc_3, exc_0, exc_1, exc_2, exc_3) could not be automatically assessed because the LLM service was unavailable. Please review these criteria manually.

Unanswered Questions / Items for Clinical Review

- Please review this criterion manually with the study team.
 - Automated evaluation unavailable -- please review manually.
-

2. Primary Care Pragmatic, Real World Experience for Automated Insulin Delivery

Trial ID: NCT07011147

Reason surfaced: 5/48 evaluated criteria supported; trial is actively recruiting.

Field	Status
Clinical Fit	[?] Insufficient data
Recruiting	[OPEN] Actively recruiting
Score	0.104
Human Review	[!] Required

Criterion Evaluation

Criterion	Status	Evaluator	Reasoning	Evidence
inc_0	[OK] SUPPORTED	rule_engine	Patient age 60 meets criterion age > 18.	--
inc_1	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_2	[R] REQUIRES CLINICAL REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)
inc_3	[R] REQUIRES CLINICAL REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)
inc_4	[R] REQUIRES CLINICAL REVIEW	rule_engine	Age criterion text 'Stable doses of glucose lowering medications over the preceding 4 weeks as determined by Investigator, including GLP-1 receptor agonists (GLP-1 RA) and GLP-1/GIP RA agents' could not be parsed automatically...	--
inc_5	[R] REQUIRES CLINICAL REVIEW	rule_engine	Age criterion text 'Stable doses of weight loss medications (including GLP-1 RA and GLP-1/GIP RA agents) over the preceding 4 weeks as determined by the investigator.' could not be parsed automatically...	--
inc_6	[R] REQUIRES CLINICAL REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)
inc_7	[R] REQUIRES CLINICAL REVIEW	rule_engine	Age criterion text 'Have a primary care clinician willing to refer them to the study, confirm their diabetes diagnosis (for example: type 1 diabetes or type 2 diabetes), and recommend and manage them...' could not be parsed automatically...	--
inc_8	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_9	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_10	[R] REQUIRES CLINICAL REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)
inc_11	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_12	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_13	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_14	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Criterion	Status	Evaluator	Reasoning	Evidence
inc_15	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_16	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_17	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_18	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_19	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_20	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_21	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_0	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_1	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_2	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)
exc_3	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)
exc_4	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)
exc_5	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)
exc_6	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_7	[OK] SUPPORTED	rule_engine	Trial recruiting status verified in the filtering stage.	--
exc_8	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)

Criterion	Status	Evaluator	Reasoning	Evidence
exc_9	[R] REQUIRE S_CLINICAL_REVIEW	rule_engine	HBA1C criterion text 'Diagnosed blood disorder or dyscrasia associated with hemolysis, including for example: sickle cell disease and thalassemia, which in the Investigator's opinion could interfer...	--
exc_10	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_11	[OK] SUPPORTED	rule_engine	Trial recruiting status verified in the filtering stage.	--
exc_12	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)
exc_13	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)
exc_14	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19)
exc_15	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_16	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_17	[OK] SUPPORTED	rule_engine	Trial recruiting status verified in the filtering stage.	--
exc_18	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_19	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_20	[OK] SUPPORTED	rule_engine	Patient EGFR 91.0 does not meet criterion < 30.0.	EGFR (2026-04-25)
exc_21	[R] REQUIRE S_CLINICAL_REVIEW	rule_engine	Age criterion text 'Any condition or circumstance that, in the opinion of the site principal investigator, could interfere with the safe or effective completion of the study or which could compromi...	--
exc_22	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_23	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_24	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Criterion	Status	Evaluator	Reasoning	Evidence
exc_25	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Note: Some criteria requiring LLM evaluation (inc_2, inc_3, inc_6, inc_10, exc_2, exc_3, exc_4, exc_5, exc_8, exc_12, exc_13, exc_14) could not be automatically assessed because the LLM service was unavailable. Please review these criteria manually.

Unanswered Questions / Items for Clinical Review

- Please review this criterion manually with the study team.
- Automated evaluation unavailable -- please review manually.
- Clinical review required -- please evaluate manually.

3. The Effects of the GOLO for Life(R) Plan With Release Supplement on Glycemic Control and Weight in Overweight and Obese Adults With Prediabetes or Type 2 Diabetes

Trial ID: NCT05844644

Reason surfaced: 4/42 evaluated criteria supported; trial is actively recruiting.

Field	Status
Clinical Fit	[?] Insufficient data
Recruiting	[OPEN] Actively recruiting
Score	0.095
Human Review	[!] Required

Criterion Evaluation

Criterion	Status	Evaluator	Reasoning	Evidence
inc_0	[OK] SUPPORTED	rule_engine	Patient age 60 is within the required range 18-75.	--
inc_1	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_2	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_3	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_4	[OK] SUPPORTED	rule_engine	Trial recruiting status verified in the filtering stage.	--
inc_5	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_6	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_7	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_8	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_9	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_10	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_11	[OK] SUPPORTED	rule_engine	Patient HBA1C 7.0 meets criterion < 9.0.	HBA1C (2026-04-30)
inc_12	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_13	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_14	[R] REQUIRES CLINICAL REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
inc_15	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_16	[R] REQUIRES CLINICAL REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Criterion	Status	Evaluator	Reasoning	Evidence
exc_0	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_1	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_2	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_3	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_4	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_5	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_6	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_7	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_8	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_9	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_10	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_11	[R] REQUIRE S_CLINICAL_REVIEW	rule_engine	EGFR criterion text 'Current unstable diagnosis with kidney and/or liver diseases as assessed by the QI on a case-by-case basis, with the exception of history of kidney stones in participants who a...	--
exc_12	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_13	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_14	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_15	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion

Criterion	Status	Evaluator	Reasoning	Evidence
exc_16	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_17	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_18	[OK] SUPPORTED	rule_engine	Patient age 60 meets criterion age > 2.	--
exc_19	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion
exc_20	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_21	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_22	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_23	[R] REQUIRE S_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_24	[R] REQUIRE S_CLINICAL_REVIEW	llm_engine_error	LLM service unavailable -- manual review required.	Demographics; Conditions; hba1c (2026-04-30); bmi (2026-04-26); egfr (2026-04-25); hba1c (2024-08-19); Exclusion

Note: Some criteria requiring LLM evaluation (inc_14, exc_2, exc_3, exc_8, exc_9, exc_12, exc_14, exc_15, exc_19, exc_24) could not be automatically assessed because the LLM service was unavailable. Please review these criteria manually.

Unanswered Questions / Items for Clinical Review

- Please review this criterion manually with the study team.
- Automated evaluation unavailable -- please review manually.
- Clinical review required -- please evaluate manually.

Appendix -- Trials Excluded Before Evaluation

These trials were removed by deterministic filters:

Trial ID	Reason
NCT03301792	Status: ACTIVE_NOT_RECRUITING
NCT04892199	Status: ACTIVE_NOT_RECRUITING
NCT05066542	Status: ACTIVE_NOT_RECRUITING
NCT05181449	Status: ACTIVE_NOT_RECRUITING
NCT05766488	Status: ENROLLING_BY_INVITATION
NCT06094491	Status: ACTIVE_NOT_RECRUITING
NCT06254274	Status: ACTIVE_NOT_RECRUITING
NCT06649344	Status: ACTIVE_NOT_RECRUITING
NCT06682351	Status: NOT_YET_RECRUITING
NCT06760715	Status: NOT_YET_RECRUITING
NCT06770829	Status: NOT_YET_RECRUITING
NCT06775600	Status: NOT_YET_RECRUITING
NCT06973954	Status: ACTIVE_NOT_RECRUITING
NCT07005986	Age 60 outside criterion range
NCT07047248	Status: NOT_YET_RECRUITING
NCT07215533	Age 60 outside criterion range
NCT07220759	Status: ACTIVE_NOT_RECRUITING
NCT07278531	Status: NOT_YET_RECRUITING
NCT07468188	Age 60 outside criterion range
NCT07509502	Status: NOT_YET_RECRUITING
NCT07510386	Status: NOT_YET_RECRUITING
NCT07628985	Status: NOT_YET_RECRUITING
NCT07702097	Status: NOT_YET_RECRUITING

Pre-screening report generated by the Clinical Trial Pre-Screening Assistant. This report is intended to support -- not replace -- clinical judgement. All recommendations must be verified by a qualified healthcare professional before any action is taken.