

Clinical Trial Pre-Screening Report

Generated: 2026-07-31 14:37 UTC

Patient Profile

Field	Value
Patient ID	P - 3916
Age	72
Gender	female
Conditions	Miscarriage in first trimester, Anemia (disorder), Prediabetes, Diabetes, Hypertriglyceridemia (disorder), Metabolic syndrome X (disorder), Diabetic retinopathy associated with type II diabetes mellitus (disorder), Neuropathy due to type 2 diabetes mellitus (disorder), Nonproliferative diabetic retinopathy due to type 2 diabetes mellitus (disorder), Hyperglycemia (disorder), Malignant neoplasm of [...]
Medications	Empagliflozin 10 MG Oral Tablet

Lab Results:

- hba1c: **8.1 %** (recorded 2026-04-23)
- egfr: **63.0 mL/min/1.73m2** (recorded 2026-04-18)
- bmi: **31.1 kg/m2** (recorded 2026-04-16)
- hba1c: **8.5 %** (recorded 2024-10-27)

Safety note: This report is a pre-screening aid only. It does not constitute a final eligibility decision, diagnosis, or clinical recommendation.

Executive Summary

Showing **3** top-ranked trial(s) (capped at 3).

Clinical Fit	Count
[OK] Supported	0
[NO] Not Supported	0
[?] Other	3
[R] Human Review Required	3

Trial Results

1. Primary Care Pragmatic, Real World Experience for Automated Insulin Delivery

Trial ID: NCT07011147

Reason surfaced: 5/48 evaluated criteria supported; trial is actively recruiting.

Field	Status
Clinical Fit	[?] Insufficient data
Recruiting	[OPEN] Actively recruiting
Score	0.104
Human Review	[!] Required

Criterion Evaluation

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
inc_0	[OK] SUPPORTED	rule_engine	Patient age 72 meets criterion age > 18.	--
inc_1	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_2	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: 1 validation error for ChatXAI	

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]

For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications; lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results [254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a] (2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]

For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications; lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results [254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a] (2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

inc_4	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	Age criterion text 'Stable doses of glucose lowering medications over the preceding 4 weeks as determined by Investigator, including GLP-1 receptor agonists (GLP-1 RA) and GLP-1/GIP RA agents' could not be parsed automatically.	--
inc_5	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	Age criterion text 'Stable doses of weight loss medications (including GLP-1 RA and GLP-1/GIP RA agents) over the preceding 4 weeks as determined by the investigator.' could not be parsed automatically.	--
inc_6	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: 1 validation error for ChatXAI	

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]

For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications; lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results [254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a] (2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

inc_7	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	Age criterion text 'Have a primary care clinician willing to refer them to the study, confirm their diabetes diagnosis (for example: type 1 diabetes or type 2 diabetes), and recommend and manage the iLet for the duration of the study' could not be parsed automatically.	--
inc_8	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_9	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_10	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: 1 validation error for ChatXAI	

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]

For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications; lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results [254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a] (2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications; lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results [254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a] (2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

exc_6	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_7	[OK] SUPPORTED	rule_engine	Trial recruiting status verified in the filtering stage.	--
exc_8	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: 1 validation error for ChatXAI	

For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications; lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results [254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a] (2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

exc_15	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_16	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_17	[OK] SUPPORTED	rule_engine	Trial recruiting status verified in the filtering stage.	--
exc_18	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_19	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_20	[OK] SUPPORTED	rule_engine	Patient EGFR 63.0 does not meet criterion < 30.0.	lab_results [254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18)
exc_21	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	Age criterion text 'Any condition or circumstance that, in the opinion of the site principal investigator, could interfere with the safe or effective completion of the study or which could compromise the results of the study c. Conditions to be considered by the investigator may include, but are not limited to, the following: i. Active clinical diagnosis of substance use disorder ii. Chronic use of [...]	--
exc_22	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_23	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_24	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_25	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Unanswered Questions / Items for Clinical Review

- Please review this criterion manually with the study team.
 - Automated evaluation unavailable -- please review manually.
 - Clinical review required -- please evaluate manually.
-

2. The Effects of the GOLO for Life(R) Plan With Release Supplement on Glycemic Control and Weight in Overweight and Obese Adults With Prediabetes or Type 2 Diabetes

Trial ID: NCT05844644

Reason surfaced: 4/42 evaluated criteria supported; trial is actively recruiting.

Field	Status
Clinical Fit	[?] Insufficient data
Recruiting	[OPEN] Actively recruiting
Score	0 . 095
Human Review	[!] Required

Criterion Evaluation

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
inc_0	[OK] SUPPORTED	rule_engine	Patient age 72 is within the required range 18-75.	--
inc_1	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_2	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_3	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_4	[OK] SUPPORTED	rule_engine	Trial recruiting status verified in the filtering stage.	--
inc_5	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_6	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_7	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_8	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_9	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_10	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_11	[OK] SUPPORTED	rule_engine	Patient HBA1C 8.1 meets criterion < 9.0.	lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23)
inc_12	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_13	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_14	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: 1 validation error for ChatXAI	

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]

For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions;

conditions; conditions; conditions; conditions; conditions; conditions; medications;
lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results
[254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a]
(2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

inc_15	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_16	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_0	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_1	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_2	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: 1 validation error for ChatXAI	

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]
For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications;
lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results
[254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a]
(2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]
For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications;
lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results
[254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a]
(2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

conditions; conditions; conditions; conditions; conditions; conditions; medications;
lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results
[254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a]
(2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

exc_13	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_14	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: 1 validation error for ChatXAI	

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]
For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications;
lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results
[254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a]
(2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]
For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications;
lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results
[254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a]
(2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

exc_16	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_17	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_18	[OK] SUPPORTED	rule_engine	Patient age 72 meets criterion age > 2.	--
exc_19	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: 1 validation error for ChatXAI	

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]
For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications;
lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results
[254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a]
(2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

conditions; conditions; conditions; conditions; conditions; conditions; medications;
lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results
[254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a]
(2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

inc_1	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	Age criterion text 'Age: 18 years or above.' could not be parsed automatically.	--
inc_2	[OK] SUPPORTED	rule_engine	Patient HBA1C 8.1 is within range 7.5-9.0.	lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23)
inc_3	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: 1 validation error for ChatXAI	

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]
For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications;
lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results
[254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a]
(2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

inc_4	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_5	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_6	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_7	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_8	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_0	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: 1 validation error for ChatXAI	

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]
For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions;
conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications;
lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results
[254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a]
(2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

exc_1	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	Age criterion text 'Age: Under 18 years old.' could not be parsed automatically.	--
exc_2	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_3	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: 1 validation error for ChatXAI	

Value error, xAI API key is not set. Please set it in the xai_api_key field or in the XAI_API_KEY environment variable. [type=value_error, input_value={'model': 'grok-3-mini', ...0.0, 'model_kwargs': {}}, input_type=dict]

For further information visit https://errors.pydantic.dev/2.13/v/value_error | demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; medications; lab_results [3ae1e046-aabd-5e90-bb77-1b1dbdc58e7b] (2026-04-23); lab_results [254ab5bc-8607-5f92-92c2-2399d452b95a] (2026-04-18); lab_results [28026dc6-2889-5351-9d58-013ff843ec5a] (2026-04-16); lab_results [c2f54b87-a0cb-5da6-81d1-8208826a70ad] (2024-10-27) |

exc_4	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_5	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Unanswered Questions / Items for Clinical Review

- Automated evaluation unavailable -- please review manually.
- Clinical review required -- please evaluate manually.
- Please review this criterion manually with the study team.

Appendix -- Trials Excluded Before Evaluation

These trials were removed by deterministic filters:

Trial ID	Reason
NCT03301792	Status: ACTIVE_NOT_RECRUITING
NCT04892199	Status: ACTIVE_NOT_RECRUITING
NCT05066542	Status: ACTIVE_NOT_RECRUITING
NCT05168605	Age 72 outside criterion range
NCT05181449	Status: ACTIVE_NOT_RECRUITING
NCT05766488	Status: ENROLLING_BY_INVITATION
NCT06003153	Age 72 outside criterion range
NCT06094491	Status: ACTIVE_NOT_RECRUITING
NCT06254274	Status: ACTIVE_NOT_RECRUITING
NCT06649344	Status: ACTIVE_NOT_RECRUITING
NCT06682351	Status: NOT_YET_RECRUITING
NCT06760715	Status: NOT_YET_RECRUITING
NCT06770829	Status: NOT_YET_RECRUITING
NCT06775600	Status: NOT_YET_RECRUITING
NCT06973954	Status: ACTIVE_NOT_RECRUITING
NCT07005986	Age 72 outside criterion range
NCT07047248	Status: NOT_YET_RECRUITING
NCT07215533	Age 72 outside criterion range
NCT07220759	Status: ACTIVE_NOT_RECRUITING
NCT07278531	Status: NOT_YET_RECRUITING
NCT07399678	Age 72 outside criterion range
NCT07468188	Age 72 outside criterion range
NCT07509502	Status: NOT_YET_RECRUITING
NCT07510386	Status: NOT_YET_RECRUITING
NCT07628985	Status: NOT_YET_RECRUITING
NCT07702097	Status: NOT_YET_RECRUITING

Pre-screening report generated by the Clinical Trial Pre-Screening Assistant. This report is intended to support -- not replace -- clinical judgement. All recommendations must be verified by a qualified healthcare professional before any action is taken.