

Clinical Trial Pre-Screening Report

Generated: 2026-07-29 17:13 UTC

Patient Profile

Field	Value
Patient ID	P - 1842
Age	60
Gender	male
Conditions	Chronic sinusitis (disorder), Hypertension, Anemia (disorder), Diabetes, Hyperglycemia (disorder), Hypertriglyceridemia (disorder), Metabolic syndrome X (disorder), Coronary Heart Disease, Acute bronchitis (disorder), Viral sinusitis (disorder), Osteoarthritis of knee
Medications	--

Lab Results:

- hba1c: **7.0 %** (recorded 2026-04-30)
- bmi: **26.5 kg/m2** (recorded 2026-04-26)
- egfr: **91.0 mL/min/1.73m2** (recorded 2026-04-25)
- hba1c: **8.0 %** (recorded 2024-08-19)

Safety note: This report is a pre-screening aid only. It does not constitute a final eligibility decision, diagnosis, or clinical recommendation.

Executive Summary

Showing **3** top-ranked trial(s) (capped at 3).

Clinical Fit	Count
[OK] Supported	0
[NO] Not Supported	0
[?] Other	3
[R] Human Review Required	3

Trial Results

1. GLUCOSE-MGH: Genetic Links Understood Through Challenge With Oral Semaglutide Exposure at MGH

Trial ID: NCT06003153

Reason surfaced: 2/13 evaluated criteria supported; trial is actively recruiting.

Field	Status
Clinical Fit	[?] Insufficient data
Recruiting	[OPEN] Actively recruiting
Score	0 . 154
Human Review	[!] Required

Criterion Evaluation

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
inc_0	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_1	[OK] SUPPORTED	rule_engine	Patient age 60 is within the required range 18-65.	--
inc_2	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_3	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion
exc_0	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_1	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion
exc_2	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_3	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion
exc_4	[OK] SUPPORTED	rule_engine	Patient EGFR 91.0 does not meet criterion < 60.0.	lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25)
exc_5	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_6	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_7	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_8	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Unanswered Questions / Items for Clinical Review

- Please review this criterion manually with the study team.
- Automated evaluation unavailable -- please review manually.

2. Primary Care Pragmatic, Real World Experience for Automated Insulin Delivery

Trial ID: NCT07011147

Reason surfaced: 5/48 evaluated criteria supported; trial is actively recruiting.

Field	Status
Clinical Fit	[?] Insufficient data
Recruiting	[OPEN] Actively recruiting
Score	0.104
Human Review	[!] Required

Criterion Evaluation

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
inc_0	[OK] SUPPORTED	rule_engine	Patient age 60 meets criterion age > 18.	--
inc_1	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_2	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion
inc_3	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion
inc_4	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	Age criterion text 'Stable doses of glucose lowering medications over the preceding 4 weeks as determined by Investigator, including GLP-1 receptor agonists (GLP-1 RA) and GLP-1/GIP RA agents' could not be parsed automatically.	--

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
inc_5	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	Age criterion text 'Stable doses of weight loss medications (including GLP-1 RA and GLP-1/GIP RA agents) over the preceding 4 weeks as determined by the investigator.' could not be parsed automatically.	--
inc_6	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion
inc_7	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	Age criterion text 'Have a primary care clinician willing to refer them to the study, confirm their diabetes diagnosis (for example: type 1 diabetes or type 2 diabetes), and recommend and manage the iLet for the duration of the study' could not be parsed automatically.	--
inc_8	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_9	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
inc_10	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion
inc_11	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_12	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_13	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_14	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_15	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_16	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_17	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_18	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_19	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
inc_20	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_21	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_0	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_1	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_2	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion
exc_3	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_4	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion
exc_5	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion
exc_6	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_7	[OK] SUPPORTED	rule_engine	Trial recruiting status verified in the filtering stage.	--

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_8	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion
exc_9	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	HbA1C criterion text 'Diagnosed blood disorder or dyscrasia associated with hemolysis, including for example: sickle cell disease and thalassemia, which in the Investigator's opinion could interfere with HbA1c accuracy' could not be parsed.	--
exc_10	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_11	[OK] SUPPORTED	rule_engine	Trial recruiting status verified in the filtering stage.	--
exc_12	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_13	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion
exc_14	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); inclusion; exclusion
exc_15	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_16	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_17	[OK] SUPPORTED	rule_engine	Trial recruiting status verified in the filtering stage.	--
exc_18	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_19	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_20	[OK] SUPPORTED	rule_engine	Patient EGFR 91.0 does not meet criterion < 30.0.	lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25)

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_21	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	Age criterion text 'Any condition or circumstance that, in the opinion of the site principal investigator, could interfere with the safe or effective completion of the study or which could compromise the results of the study c. Conditions to be considered by the investigator may include, but are not limited to, the following: i. Active clinical diagnosis of substance use disorder ii. Chronic use of opiates and/or benzodiazepines which, in the opinion of the investigator, might make it difficult for the participant to follow study procedures iii. Coronary artery disease that is not stable with medical management, including unstable angina, angina that prevents moderate exercise (e.g. exercise of intensity up to 6 METS) despite medical management, or within the last 12 months before screening, a history of myocardial infarction, percutaneous coronary intervention, enzymatic lysis of a presumed coronary occlusion, or coronary artery bypass grafting iv. Known history of prolonged QTc interval, malignant arrhythmia, or severe congenital heart disease v. Congestive heart failure with New York Heart Association (NYHA) Functional Classification III or IV vi. History of TIA or stroke in the last 12 months vii. Untreated or inadequately treated mental illness viii. History of untreated or inadequately treated eating disorder within the last 2 years, such as anorexia, bulimia, or diabulimia, or omission of insulin to manipulate weight ix. History of intentional, inappropriate administration of insulin leading to severe hypoglycemia requiring treatment' could not be parsed automatically.	--

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_22	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_23	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_24	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_25	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Unanswered Questions / Items for Clinical Review

- Please review this criterion manually with the study team.
- Automated evaluation unavailable -- please review manually.
- Clinical review required -- please evaluate manually.

3. The Effects of the GOLO for Life(R) Plan With Release Supplement on Glycemic Control and Weight in Overweight and Obese Adults With Prediabetes or Type 2 Diabetes

Trial ID: NCT05844644

Reason surfaced: 4/42 evaluated criteria supported; trial is actively recruiting.

Field	Status
Clinical Fit	[?] Insufficient data
Recruiting	[OPEN] Actively recruiting
Score	0 . 095
Human Review	[!] Required

Criterion Evaluation

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
inc_0	[OK] SUPPORTED	rule_engine	Patient age 60 is within the required range 18-75.	--
inc_1	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_2	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_3	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_4	[OK] SUPPORTED	rule_engine	Trial recruiting status verified in the filtering stage.	--
inc_5	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_6	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_7	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_8	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_9	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_10	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_11	[OK] SUPPORTED	rule_engine	Patient HBA1C 7.0 meets criterion < 9.0.	lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30)
inc_12	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_13	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
inc_14	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion; exclusion
inc_15	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
inc_16	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_0	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_1	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_2	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion; exclusion

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_3	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion; exclusion
exc_4	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_5	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_6	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_7	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_8	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion; exclusion

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_9	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion; exclusion
exc_10	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_11	[R] REQUIRES_CLINICAL_REVIEW	rule_engine	EGFR criterion text 'Current unstable diagnosis with kidney and/or liver diseases as assessed by the QI on a case-by-case basis, with the exception of history of kidney stones in participants who are symptom free for 6 months' could not be parsed.	--
exc_12	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion; exclusion

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_13	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_14	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion; exclusion
exc_15	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion; exclusion
exc_16	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_17	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_18	[OK] SUPPORTED	rule_engine	Patient age 60 meets criterion age > 2.	--

Criterion ID	Status	Evaluator	Reasoning	Evidence Used
exc_19	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion; exclusion
exc_20	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_21	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_22	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_23	[R] REQUIRES_CLINICAL_REVIEW	clinical_review	Criterion type OTHER requires clinical judgement and cannot be automated.	--
exc_24	[R] REQUIRES_CLINICAL_REVIEW	llm_engine_error	LLM evaluation failed: Missing credentials. Please pass an api_key, workload_identity, admin_api_key, or set the OPENAI_API_KEY or OPENAI_ADMIN_KEY environment variable.	demographics; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; conditions; lab_results [428a24e1-51f1-5c8a-b4a2-c4f182156f22] (2026-04-30); lab_results [be55e793-2134-5a36-9275-9845399c75e2] (2026-04-26); lab_results [ec8b66d9-6516-5547-87dc-85c2bdaf7e5c] (2026-04-25); lab_results [e988e803-fad9-52e1-9cc5-f3861c80aa04] (2024-08-19); exclusion; exclusion

Unanswered Questions / Items for Clinical Review

- Please review this criterion manually with the study team.
- Automated evaluation unavailable -- please review manually.
- Clinical review required -- please evaluate manually.

Appendix -- Trials Excluded Before Evaluation

These trials were removed by deterministic filters:

Trial ID	Reason
NCT03301792	Status: ACTIVE_NOT_RECRUITING
NCT04892199	Status: ACTIVE_NOT_RECRUITING
NCT05066542	Status: ACTIVE_NOT_RECRUITING
NCT05181449	Status: ACTIVE_NOT_RECRUITING
NCT05766488	Status: ENROLLING_BY_INVITATION
NCT06094491	Status: ACTIVE_NOT_RECRUITING
NCT06254274	Status: ACTIVE_NOT_RECRUITING
NCT06649344	Status: ACTIVE_NOT_RECRUITING
NCT06682351	Status: NOT_YET_RECRUITING
NCT06760715	Status: NOT_YET_RECRUITING
NCT06770829	Status: NOT_YET_RECRUITING
NCT06775600	Status: NOT_YET_RECRUITING
NCT06973954	Status: ACTIVE_NOT_RECRUITING
NCT07005986	Age 60 outside criterion range
NCT07047248	Status: NOT_YET_RECRUITING
NCT07215533	Age 60 outside criterion range
NCT07220759	Status: ACTIVE_NOT_RECRUITING
NCT07278531	Status: NOT_YET_RECRUITING
NCT07468188	Age 60 outside criterion range
NCT07509502	Status: NOT_YET_RECRUITING
NCT07510386	Status: NOT_YET_RECRUITING
NCT07628985	Status: NOT_YET_RECRUITING
NCT07702097	Status: NOT_YET_RECRUITING

Pre-screening report generated by the Clinical Trial Pre-Screening Assistant. This report is intended to support -- not replace -- clinical judgement. All recommendations must be verified by a qualified healthcare professional before any action is taken.