MySQL™ INNER JOIN

YahooBaba

Yahoobaba.net

Types of JOINS in MySQL

- INNER JOIN
- LEFT JOIN
- RIGHT JOIN
- CROSS JOIN



The INNER JOIN selects records that have matching values in both tables.

JOIN Two Tables

INNER JOIN

Student Table

Id	Name	Age	City
1	Ram Kumar	19	1
2	Salman Khan	18	2
3	Meera Khan	19	1
4	Sarita Kumari	21	3

City Table

Cid	City
1	Agra
2	Bhopal
3	Delhi
4	Noida

Match

FOREIGN KEY

PRIMARY KEY

INNER JOIN Syntax

```
SELECT columns
FROM table1
INNER JOIN table2
ON table1.column_name = table2.column_name;
```

FOREIGN KEY

PRIMARY KEY

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - personal
  - Views
  - Stored Procedures
  - Functions
- test

Administration Schemas

Information

No object selected

personal personal city

Limit to 1000 r

```
1  SELECT * FROM personal INNER JOIN city
2  ON personal.city = city.cid;
```

Result Grid Filter Rows: Export: Wrap Cell Content:

id	name	percentage	age	gender	city	cid	cityname
1	Ram Kumar	45	19	M	1	1	Agra
2	Sarita Kumari	55	22	F	2	2	Delhi
3	Salman Khan	62	20	M	1	1	Agra
4	Juhi Chawla	47	18	F	3	3	Bhopal
5	Anil Kapoor	74	22	M	1	1	Agra
6	John Abraham	64	21	M	2	2	Delhi
7	Shahid Kapoor	52	20	M	1	1	Agra

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - personal
  - Views
  - Stored Procedures
  - Functions
- test

Administration Schemas

Information

No object selected

personal personal city

Limit to 1000 r

```
1  SELECT * FROM personal p INNER JOIN city c
2  ON p.city = c.cid;
```

Result Grid Filter Rows: Export: Wrap Cell Content:

id	name	percentage	age	gender	city	cid	cityname
1	Ram Kumar	45	19	M	1	1	Agra
2	Sarita Kumari	55	22	F	2	2	Delhi
3	Salman Khan	62	20	M	1	1	Agra
4	Juhi Chawla	47	18	F	3	3	Bhopal
5	Anil Kapoor	74	22	M	1	1	Agra
6	John Abraham	64	21	M	2	2	Delhi
7	Shahid Kapoor	52	20	M	1	1	Agra

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - personal
  - Views
  - Stored Procedures
  - Functions
- test

Administration Schemas

Information

No object selected

personal personal city

Limit to 1000 r

```
1  SELECT p.id,p.name,p.percentage,p.age,p.gender,c.cityname
2  FROM personal p INNER JOIN city c
3  ON p.city = c.cid;
```

Result Grid Filter Rows: Export: Wrap Cell Content:

id	name	percentage	age	gender	cityname
1	Ram Kumar	45	19	M	Agra
2	Sarita Kumari	55	22	F	Delhi
3	Salman Khan	62	20	M	Agra
4	Juhi Chawla	47	18	F	Bhopal
5	Anil Kapoor	74	22	M	Agra
6	John Abraham	64	21	M	Delhi
7	Shahid Kapoor	52	20	M	Agra

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - personal
  - Views
  - Stored Procedures
  - Functions
- test

Administration | Schemas

Information

No object selected

personal | personal | city

Limit to 1000 r

```
1  SELECT p.id,p.name,p.percentage,p.age,p.gender,c.cityname
2  FROM personal p INNER JOIN city c
3  ON p.city = c.cid
4  WHERE c.cityname = "Agra";
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

id	name	percentage	age	gender	cityname
1	Ram Kumar	45	19	M	Agra
3	Salman Khan	62	20	M	Agra
5	Anil Kapoor	74	22	M	Agra
7	Shahid Kapoor	52	20	M	Agra