JOIN Multiple Tables

JOIN Three Tables

Student Table

Id	Name	Age	Courses	City
1	Ram Kumar	19	1	1
2	Salman Khan	18	3	2
3	Meera Khan	19	1	1
4	Sarita Kumari	21	2	3

City Table

Cid	City
1	Agra
2	Bhopal
3	Delhi
4	Noida

Courses Table

Crid	Course
1	Btech
2	BCA
3	BBA

JOIN

JOIN

INNER JOIN Syntax for Multiple Tables

```
SELECT columns
FROM table1
INNER JOIN table2
ON table1.column_name = table2.column_name
INNER JOIN table3
ON table1.column_name = table3.column_name;
```

PRIMARY KEY

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - personal
  - Views
  - Stored Procedures
  - Functions
- test

Administration Schemas

Information

No object selected

personal | personal | city | courses

Limit to 1000 r

```
1 • SELECT * FROM student.personal;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

id	name	percentage	age	gender	city	courses
1	Ram Kumar	45	19	M	1	1
2	Sarita Kumari	55	22	F	2	2
3	Salman Khan	62	20	M	1	1
4	Juhi Chawla	47	18	F	3	1
5	Anil Kapoor	74	22	M	1	3
6	John Abraham	64	21	M	2	2
7	Shahid Kapoor	52	20	M	1	3

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - personal
  - Views
  - Stored Procedures
  - Functions
- test

Administration Schemas

Information

No object selected

personal | personal | city | courses

Limit to 1000 r

```
1 • SELECT * FROM student.city;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

cid	cityname
1	Agra
2	Delhi
3	Bhopal
4	Jaipur
5	Noida

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - personal
  - Views
  - Stored Procedures
  - Functions
- test

Administration Schemas

Information

No object selected

personal personal city courses

Limit to 1000 r

```
1 • SELECT * FROM student.courses;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

course_id	course_name
1	Btech
2	BCA
3	MBA
NULL	NULL

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - personal
  - Views
  - Stored Procedures
  - Functions
- test

Administration Schemas

Information

No object selected

personal personal city courses

Limit to 1000 r

```
1  SELECT * FROM
2  personal p INNER JOIN city c
3  ON p.city = c.cid
4  INNER JOIN courses cr
5  ON p.courses = cr.course_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

id	name	percentage	age	gender	city	courses	cid	cityname	course_id	course_name
1	Ram Kumar	45	19	M	1	1	1	Agra	1	Btech
2	Sarita Kumari	55	22	F	2	2	2	Delhi	2	BCA
3	Salman Khan	62	20	M	1	1	1	Agra	1	Btech
4	Juhi Chawla	47	18	F	3	1	3	Bhopal	1	Btech
5	Anil Kapoor	74	22	M	1	3	1	Agra	3	MBA
6	John Abraham	64	21	M	2	2	2	Delhi	2	BCA
7	Shahid Kapoor	52	20	M	1	3	1	Agra	3	MBA

personal × personal city courses

Limit to 1000 r

```
1  SELECT p.id,p.name,p.percentage,p.age,p.gender,c.cityname,cr.course_name
2  FROM
3  personal p INNER JOIN city c
4  ON p.city = c.cid
5  INNER JOIN courses cr
6  ON p.courses = cr.course_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

id	name	percentage	age	gender	cityname	course_name
1	Ram Kumar	45	19	M	Agra	Btech
2	Sarita Kumari	55	22	F	Delhi	BCA
3	Salman Khan	62	20	M	Agra	Btech
4	Juhi Chawla	47	18	F	Bhopal	Btech
5	Anil Kapoor	74	22	M	Agra	MBA
6	John Abraham	64	21	M	Delhi	BCA
7	Shahid Kapoor	52	20	M	Agra	MBA

personal | personal | city | courses

Limit to 1000 r

```
SELECT p.id,p.name,p.percentage,p.age,p.gender,c.cityname,cr.course_name
FROM
personal p INNER JOIN city c
ON p.city = c.cid
INNER JOIN courses cr
ON p.courses = cr.course_id
WHERE c.cityname = "Agra";
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

id	name	percentage	age	gender	cityname	course_name
1	Ram Kumar	45	19	M	Agra	Btech
3	Salman Khan	62	20	M	Agra	Btech
5	Anil Kapoor	74	22	M	Agra	MBA
7	Shahid Kapoor	52	20	M	Agra	MBA