SubQuery with EXISTS & NOT EXISTS

YahooBaba
Yahoobaba.net

What is SubQuery or Nested Query ?

Student Table

Id	Name	Age	Courses
1	Ram Kumar	19	1
2	Salman Khan	18	3
3	Meera Khan	19	1
4	Sarita Kumari	21	2

Courses Table

Cid	Course
1	Btech
2	BCA
3	BBA

Name
Ram Kumar
Meera Khan

SELECT with SubQuery Syntax

```
SELECT columns
FROM table1
WHERE
column = (SELECT columns FROM table2 WHERE condition);
```

INSERT UPDATE DELETE SELECT

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - personal
  - Views
  - Stored Procedures
  - Functions
- test

Administration Schemas

Information

No object selected

personal | personal | courses

Limit to 1000 r

```
1 • SELECT * FROM student.personal;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

id	name	percentage	age	gender	city	courses
1	Ram Kumar	45	19	M	1	1
2	Sarita Kumari	55	22	F	2	2
3	Salman Khan	62	20	M	1	1
4	Juhi Chawla	47	18	F	3	3
5	Anil Kapoor	74	22	M	1	3
6	John Abraham	64	21	M	2	2
7	Shahid Kapoor	52	20	M	1	1
NULL	NULL	NULL	NULL	NULL	NULL	NULL

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - personal
  - Views
  - Stored Procedures
  - Functions
- test

Administration Schemas

Information

No object selected

personal | personal | courses

Limit to 1000 r

```
1 • SELECT * FROM student.courses;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

course_id	course_name
1	Btech
2	BCA
3	MBA
NULL	NULL

personal × personal courses

Limit to 1000 r

```
1   SELECT name FROM personal
2   WHERE courses = (SELECT course_id FROM courses WHERE course_name = "MBA");
3
4 •  SELECT course_id FROM courses WHERE course_name = "MBA"
```

Output

personal | personal | courses

Limit to 1000 r

```
WHERE courses = (SELECT course_id FROM courses WHERE course_name = "MBA");

SELECT course_id FROM courses WHERE course_name = "MBA";
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

course_id
3

personal | personal | courses

Limit to 1000 r

```
1  SELECT name FROM personal
2  WHERE courses = (SELECT course_id FROM courses WHERE course_name = "MBA");
3
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name
Juhi Chawla
Anil Kapoor

personal | personal | courses

Limit to 1000 r

```
SELECT name FROM personal
WHERE courses IN (SELECT course_id FROM courses WHERE course_name IN ("MBA","Btech"));
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name
Ram Kumar
Salman Khan
Juhi Chawla
Anil Kapoor
Shahid Kapoor

personal 4

Output

Action Output

#	Time	Action	Message

SELECT with EXISTS Syntax

```
SELECT columns
FROM table1
WHERE
EXISTS (SELECT columns FROM table2 WHERE condition);
```

If any Single Record Exists

Then

Parent command show results

SELECT with NOT EXISTS Syntax

```
SELECT columns
FROM table1
WHERE
NOT EXISTS (SELECT columns FROM table2 WHERE condition);
```

If not any Single Record Exists

Then

Parent command show results

```
SELECT name FROM personal
WHERE EXISTS (SELECT course_id FROM courses WHERE course_name IN ("MBA"));
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name
Ram Kumar
Sarita Kumari
Salman Khan
Juhi Chawla
Anil Kapoor
John Abraham
Shahid Kapoor

personal 5

personal × personal courses

Limit to 1000 r

```
1  SELECT name FROM personal
2  WHERE EXISTS (SELECT course_id FROM courses WHERE course_name IN ("Mtech"));
3
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name

personal 6 ×

personal × | personal | courses

```
SELECT name FROM personal
WHERE NOT EXISTS (SELECT course_id FROM courses WHERE course_name IN ("Mtech"));
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name
Ram Kumar
Sarita Kumari
Salman Khan
Juhi Chawla
Anil Kapoor
John Abraham
Shahid Kapoor