IF & CASE Clause

YahooBaba
Yahoobaba.net

What is IF Clause ?

Student Table

Id	Name	Percentage
1	Ram Kumar	57
2	Salman Khan	28
3	Meera Khan	81
4	Sarita Kumari	45

City Table

Id	Name	Percentage	Result
1	Ram Kumar	57	PASS
2	Salman Khan	28	FAIL
3	Meera Khan	81	PASS
4	Sarita Kumari	45	PASS

Percentage >= 33% → Pass

Percentage < 33% → Fail

SELECT with IF Clause Syntax

```
SELECT column1, column2,
IF (Condition, TRUE Result, FALSE Result ) AS alias_name
FROM table_name;
```

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - students
  - Views
  - Stored Procedures
  - Functions
- yb

students | students

Limit to 1000 r

```
1 • SELECT id,name, percentage,
2   IF(percentage >= 33,"Pass","Fail") AS Result
3   FROM students;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

id	name	percentage	Result
1	Ram Kumar	45	Pass
2	Sarita Kumari	85	Pass
3	Salman Khan	29	Fail
4	Juhi Chawla	47	Pass
5	Anil Kapoor	74	Pass
6	John Abraham	64	Pass
7	Shahid Kapoor	120	Pass

Administration Schemas

Information

Schema: student

What is CASE Clause ?

Student Table

Id	Name	Percentage
1	Ram Kumar	57
2	Salman Khan	28
3	Meera Khan	81
4	Sarita Kumari	45

City Table

Id	Name	Percentage	Grade
1	Ram Kumar	57	IInd Division
2	Salman Khan	28	FAIL
3	Meera Khan	81	Merit
4	Sarita Kumari	43	IIIrd Division

What is CASE Clause ?

Student Table

Id	Name	Percentage
1	Ram Kumar	57
2	Salman Khan	28
3	Meera Khan	81
4	Sarita Kumari	45

City Table

Id	Name	Percentage	Grade
1	Ram Kumar	57	IInd Division
2	Salman Khan	28	FAIL
3	Meera Khan	81	Merit
4	Sarita Kumari	43	IIIrd Division

Percentage >= 80 AND Percentage <= 100 → Merit

Percentage >= 60 AND Percentage < 80 → Ist Division

Percentage >= 45 AND Percentage < 60 → IInd Division

Percentage >= 33 AND Percentage < 45 → IIIrd Division

Percentage < 33 → FAIL

SELECT with CASE Clause Syntax

```
SELECT column1, column2,
CASE
    WHEN Condition1 THEN result1
    WHEN Condition2 THEN result2
    WHEN Condition3 THEN result3
    ELSE result alias_name
END AS alias_name
FROM table_name;
```

students | students

Limit to 1000 r

```sql
SELECT id,name, percentage,
CASE
    WHEN percentage >= 80 AND percentage <= 100 THEN "Merit"
    WHEN percentage >= 60 AND percentage < 80 THEN "Ist Division"
    WHEN percentage >= 45 AND percentage < 60 THEN "IInd Division"
    WHEN percentage >= 33 AND percentage < 45 THEN "IIIrd Division"
    WHEN percentage < 33 THEN "Fail"
    ELSE "Not Correct %"
END AS Grade
FROM students;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

id	name	percentage	Grade
1	Ram Kumar	45	IInd Division
2	Sarita Kumari	85	Merit
3	Salman Khan	29	Fail
4	Juhi Chawla	47	IInd Division
5	Anil Kapoor	74	Ist Division
6	John Abraham	64	Ist Division
7	Shahid Kapoor	120	Not Correct %

students × students

Limit to 1000 r

```
UPDATE students SET
percentage = (CASE id
    WHEN 3 THEN 39
    WHEN 7 THEN 62
END)
WHERE  id IN (3, 7);
```

students students

Limit to 1000 r

```
1 • SELECT * FROM student.students;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

id	name	percentage	age	gender	city	courses
1	Ram Kumar	45	19	M	1	1
2	Sarita Kumari	85	22	F	2	2
3	Salman Khan	39	20	M	1	1
4	Juhi Chawla	47	18	F	3	1
5	Anil Kapoor	74	22	M	1	3
6	John Abraham	64	21	M	2	2
7	Shahid Kapoor	62	20	M	1	3