MySQL™

Arithmetic Functions

YahooBaba

Yahoobaba.net

- PI()
- ROUND()
- CEIL()
- FLOOR()
- POW()
- SQRT()
- RAND()
- ABS()
- SIGN()

- SIN()
- COS()
- TAN()
- ASIN()
- ACOS()
- ATAN()
- ATAN2()
- COT()
- RADIANS()

MySQL Arithmetic Functions

ABS()		FLOOR()		CEIL()		ROUND()	
-6.2	6.2	4.3	4.8	4.3	4.8	4.3	4.8
↓		↓		↓		↓	↓
6.2		4		5		4	5

MySQL Arithmetic Functions

ABS()		FLOOR()		CEIL()		ROUND()	
-6.2	6.2	4.3	4.8	4.3	4.8	4.3	4.8
↓		↓		↓		↓	↓
6.2		4		5		4	5

MySQL Arithmetic Functions

$\sqrt{4} = 2$

SQRT(number)

POW(base, exp)

$(4)^3$

$4 \times 4 \times 4 = 12$

MySQL Arithmetic Functions

SIGN(number)

(no. > 0)	(no. = 0)	(no. < 0)
↓	↓	↓
1	0	-1

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - students
  - Views
  - Stored Procedures
  - Functions
- yb

Administration Schemas

Information

SQL File 15* students

Limit to 1000 r

```
1   SELECT 5 + 6 AS Total;
```

Result Grid Filter Rows: Export: Wrap Cell Content:

Total
11

Schema: student

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - students
  - Views
  - Stored Procedures
  - Functions
- yb

Administration Schemas

Information

Schema: student

SQL File 15* students

Limit to 1000 r

```
1   SELECT 15 % 6 AS Total;
```

Result Grid Filter Rows: Export: Wrap Cell Content:

Total
3

Navigator

SCHEMAS

Filter objects

- phpmyadmin
- student
  - Tables
    - city
    - courses
    - students
  - Views
  - Stored Procedures
  - Functions
- yb

Administration Schemas

Information

Schema: student

SQL File 15* | students

Limit to 1000 r

```
1   SELECT id,name,(percentage * 5) AS "NEW Percentage"
2   FROM students;
3
4 • SELECT ROUND(SQRT(5));
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	ROUND(SQRT(5))
▸	2